


# Public Use Data Tape Documentation

NHANES I Epidemiologic Followup Study, 1987 **Interview** 








# Public Use Data Tape Documentation

NHANES I Epidemiologic Followup Study, 1987

# Interview



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service Centers for Disease Control National Center for Health Statistics

Hyattsville, Maryland October 1991

#### ACKNOWLEDGMENTS

Overall responsibility for the data processing and the compilation and documentation for the NHANES I Epidemiologic Followup Study (NHEFS), 1987 Interview Public Use data tape rested with Christine S. Cox under the direction of Jennifer H. Madans. Assistance was provided by other members of the NHEFS data management team: Dawn M. Scott, Sandra T. Rothwell, Fanchon F. Finucane, Virginia M. Freid, Brian A. Kissel, Joel C. Kleinman, Helen E. Barbano, and Jacob J. Feldman. Special thanks are extended to Joan Cornoni-Huntley of the National Institute on Aging (NIA) who played an important role in the development and continuation of the NHEFS. The contribution of the contractor, Westat Inc., of Rockville, Maryland, who conducted the field work is also gratefully acknowledged.

The NHEFS originated as a joint project between the National Center for Health Statistics (NCHS) and NIA. It has been funded primarily by NIA, with additional financial support from the following components of the National Institutes of Health and other Public Health Service agencies: the National Center for Chronic Disease Prevention and Health Promotion; the National Cancer Institute; the National Institute of Child Health and Human Development; the National Heart, Lung, and Blood Institute; the National Institute on Alcohol Abuse and Alcoholism; the National Institute of Mental Health; the National Institute of Arthritis and Musculoskeletal and Skin Diseases; the National Institute of Allergy and Infectious Diseases; and, the National Institute of Neurological and Communicative Disorders and Stroke.

# CONTENTS

USE OF	NHEFS DATA	Page 1
ERRORS	IN THE NHEFS DATA TAPES AND SURVEY DIFFERENCES	2
INTRODU	UCTION TO THE 1987 NHEFS INTERVIEW TAPE DOCUMENTATION	
I.	NHEFS Background Information	3
II.	1987 NHEFS Interview Procedures	7
III.		8
IV.		12
V.		16
VI.	1987 NHEFS Partially Completed Interviews	20
Figu	res la-lc: Sequence of Medical Condition	
Ques	tions in the 1987 NHEFS Interview	21
<u>INTERVI</u>	EW TAPE CHARACTERISTICS	24
INTERVI	EW TAPE CODEBOOK	
ī.	NHEFS SUMMARY INFORMATION	25
II.	MAIN_BODY OF QUESTIONNAIRE	
	Part A: Background Information	56
	Part B: Medical Conditions	86
	Part C: Functional Limitation	145
	Part D: Smoking and Alcoholic Beverages	188
	Part E: Exercise and Weight	197
	Part F: Vision and Hearing	203
	Part G: Pregnancy and Menstrual History	205
	Part H: Closing Statements	238
	Part I: Characteristics of Respondent	241
III.	QUESTIONS FROM PART B HAVING MULTIPLE RESPONSE SETS	
	Part B: Cancer Reports (Q.B-53 through Q.B-55)	248
	Part B: Non-hospital Facility Stay Reports	
	(Q.B-87 through Q.B-93)	272
IV.	1987 NHEFS HCFS TAPE SUMMARY VARIABLES	374
V.	ADDITIONAL NHEFS SUMMARY INFORMATION	389

## USE OF NHEFS DATA

With the goal of mutual benefit, NCHS requests the cooperation of recipients of data tapes in certain actions related to their use:

- A. Any published material derived from the data should acknowledge the National Center for Health Statistics (NCHS) as the original source. It should also include a disclaimer which credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data.
- B. Consumers who wish to publish a technical description of the data will make a reasonable effort to insure that the description is not inconsistent with that published by NCHS. This does not mean, however, that NCHS will review such descriptions.
- C. Authors should provide NCHS with a reprint of published articles which utilize the 1987 NHEFS data. Please send reprints to:

NHEFS Data Management Staff Division of Analysis National Center for Health Statistics Presidential Building, Room 1080 6525 Belcrest road Hyattsville, Maryland 20782

# ERRORS IN THE NHEFS DATA TAPES AND SURVEY DIFFERENCES

The NHEFS Public Use data tapes have been subjected to a great deal of careful editing. However, due to the large volume of data in the series, it is likely that a small number of errors or discrepancies remain undetected.

In general, the NHEFS data management team has not attempted to resolve substantive data discrepancies that may exist 1) within the 1987 NHEFS data tapes, or 2) between the 1987 NHEFS data tapes and the data tapes of the original National Health and Nutrition Examination Survey (NHANES I) and/or other NHEFS followup waves.

# INTRODUCTION TO THE 1987 NHEFS INTERVIEW TAPE DOCUMENTATION

### I. NHEFS BACKGROUND INFORMATION

The NHANES I Epidemiologic Followup Study (NHEFS) is a longitudinal study which uses as its baseline those adult persons ages 25 to 74 years who were examined in the first National Health and Nutrition Survey (NHANES I). The NHEFS is comprised of a series of followup surveys, three of which have been completed. The first wave of data collection, the 1982-84 NHEFS, was conducted from 1982 to 1984 and included all persons who were between 25 and 74 years at their NHANES I examination (n=14,407). The second wave of data collection, the 1986 NHEFS, was conducted for members of the NHEFS cohort who were 55-74 years at their baseline examination and not known to be deceased at the 1982-84 NHEFS (n=3,980). The third wave, the 1987 NHEFS, was conducted for the entire non-deceased NHEFS cohort (n=11,750). The fourth wave of data collection, the 1992 NHEFS, includes the entire non-deceased NHEFS cohort (n=11,195).

NHANES I collected data from a national probability sample of the United States civilian noninstitutionalized population between the ages of 1 and 74 years. The survey, which included a standardized medical examination and questionnaires that covered various health-related topics, took place from 1971 through 1974 and was augmented by an additional national sample in 1974-75. The NHANES I sample included 20,729 persons 25 to 74 years of age, of whom 14,407 (70 percent) completed a medical examination. The design, content and operation of NHANES I has been described elsewhere (Vital and Health Statistics, Series 1, Nos. 10a, 10b, and 14).

Although NHANES I provided a wealth of information on the prevalence of health conditions and risk factors, the cross-sectional nature of the original survey limits its usefulness for studying the effects of clinical, environmental, and behavioral factors and in tracing the natural history of disease. Therefore, the NHEFS was designed to investigate the association between factors measured at the baseline and the development of specific health conditions. It originated as a joint project between the National Center for Health Statistics (NCHS) and the National Institute on Aging with collaboration from components of the National Institutes of Health and other Public Health Service agencies. The 14,407

participants who were 25 to 74 years of age when they were examined in NHANES I (1971-75) were included in the followup study population.

In the first wave, the 1982-84 NHEFS, data were collected on all 14,407 subjects (i.e., individuals examined at NHANES I) in the cohort. Tracing of subjects began in 1981 and data collection was conducted from 1982 to 1984. Approximately 93 percent (n=13,383) of the cohort was successfully traced by the end of the survey period. Detailed information on the design, content, and operation of the 1982-84 NHEFS may be found in the Plan and Operation of the NHANES I Epidemiologic Followup Study 1982-84, Vital and Health Statistics, Series 1, No. 22. The basic design of the 1982-84 NHEFS consisted of the following components:

- -- tracing subjects or their proxies to a current address;
- -- acquiring death certificates for deceased subjects;
- -- performing in-depth interviews with the subjects or with their proxies including, for surviving subjects, taking pulse, blood pressure, and weight measurements of subjects; and,
- -- obtaining hospital and nursing home records, including pathology reports and electrocardiograms.

The second wave of NHEFS, the 1986 NHEFS, was conducted to assess changes in the health and functional status of the oldest members of the NHEFS cohort since the last contact period. It included 5,677 subjects who were 55 years or older at their NHANES I examination (almost 40 percent of the entire NHEFS cohort). Data collection was restricted to 3,980 subjects aged 55 year or older at NHANES I who were not known to be deceased at the time of the 1982-84 NHEFS, regardless of their tracing or interview status in 1982-84. The remaining 1,697 subject who were deceased at the time of the 1982-84 NHEFS were excluded from additional data collection in the 1986 NHEFS. Detailed information on the design, content, and operation of the 1986 NHEFS may be found in the Plan and Operation of the NHANES I Epidemiologic Followup Study, 1986, Vital and Health Statistics, Series 1, No. 25.

The 1987 NHEFS, the third wave of data collection, was designed to collect information on changes in the health and functional status of the NHEFS cohort since the last contact period. Tracing and data collection were conducted during this followup survey only for

the members of the NHEFS cohort who had not been identified as deceased in 1982-84 or 1986 (n=11,750) regardless of their previous tracing or interview status. The 2,657 previously deceased subjects were excluded from further data collection in the 1987 NHEFS.

The design and data collection procedures adopted in the 1987 NHEFS were very similar to the ones developed in the previous surveys: subjects were traced; subject and proxy interviews were conducted; and, health care facility abstracts and death certificates were collected. All subjects whose vital status was not obtained through tracing procedures were considered lost-to-followup in the 1987 NHEFS. In some cases, information about the death of a subject was obtained from a former neighbor, a relative or another tracing source. Although this information was noted in the subject's tracing record, he or she was considered lost-to-followup unless the information was verified by means of a death certificate or proxy interview. A subject's death had to be confirmed by either a death certificate or proxy interview.

In addition to verifying the subject's vital status, the tracing process also was used to obtain the current address of surviving subjects as well as to identify a knowledgeable proxy respondent for deceased subjects. Respondents who were identified and located through the tracing procedure were then contacted and asked to participate in a telephone interview. In a few cases, subjects who had been traced successfully could not be relocated for the interview. Only their vital status and the date when they were last traced in the 1987 survey are available.

A major difference between the NHEFS waves was the manner in which the interviews were conducted. In the 1982-84 NHEFS, the two-hour subject interview usually was conducted inperson while, in the 1986 and 1987 NHEFS, the interview was shortened to 30 minutes in length and was conducted primarily by telephone. In addition, since the questionnaire was not administered in-person, no physical measurements were made in the 1986 or the 1987 NHEFS.

The 1987 NHEFS interviews were conducted over the telephone using a Computer Assisted Telephone Interviewing (CATI) system. CATI is a telephone interviewing technique that allows the interviewer to enter the answers supplied by the respondent directly into the computer. Thus, editing and coding time is reduced and keypunching from a hard copy questionnaire is eliminated. A computer program drives the questionnaire so that the correct skip patterns are followed and the appropriate questions are displayed on the computer monitor. The skip patterns are based on information gathered from previous data

collection waves or on responses provided during the interview. For example, certain questions on pregnancy and menstrual history in the 1987 interview were programmed to be skipped automatically if the subject was male or if the female subject was interviewed previously and was 45 years of age or older at the time of that interview. Edit and logic checks are incorporated into the data collection system itself, thus improving the quality of the data.

As of January 25, 1988, the end of the 1987 NHEFS data collection period, 11,018 (93.8 percent) of the 11,750 members of the 1987 NHEFS cohort had been successfully traced. Interviews were conducted for 9,998 subjects (90.7 percent of those successfully traced). In addition, 7,361 facility stay records were collected for 3,472 subjects using information obtained from the interview, death certificate, or some other source. Death certificates were obtained for 524 (94.4 percent) of the 555 subjects who were known to have died since last contact. Detailed information on the design, content, and operation of the 1987 NHEFS may be found in the Plan and Operation of the NHANES I Epidemiologic Followup Study 1987, Vital and Health Statistics, Series 1, No. 27.

The data collected from the 1987 NHEFS are stored on four separate tapes:

- 1) Vital and Tracing Status tape -- contains summary information about the status of the NHEFS cohort,
- 2) Health Care Facility Stay tape -- contains information on reports of stays in hospitals and nursing homes, as well as information abstracted from facility medical records,
- Mortality Data tape -- contains data abstracted from the death certificates from all three NHEFS surveys,
- 4) Interview tape -- contains the data collected from the subject and proxy interviews. This tape is discussed below in more detail.

# II. 1987 NHEFS INTERVIEW PROCEDURES

An attempt was made to obtain an interview for all subjects who were successfully traced in the 1987 NHEFS. The procedures used to obtain interviews in the 1987 NHEFS were similar to the ones adopted in the 1982-84 and 1986 NHEFS:

- o An advance letter describing the followup study was sent to the surviving subject or a knowledgeable proxy respondent (for a deceased subject or for a subject who was incapacitated and unable to participate in the interview) once that person had been traced and located.
- o The interviewer then called the subject or proxy to schedule an appointment for the interview.
- o In contrast with the 1982-84 interview procedures, the 1986 and 1987 interviews were administered to the respondent by telephone or, when a telephone number was not available, the respondent was sent a mail questionnaire to complete. Any overnight health care facility stays reported during the interview were recorded onto a Hospital and Health Care Facility (HHCF) chart.
- At the end of the interview, the respondent's address was re-confirmed. This was done for tracing purposes as well as to ensure that a Medical Authorization Form (MAF) would be sent to the proper address to be signed and returned. The MAF was used to request health care facilities to release information from the subject's medical records to the study. It was mailed out to the respondent for his or her signature (or to a blood relative if a proxy respondent was not related to the subject) when at least one health care facility stay was reported during the interview and was listed on the subject's HHCF chart.

A total of 9,998 interviews were conducted in the 1987 NHEFS.

#### III. 1987 NHEFS QUESTIONNAIRE TYPES AND CONTENT

#### A. Questionnaire types

As in the 1982-84 and 1986 NHEFS, two versions of the questionnaire were used in the 1987 Followup: the subject questionnaire and the proxy questionnaire (see appendix I of the NHANES I Epidemiologic Followup Study, 1987: Plan and Operation, <u>Vital and Health Statistics</u>, Series 1, No. 27). Surviving subjects were always administered the subject questionnaire. If the subject was alive but incapacitated, a slightly modified version of the subject questionnaire was administered to a proxy respondent. A separate proxy questionnaire was used only when the subject was deceased. It consisted of a subset of the questions from the subject questionnaire, with the addition of several questions related to the subject's death.

Note the distinction between a <u>proxy respondent</u> and the <u>proxy questionnaire</u>. A proxy respondent was the informant who answered questions when the subject was not able to participate in interview, either because the subject was alive and incapacitated or because the subject was deceased. The proxy questionnaire, however, was the type of questionnaire administered only to the person who responded for a deceased subject. A total of 1,102 proxy respondents were interviewed in the 1987 NHEFS. Of these, 630 responded for an incapacitated subject and were administered a modified version of the subject questionnaire and 472 responded for a deceased subject and, thus, were administered the proxy questionnaire.

Nearly all 9,998 interviews collected in the 1987 NHEFS were conducted by telephone. However, during the main survey, when a subject or proxy could not be contacted by telephone, the respondent was mailed an abbreviated questionnaire. Ninety-seven 1987 NHEFS mail questionnaires were returned (92 from surviving subjects and 5 from proxy respondents for deceased subjects). Unlike the 1982-84 NHEFS, a returned mail questionnaire in the 1987 NHEFS constitutes an interview and data from the mail questionnaires are included on the 1987 NHEFS Interview tape.

The mail questionnaire for surviving subjects was designed to collect information on: 1) tracing for future recontacts, 2) the subject's current living arrangement and medical history since last contact, 3) the name and address of hospitals and nursing homes in which

the subject had stayed since last contact and the admission date for each stay, and 4) if the subject is female, reproductive and hormone use history.

The mail questionnaire sent to the proxy respondent when the subject was deceased was designed to obtain the necessary information on: 1) the subject's identity, 2) the name and address of hospitals and nursing homes in which the subject had stayed since last contact and the admission date for each stay, and 3) the locality of the subject's death.

#### B. Questionnaire content

In order to retain item comparability between NHANES I, the 1982-84, 1986 and the 1987 NHEFS, a majority of the questions included on the 1987 NHEFS questionnaire were the same as those used in the previous NHEFS waves. Both the subject and the proxy questionnaires were divided into sections according to topic area. The 1987 NHEFS survey instruments were designed to gather information on events that occurred since last contact regarding the subject's:

- o living arrangement and household composition,
- o history of selected medical conditions,
- o functional limitation,
- o smoking and alcohol habits,
- exercise and weight,
- o vision and hearing,
- o pregnancy and menstrual history,
- o utilization of hospitals, nursing homes and other health care facilities, and
- o locality of subject's death (if subject deceased).

The data on functional limitation, exercise and weight, and vision and hearing were collected for surviving subjects only. The questions asked in the 1986 NHEFS concerning community services utilization were not reasked in the 1987 NHEFS. However, the 1987 NHEFS Interview included several new questions on such topics as, breast examination, mammograms, Pap smear tests, tubal ligation, vasectomy, and high blood cholesterol.

Retrospective questions were included in Part B (Medical Conditions) of the questionnaire to collect information on the subject's history of selected medical conditions. Figures la-lc show the general sequence of the questions. The wording of the medical condition questions in Part B generally depended on whether or not the subject had had an interview in the 1982-84 and/or 1986 NHEFS and, if so, whether or not a specific medical condition had been reported for the subject during that interview. If a certain medical condition had been reported in the 1982-84 or 1986 NHEFS interview, the respondent in the 1987 interview was asked to recall any recurrences of that medical condition since the date of that interview. The respondent was asked to recall if a doctor had ever told the subject that he or she had the medical condition in question if: 1) the condition had not been reported in a previous NHEFS interview, 2) the condition was never asked about in previous NHEFS interview, or 3) an interview had not been conducted for the subject in both 1982-84 and 1986.

Respondents also were asked to provide information on all overnight hospital, nursing home, or other non-hospital health care facility stays. Generally, if the subject had had an interview in the 1986 NHEFS, the respondent in the 1987 NHEFS was asked to recall all overnight hospitalizations for the medical conditions of interest since 1985. If the subject was last interviewed in the 1982-84 NHEFS, the respondent in the 1987 NHEFS was asked to recall all overnight hospitalizations for the medical conditions of interest since 1980. If the subject had not had an interview in both the 1982-84 and 1986 NHEFS, then the interviewer asked the respondent to recall all overnight hospital stays since 1970. In the case where the respondent reported that the subject was first told about having the medical condition of interest before 1980 or 1985 and that information contradicted information stored in the CATI system obtained in the 1982-84 or 1986 NHEFS interview, he or she was asked to provide information on all hospital stays since 1970 for that condition.

The beginning of the recall period was defined as either 1970, 1980 or 1985 rather than the date of the subject's most recent interview (i.e., baseline examination, 1982-84 NHEFS or 1986 NHEFS) for two main reasons. First, the beginning or mid-point of a decade may be an easier reference point for recalling events rather than the date of the subject's most

recent interview. Second, given that respondents might have difficulty recalling the exact dates of facility stays, increasing the length of the recall period maximizes the probability of collecting information on health care facility stays that occurred since the date of the subject's most recent interview.

All overnight stays in a hospital, nursing home, or other health care facility reported during the interview were recorded onto the HHCF chart. The full name and address of the health care facility, date of admission, and reason(s) for the admission were obtained from the respondent for each stay and transcribed onto the chart. Facility stays reported during the interview were compiled from the HHCF chart and entered into a computerized tracking system. Reports and returned medical abstracts were then linked together and the 1987 NHEFS Health Care Facility Stay (HCFS) data tape was constructed. For more information, see the introduction to the 1987 HCFS data tape documentation.

At the end of the interview, the interviewer confirmed name and address information with the respondent for future tracing purposes. Confirmation of name and address was also done so that a Medical Authorization Form (MAF) could be sent to the proper address to be signed and returned. The form was used to request health care facilities to release information from the subject's medical records to the study. It was sent to the respondent to obtain his or her signature (or to a blood relative if the proxy respondent was not related to the subject) only when at least one health care facility stay was reported and had been listed on the subject's HHCF chart. When the proxy respondent was not related to the deceased subject or to the incapacitated subject who was unable to sign the MAF, an attempt then was made to identify a relative who could sign the MAF.

As of January 25, 1988, the end of the 1987 NHEFS data collection period, interviews had been conducted for 85.1 percent (n=9,998) of the 11,750 subjects who were not deceased in the 1982-84 or 1986 NHEFS (90.7 percent of those successfully traced). Of these, 31 were partially completed yet are included on the 1987 NHEFS Interview tape. Because the partially completed interviews required special coding considerations, they are discussed in more detail in Section VI of this document. (The variable in positions 22-23 on the 1987 NHEFS Interview tape identifies the interview completion status as well as the interview respondent.)

#### IV. 1987 NHEFS INTERVIEW TAPE RECORD STRUCTURE

The Interview data tape contains information from 9,998 interviews (9,526 subject and 472 proxy interviews) collected in the 1987 NHEFS. The data are stored in a flat, rectangular data file that has a fixed logical record length of 5190. Each record contains interview data for one study subject. The Interview tape does <u>not</u> include records for those subjects (or their proxies) who refused to be interviewed or who were never contacted. It also does <u>not</u> include records for subjects who were known to be deceased in the 1982-84 or 1986 NHEFS.

The numeric variables in the data set have a minimum width of two positions and are right-justified. They contain leading blanks except for date variables stored in a month-day-year or month-year format (these variables contain leading zeros). In addition, all numeric variables are integers; no decimal points are required to read the values of a variable. Character variables have a minimum width of two positions and are left-justified, even if they contain numerics.

The interview record is divided into five major sections.

# A. <u>NHEFS SUMMARY INFORMATION (positions 1-187)</u>

The first part of the record contains summary demographic and survey information for each subject (e.g., vital status at the 1982-84, 1986 and the 1987 NHEFS, age at the NHANES I examination, race, sex, birth date, NHANES I examination date, and the 1987 NHEFS interview date). This section also provides summary information from the 1982-84 and 1986 NHEFS interviews (e.g., interview date, questionnaire type, and the recoded responses for selected medical conditions) when an interview was conducted for the subject in the wave. These types of variables were used to drive the CATI program. Positions 1-5 contain the Sample Sequence Number, which is the subject identification number. This number is unique for each subject and is used when linking data tapes. Thus, the 1987 NHEFS Interview tape can be linked to all other NHEFS and NHANES I data tapes.

# B. MAIN BODY OF 1987 NHEFS QUESTIONNAIRE (positions 188-3035)

This section contains the majority of the data collected from the 1987 NHEFS interview.

# C. <u>QUESTIONS FROM PART B HAVING MULTIPLE RESPONSE SETS</u> positions 3036-5069):

This section contains data for Part B questions which involve multiple response sets (i.e., the same set of questions were asked about each occurrence of the event of interest and the number of events varies by subject). Thus, information on whether or not the event occurred is found in Part B but information about the events is found in positions 3036-5069 of the record. Questions concerning cancer types and other non-hospital facility admissions were both processed in this manner. Enough space was provided to accommodate the responses on the maximum number of reports given by any one respondent for each of the two multiple response question sets. The format for each of the two question sets is discussed in detail below.

## 1. Cancer (positions 3036-3335):

This subsection of the record contains the data collected on each different type of cancer reported in response to either Q.B50 or Q.B51 (coded in positions 783-784 and positions 785-786, respectively). Variables in this subsection of the record include the type of cancer (Q.B53), the year the subject was first told about having that type of cancer (Q.B54), and whether or not the subject was hospitalized for the cancer (Q.B55). Since no more than six cancer types were reported for any one subject, there are six sets of fields reserved to store the information collected on cancer. The total number of cancers reported for each subject is stored in positions 789-790.

The location of each set of cancer questions is listed below:

Cancer set	Positions
First cancer reported	3036-3085
Second cancer reported	3086-3135
Third cancer reported	3136-3185
Fourth cancer reported	3186-3235
Fifth cancer reported	3236-3285
Sixth cancer reported	3286-3335

Each of the six sets of fields in the cancer subsection contains the same variables. For example, the information collected in Q.B55 for the first type of cancer reported is in positions 3084-3085, while the responses to Q.B55 for a second through sixth type of cancer are located in positions 3134-3135, positions 3184-3185, positions 3234-3235, positions 3284-3285 and positions 3334-3335, respectively.

If a respondent reported less than six cancers for the subject, inapplicable codes (-1) were entered in order to fill the tape positions that did not represent actual interview information. For example, if the subject did not have any cancer reports, all the variables in positions 789-790 and positions 3036-3335 contain codes of -1 (inapplicable). If a respondent reported two different types of cancers for the subject, codes of -1 are stored in non-blank variable fields in positions 3136-3335, the data locations for the third through sixth type of cancers.

# 2. <u>Non-Hospital Facility Admissions (positions 3336-5069):</u>

This subsection contains the data collected on each non-hospital facility admission reported in response to Q.B86 (coded in positions 887-888). The purpose of Q.B86 was to gather information about non-hospital facility (e.g., nursing home, mental health care facility) stays that may not have been specifically reported in response to the hospitalization questions in Part B (Medical

Conditions). This subsection contains the information collected from Q.B87 through Q.B93 for each reported admission. As with the other multiple response sets of questions, the interview was structured to allow the respondent to report more than one non-hospital facility admission. Since no more than six non-hospital facility admissions were reported for any one subject, there are six sets of fields reserved to store the information. The total number of non-hospital facility admissions that were reported is stored in positions 889-890.

The location of each set of non-hospital facility admission questions is listed below:

Non-hospital facility admission set	Positions
	2226 2604
First non-hospital facility admission reported	3336-3624
Second non-hospital facility admission reported	3625-3913
Third non-hospital facility admission reported	3914-4202
Fourth non-hospital facility admission reported	4203-4491
Fifth non-hospital facility admission reported	4492-4780
Sixth non-hospital facility admission reported	4781-5069

Each of the six sets of fields in the non-hospital facility admissions subsection contains the same variables. For example, the information collected in Q.B88 (place from which subject entered facility) for the first admission is in positions 3375-3376, while the response to this question for the second through sixth admission is in positions 3664-3665, positions 3953-3954, positions 4242-4243, positions 4531-4532 and positions 4820-4821, respectively. If a respondent reported less than six admissions for a subject, inapplicable codes (-1) were used to fill the tape positions for variables that were not used.

# D. 1987 NHEFS HEALTH CARE FACILITY STAY TAPE SUMMARY VARIABLES (positions 5070-5143):

The 1987 NHEFS HCFS tape contains records for all in-scope stays (i.e, in most cases, a stay with an admission date after the date of the subject's most recent interview) reported during the interview. However, in some cases, a record of a stay will be stored on the HCFS tape for which no corresponding information is coded on the subject's interview record. This type of inconsistency sometimes results when information on an overnight stay is not reported in the interview but

is recorded on the HHCF chart. Usually it occurs when the interviewer fails to update the interview based on information obtained when filling out the HHCF chart.

Summary variables were created from the 1987 NHEFS HCFS data tape to help rectify this situation. These variables indicate whether or not a facility stay was reported for that medical condition. The summary variables provide the most correct information on the conditions reported by the respondent during the interview for which there is a record for an overnight stay on the HCFS file. More detailed information on the summary variables is provided in the technical note on pages 374-375 of this Interview tape documentation.

## E. <u>ADDITIONAL NHEFS SUMMARY INFORMATION</u> (positions 5144-5190):

The last section of the interview record contains the underlying cause of death (for deceased subjects for whom a death certificate is available), NHANES I subsample membership, strata, pseudo primary sampling units, and sample weights.

# V. 1987 NHEFS INTERVIEW TAPE VARIABLE DESCRIPTION

Variables in the data set are documented in the codebook with the following information:

# A. QUESTION NUMBER

A question number is placed in this location if the variable corresponds to a question asked in the interview. The field is blank if the variable is a flag created during data collection and does not represent a question from the interview. In some cases, the same question number may be assigned to more than one variable. This occurs when the question has multiple parts or multiple responses. For example, two variables are needed to code the response to Q.C2 (How long has subject had to stay in bed?). "C2" is listed in the codebook as the question number for both of the variables in positions 906-907 and positions 908-909 (Number of months or years and Time period responded in, respectively).

#### B. VARIABLE NAME

Each variable on the Interview record is assigned a variable name composed of alphabetic characters and/or numbers. The variable names listed in the codebook were assigned arbitrarily and were used solely for the purpose of driving the CATI. In most cases, a maximum of eight characters are used in variable names and each variable is assigned a unique name. However, this is not always the case. In some instances, the same name is used for variables found in each sector of the multiple response sets of questions in positions 3036-5067.

# C. <u>COLUMN NUMBER</u>

This lists the positions on the record where the variable is stored.

#### D. VARIABLE LABEL

The label is an abbreviated description of the variable. The user is strongly encouraged to refer to the hard copy questionnaire when using the Interview tape documentation in order to understand fully the nature and content of the variables.

# E. <u>CODES AND FREQUENCIES</u>

The codes for each variable are listed below the variable label. The frequency count appears to the left of the code and the description of the code or range is listed to its right. When a variable has too many response codes to list individually (e.g., age at 1987 NHEFS interview), the codebook provides a range of values rather than each individual value.

Codes represented by negative values are reserved for special use on the 1987 NHEFS Interview tape:

- o a code of -1 in the 1987 NHEFS Interview tape is used as an "inapplicable" code and is assigned when a question is not asked as a result of the questionnaire skip pattern. The code of -1 also is used to fill unused tape positions for questions that had multiple responses or answers.
- a code of -7 always indicates that the respondent refused to answer the question.
- o a code of -8 always represents a "don't know" response.
- o a code of -9 represents "not ascertained" and is used when mail questionnaire respondents did not get asked the question. It also is used for partially completed interviews to complete the skip patterns after the breakoff point (see Section VI below).

## F. TRACING OF THE INAPPLICABLE RESPONSES

A statement identifying the codes in preceding variables which caused the question to be skipped and the variable to be coded inapplicable (-1) is given below the variable description.

Note: Several interview questions permitted more than one response (e.g., what are the year(s) when subject had additional heart attack(s)). Each response was entered in the CATI system and was stored as a separate variable. An inapplicable statement is given for the first variable of the set and applies to all the other variables in the set. For example, each variable in positions 629-636 corresponds to a year for an additional heart attack reported in response Q.B21. The inapplicable statement for this set of questions is included only in the first variable in the sequence (positions 629-630) but refers to all four variables coded in positions 629-636. Unlike the set of questions for cancer and non-hospital facility stay reports, variables like these did not need to be placed at the end of the interview record.

The variables where this format is used are:

Column Number	Label
629-636	WHAT YEAR WAS THAT 1ST-4TH ADDITIONAL HEART ATTACK?
637-644	HEART ATTACK NOT REPORTED PREVIOUSLY AND Q.B22 1ST-4TH REPORTED YEAR BEFORE PREVIOUS NHEFS INTERVIEW YEAR
669-672	WHAT YEAR WAS THAT 1ST-2ND ADDITIONAL STROKE?
673-676	STROKE NOT REPORTED PREVIOUSLY AND Q.B34 1ST-2ND REPORTED YEAR BEFORE PREVIOUS NHEFS INTERVIEW YEAR
803-810	WHAT YEAR WAS THAT 1ST-4TH ADDITIONAL HIP FRACTURE?
811-818	HIP FRACTURE NOT REPORTED PREVIOUSLY AND Q.B60 1ST-4TH REPORTED YEAR BEFORE PREVIOUS NHEFS INTERVIEW YEAR
829-836	WHAT YEAR WAS THAT 1ST-4TH ADDITIONAL BROKEN WRIST?
875-878	CATARACT SURGERY NOT REPORTED PREVIOUSLY AND Q.B78 1ST-2ND YEAR REPORTED BEFORE PREVIOUS NHEFS INTERVIEW YEAR

# G. <u>NOTES</u>

A variable entry may include a note which follows the explanation of the inapplicable code when additional explanatory information on the variable is required.

#### VI. 1987 NHEFS PARTIALLY COMPLETED INTERVIEWS

Interview records in which the respondent either refused or was unable to complete the interview have been included on the Interview tape and are given the disposition of "partial complete" (see positions 22-23 of the Interview codebook). An interview was considered to be partially completed if the respondent provided information on at least one facility stay in Part B or, if no facility stays were reported, if the respondent completed at least a substantive portion of Part B.


In the majority of cases, the first -9 indicates where the interview broke off. Questions from the breakoff point to the end of Part I were coded on the record as -9 or -1 depending on the skip pattern.

The record for a partially completed interview may reflect any additional information obtained outside of the CATI system that pertains to questions occurring after the breakoff point. For example, if a subject broke off at Q.B38 (diabetes) but the interviewer obtained information on a hospital stay for a fractured hip before the respondent broke off the interview, Q.B61 (was subject hospitalized for a fractured hip?), which is coded in positions 819-820 would be coded 1 (yes) on the interview record in order to reflect the additional information obtained outside the CATI system.


20

FIGURE la

Sequence of medical condition questions in 1987 NHEFS interview: for subjects who had not had a previous NHEFS interview




Sequence of medical condition questions in 1987 NHEFS interview: for subjects who had had a previous NHEFS interview and had a report of the medical condition in that interview



<sup>\*</sup> The hospital stay question was worded either with "since 1980" or "since 1985", depending on whether the most recent interview for the subject was conducted in 1982-84 or 1986, respectively.

Sequence of medical condition questions in 1987 NHEFS interview: for subjects who had had an interview in a previous NHEFS and the medical condition was not reported in that interview



<sup>\*</sup> The hospital stay question was worded only with "since 1970" if the respondent gave a year when the subject was first told about having the medical condition in the 1987 NHEFS interview that was before the previous NHEFS interview. Otherwise, the question was worded with "since 1980" or "since 1985", depending on whether the most recent interview for the the subject was conducted in 1982-84 or 1986, respectively.

# 1987 NHEFS INTERVIEW TAPE CHARACTERISTICS

Title: 1987 NHEFS Interview Data Tape

Data Set Name: NHEFS3.INTPB

Record Length: 5190

Blocksize: 31140

Number of Records: 9,998

Number of Reels: 1

Recording Mode: FIXED BLOCK, EBCDIC

Density: 6250 bpi

Channel: 9 TRACK

Created by: Office of Analysis and Epidemiology

Division of Analysis

National Center for Health Statistics

Presidential Building, Room 1080

6525 Belcrest Road

Hyattsville, Maryland 20782

# NHANES I EPIDEMIOLOGIC FOLLOWUP STUDY, 1987 (1987 NHEFS)

# Interview Public Use Data Tape Codebook

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	ription and Codes
	SEQNO	1-5		SAMPLE SEQUENCE	NUMBER
		6-7		BLANK	
	PREVINT	8-9		WHEN WAS SUBJECTINTERVIEWED?	T PREVIOUSLY
			6629 566 2803	1 2 3	LAST INTERVIEWED AT 1982-84 NHEFS LAST INTERVIEWED NHANES I EXAM 1971-75 LAST INTERVIEWED AT 1986 NHEFS
	SUBSEX	10-11		SEX OF SUBJECT	
			3624 6374	1 2	MALE FEMALE
	TRACSTAT	12-13		SUBJECT'S 1987 N	/ITAL STATUS
			9526 472	1 3	ALIVE DECEASED .

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes		
G	RRSLTMO	(14-19)		DATE OF INTERVIE	W. 1987 NHEFS	
	RSLTMO	14-15		момтн		
			9998	01-12	MONTH OF INTERVIEW	
	RSLTDAY	16-17		DAY		
			9998	01-31	DAY OF INTERVIEW	
	RSLTYR	18-19		YEAR		
	KJLIIK	16-13		<del></del>		
			9998	87-88	YEAR OF INTERVIEW (1987-1988)	
	AGENOW	20-21		SUBJECT'S AGE AT	1987 INTERVIEW: NHEFS	
			472 9526	-1 36-91	INAPPLICABLE AGE AT INTERVIEW (IN YEARS)	

INAPPLICABLE: COL 12-13-3

THE AGE AT THE 1987 FOLLOWUP INTERVIEW IS CALCULATED FROM THE NHEFS DATE OF BIRTH (COL 152-157) AND THE DATE OF THE 1987 NHEFS INTERVIEW (COL 14-19).

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
	BASERSLT	22-23		INTERVIEW COMPI	_ETION_STATUS/INTERVIEW 37 NHEFS
			8874	1	COMPLETE/SUBJECT
			626	2	COMPLETE/PROXY FOR INCAPACITATED SUBJECT
			467	3	COMPLETE/PROXY FOR DECEASED SUBJECT
			22	4	PART COMP/SUBJECT
			4	5	PART COMP/PROXY FOR INCAP SUBJECT
			5	6	PART COMP/PROXY FOR DECEASED SUBJECT

CODES 1,2 AND 3 ARE COMPLETED INTERVIEWS. CODES 4,5 AND 6 ARE PARTIALLY COMPLETED INTERVIEWS.

AN INTERVIEW STATUS OF "PARTIALLY COMPLETED" (CODES 4,5, OR 6) INDICATES THAT THE RESPONDENT BROKE OFF THE INTERVIEW AT SOME POINT AFTER COMPLETING AT LEAST A PORTION OF PART B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE. THE INTERVIEW WAS CONSIDERED A PARTIAL COMPLETE RATHER THAN A REFUSAL TO PARTICIPATE IN THE INTERVIEW. IF THE RESPONDENT PROVIDED INFORMATION ON AT LEAST ONE FACILITY STAY FOR THE SUBJECT IN PART B OF THE QUESTIONNAIRE OR, IF NO FACILITY STAYS WERE REPORTED, IF THE RESPONDENT COMPLETED A SUBSTANTIVE PORTION OF PART B.

A SUBJECT WITH A CODE OF 1 OR 4 IN COL 22-23 MAY HAVE NEEDED SOME ASSISTANCE DURING THE INTERVIEW. INFORMATION ON THE RELATIONSHIP OF THE ASSISTANT TO THE SUBJECT IS LOCATED IN COL 1743-1744. THE REASONS WHY THE SUBJECT NEEDED ASSISTANCE ARE CODED IN COL 1931-2040.

A SUBJECT WITH A CODE OF 2 OR 5 IN COL 22-23 WAS NOT ABLE TO PARTICIPATE AT ALL IN THE INTERVIEW AND THE SUBJECT INTERVIEW WAS INSTEAD ADMINISTERED TO A PROXY RESPONDENT INFORMATION ON THE RELATIONSHIP OF THE PROXY RESPONDENT TO THE INCAPACITATED SUBJECT IS LOCATED IN COL 1609-1610. THE REASONS WHY THE PROXY WAS NEEDED ARE CODED IN COL 1931-2040.

CODES 3 OR 6 IN COL 22-23 INDICATE THE SUBJECT IS DECEASED AND THAT A PROXY INTERVIEW WAS ADMINISTERED TO A PROXY RESPONDENT. THE RELATIONSHIP OF THE PROXY RESPONDENT TO THE DECEASED SUBJECT IS LOCATED IN COL 193-194.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	DCRECD	24-25		DEATH CERTIFICATE RECEIPT FLAG: 1987 NHEFS
			9526 441 31	-1 INAPPLICABLE 1 DEATH CERTIFICATE RECEIVED 2 DEATH CERTIFICATE NOT RECEIVED

INAPPLICABLE: COL 12-13=1

A CODE OF 1 INDICATES THAT DEATH CERTIFICATE INFORMATION MAY BE FOUND ON THE NHEFS 1987 FOLLOWUP MORTALITY DATA FILE.

GRDEATHM (26-31) DATE OF DEATH: 1987 FOLLOWUP

THE SUBJECT'S DATE OF DEATH IS EXTRACTED FROM THE 1987 NHEFS MORTALITY DATA FILE IF A DEATH CERTIFICATE WAS OBTAINED FOR THE SUBJECT. IF A DEATH CERTIFICATE WAS NOT OBTAINED FOR THE SUBJECT, BUT A FACILITY ABSTRACT WAS RECEIVED WHICH INDICATED THAT THE SUBJECT WAS DISCHARGED DEAD FROM THE FACILITY, THE DATE OF DEATH IS CODED TO THE DATE OF DISCHARGE ENTERED ON THE ABSTRACT FORM. IF NEITHER A DEATH CERTIFICATE NOR A FACILITY ABSTRACT INDICATING THE SUBJECT WAS DISCHARGED DEAD WAS AVAILABLE, THE DATE OF DEATH IS CODED FROM THE INFORMATION PROVIDED IN THE PROXY INTERVIEW.

DEATHMO	26-27		MONTH	
		9526	- 1	INAPPLICABLE
		0	-7	REFUSED
		0	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		472	01-12	MONTH OF DEATH

INAPPLICABLE: COL 12-13=1

Ques No.		Column Number(s)	Counts	Variable Descr	iption and Codes
	DEATHDAY	28-29		DAY	
			2	- 7 - 8 - 9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED DAY OF DEATH
	INAPPL	ICABLE: C	OL 12-13=1		
	DEATHYR	30-31		YEAR	
			9526 O O O 472	-1 -7 -8 -9 73-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEAR OF DEATH (1973-1987)
	INAPPL	ICABLE: C	OL 12-13=1		
		32-75		BLANK	
	ARTHECF	76-77		WAS ARTHRITIS RE	
			7195 1365 1438	- 1 1 2	INAPPLICABLE YES NO

INAPPLICABLE: COL 8-9=1,2

THIS VARIABLE WAS USED TO DETERMINE WHICH ARTHRITIS QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.B2 IN THE 1986 FOLLOWUP SUBJECT QUESTIONNAIRE WHICH IS CODED IN COL 409-410 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 409-410 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING ARTHRITIS), THEN COL 76-77 ON THIS FILE IS CODED 1. IF COL 409-410 WAS CODED 2,-8, OR -9 THEN COL 76-77 ON THIS FILE IS CODED 2.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
	GOUTECF	78-79		WAS GOUT REPORT	ED IN 1986 NHEFS
			7195 231 2572	- 1 1 2	INAPPLICABLE YES NO

INAPPLICABLE: COL 8-9=1,2

THIS VARIABLE WAS USED TO DETERMINE WHICH GOUT QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.BB IN THE 1986 FOLLOWUP SUBJECT QUESTIONNAIRE WHICH IS CODED IN COL 461-462 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 461-462 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING GOUT), THEN COL 78-79 ON THIS FILE IS CODED 1. IF COL 461-462 WAS CODED 2,-8, OR -9 THEN COL 78-79 ON THIS FILE IS CODED 2.

HEARTATT	80-81		WAS A HEAR PREVIOUS	RT ATTACK REPORTED IN INTERVIEW?
		566	- 1	INAPPLICABLE
		624	1	YES
		8808	2	NO

INAPPLICABLE: COL B-9=2

THIS VARIABLE WAS USED TO DETERMINE WHICH HEART CONDITIONS QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.G17A IN THE 1982-1984 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 1163 ON THE 1982-1984 FOLLOWUP INTERVIEW FILE OR THE RESPONSE GIVEN TO Q.B15 IN THE 1986 FOLLOWUP QUESTIONNNAIRE WHICH IS CODED IN COL 477-478 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 1163 OR COL 477-478 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING HAD A HEART ATTACK), THEN COL 80-81 ON THIS FILE IS CODED 1. IF NEITHER COL 1163 NOR COL 477-478 WAS CODED 1, THEN COL 80-81 ON THIS FILE IS CODED 2.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
	HEARTOTH	82~83		WAS AN OTHER HEART CONDITION OR HEART ATTACK REPORTED IN PREVIOUS INTERVIEW?	
			566 1576 7856	-1 INAPPLICABLE 1 YES 2 NO	

INAPPLICABLE: COL 8-9=2

THIS VARIABLE, IN CONJUNCTION WITH THE VARIABLE IN COL 80-81, WAS USED TO DETERMINE WHICH HEART CONDITIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSES TO Q.G15A AND Q.G17A IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 1151 AND COL 1163 ON THE 1982-84 FOLLOWUP INTERVIEW FILE OR THE RESPONSES TO Q.B15 OR Q.B19B IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 477-478 AND COL 513-514 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF EITHER COL 1151 OR COL 1163 WAS CODED 1 OR IF COL 477-478 OR COL 513-514 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING HAD A HEART ATTACK, HEART TROUBLE, OR SOME OTHER HEART CONDITION), THEN COL 82-83 ON THIS FILE IS CODED 1. IF NEITHER COL 1151 NOR COL 1163 ON THE 1982-84 FOLLOWUP INTERVIEW FILE, NOR COL 477-478 NOR COL 513-514 ON THE 1986 FOLLOWUP INTERVIEW FILE, WERE CODED 1, THEN COL 82-83 ON THIS FILE IS CODED 2.

BYPASECF 84-85

# WAS A CORONARY BYPASS REPORTED IN 1986 NHEFS INTERVIEW?

7195	<b>- 1</b>	INAPPLICABLE
52	1	YES
2751	2	NO

INAPPLICABLE: COL 8-9=1,2

THIS VARIABLE WAS USED TO DETERMINE WHICH CORONARY BYPASS QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.B2OA IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 515-516 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 515-516 WAS CODED 1 (SUBJECT HAD A REPORT OF A CORONARY BYPASS), THEN COL 84-85 ON THIS FILE IS CODED 1. IF COL 516-516 WAS CODED 2,-1,-8 OR -9 THEN COL 84-85 ON THIS FILE IS CODED 2.

Ques No 	Variable Name	Column Number(s)	Counts	Variable Description and Codes		
	PACEECF	86-87			EMAKER REPLACEMENT, INSERTION, REPORTED IN 1986 NHEFS	
			7195 50 2753	- 1 1 2	INAPPLICABLE YES NO	

INAPPLICABLE: COL 8-9-1.2

THIS VARIABLE WAS USED TO DETERMINE WHICH PACEMAKER QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT IT IS BASED ON THE RESPONSE TO Q.B2OC IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 519-520 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 519-520 WAS CODED 1 (SUBJECT HAD A REPORT OF A PACEMAKER REPLACED, INSERTED, OR REPAIRED), THEN COL 86-87 ON THIS FILE IS CODED 1. IF COL 519-520 WAS CODED 2.-1,-8, OR -9 THEN COL 86-87 ON THIS FILE IS CODED 2

STROKE	88~89	WAS A STROKE REPORTED IN PREVINTERVIEW?			
	566 191	- 1 1	INAPPLICABLE YES		
	9241	2	NO		

INAPPLICABLE. COL 8-9-2

THIS VARIABLE WAS USED TO DETERMINE WHICH STROKE QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.G22A IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 1205 ON THE 1982-84 FOLLOWUP INTERVIEW FILE OR THE RESPONSE TO Q.B2B IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 563-564 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 1205 OR COL 563-564 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING HAD A STROKE), THEN COL 88-89 ON THIS FILE IS CODED 1.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	iption and Codes
	DIABETES	90-91		WAS DIABETES REPINTERVIEW?	ORTED IN PREVIOUS
			566	<b>- 1</b>	INAPPLICABLE
			722	1	YES
			8710	2	NO

INAPPLICABLE: COL 8-9=2

THIS VARIABLE WAS USED TO DETERMINE WHICH DIABETES QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.G36 IN THE 1982-84 FOLLOWUP SUBJECT QUESTIONNAIRE WHICH IS CODED IN COL 1258 ON THE 1982-84 FOLLOWUP INTERVIEW FILE OR THE RESPONSE TO Q.B35 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 635-636 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 1258 OR COL 635-636 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING DIABETES), THEN COL 90-91 ON THIS FILE IS CODED 1. IF NEITHER COL 1258 NOR COL 635-636 WAS CODED 1 THEN COL 90-91 ON THIS FILE IS CODED 2.

BLOODPRE 92-93

WAS HIGH BLOOD PRESSURE REPORTED IN PREVIOUS INTERVIEW?

566 -1 INAPPLICABLE 3587 1 YES 5845 2 NO

INAPPLICABLE: COL 8-9=2

THIS VARIABLE WAS USED TO DETERMINE WHICH HIGH BLOOD PRESSURE QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.D2 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 408 ON THE 1982-84 FOLLOWUP INTERVIEW FILE, OR THE RESPONSE TO Q.B41 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 651-652 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 408 OR COL 651-652 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING HIGH BLOOD PRESSURE), THEN COL 92-93 ON THIS FILE IS CODED 1. IF NEITHER COL 408 NOR COL 651-652 WAS CODED 1 THEN COL 92-93 ON THIS FILE IS CODED 2.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Des	cription and Codes
	BPMEDECF	94-95			OU PRESSURE MEDICINE EPORTED IN THE 1986 W?
			7 195 1336 1467	- 1 1 2	INAPPLICABLE YES NO

INAPPLICABLE. COL 8-9=1,2

THIS VARIABLE WAS USED TO DETERMINE WHICH HIGH BLOOD PRESSURE MEDICATION QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT IT IS BASED ON THE RESPONSES TO Q.B40 OR Q B43 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 649-650 AND COL 659-660, RESPECTIVELY, ON THE 1986 FOLLOWUP INTERVIEW FILE IF EITHER COL 649-650 OR COL 659-660 WAS CODED 1 (SUBJECT WAS PRESCRIBED HIGH BLOOD PRESSURE MEDICINE), THEN COL 94-95 ON THIS FILE IS CODED 1. IF NEITHER COL 649-650 NOR COL 659-660 WAS CODED 1 THEN COL 94-95 ON THIS FILE IS CODED 2

BROKENHI	96-97		WAS BROKEN HIF	REPORTED IN PREVIOUS
		566	- 1	INAPPLICABLE
		214	1	YES
		9218	2	NO

INAPPLICABLE. COL 8-9=2

THIS VARIABLE WAS USED TO DETERMINE WHICH FRACTURED HIP QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT IT IS BASED ON THE RESPONSE FROM EITHER Q.EB (ON SUBJECT BOXED QUESTION-NAIRE) OR Q.E90 (ON SUBJECT QUESTIONNAIRE), IN THE 1982-84 FOLLOWUP QUESTIONNAIRE, OR Q B53 IN THE 1986 FOLLOWUP QUESTIONNAIRE, OR Q B53 IN THE 1986 FOLLOWUP QUESTIONNAIRE. THESE QUESTIONS ARE CODED IN COL 679 AND COL 906, RESPECTIVELY, ON THE 1982-84 FOLLOWUP INTERVIEW FILE AND IN COL 675-676 ON THE 1986 FOLLOWUP INTERVIEW FILE IF EITHER COL 679, COL 906 OR COL 675-676 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING HAD A HIP FRACTURE), THEN COL 96-97 ON THIS FILE IS CODED 1 IF NEITHER COL 679 NOR COL 906 ON THE 1982-84 FOLLOWUP INTERVIEW FILE, NOR COL 675-676 ON THE 1986 FOLLOWUP INTERVIEW FILE, WERE CODED 1, THEN COL 96-97 ON THIS FILE IS CODED 2.

Variable Name	Column Number(s)	Counts	Var lable Desc	cription and Codes
CANCER	98-99		WAS CANCER REPO	DRTED IN PREVIOUS
		566	- 1	INAPPLICABLE YES
		8581	2	NO
	Name	Name Number(s)	Name Number(s) Counts CANCER 98-99 566 851	Name Number(s) Counts Variable Description  CANCER 98-99 WAS CANCER REPORT  INTERVIEW?  566 -1  851 1

INAPPLICABLE: COL 8-9=2

THIS VARIABLE WAS USED TO DETERMINE WHICH CANCER QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT IT IS BASED ON THE RESPONSES TO Q.D52, Q.D58C1, QD58C2, QD58C3, QD58C4 OR Q.D62 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 500. COL 541, COL 557, COL 573, COL 589, COL 603, RESPECTIVELY, ON THE 1982-84 FOLLOWUP INTERVIEW FILE OR TO THE RESPONSE TO Q.B47 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 667-668 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF EITHER COL 500, COL 541, COL 557, COL 573, COL 589 OR COL 603 WAS CODED 1 OR IF COL 667-668 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING HAD A MALIGNANCY), THEN COL 98-99 ON THIS FILE IS CODED 1. IF NEITHER COL 500, COL 541, COL 557, COL 573, COL 589 NOR COL 603 ON THE 1982-84 FOLLOWUP INTERVIEW FILE, NOR COL 667-668 ON THE 1986 FOLLOWUP INTERVIEW FILE, WERE CODED 1, THEN COL 98-99 ON THIS FILE IS CODED 2.

BRCANCER	100-101			AST CANCER REPO NTERVIEW?	RTED IN 1982-84
		689	- 1	INAPP	LICABLE
		115	1	YES	
		9194	2	NO	

INAPPLICABLE: (COL 176-177=3-9)

THIS VARIABLE WAS USED TO DETERMINE WHICH BREAST CANCER QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.D52 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 500 ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 500 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY HER DOCTOR ABOUT HAVING BREAST CANCER), THEN COL 100-101 ON THIS FILE IS CODED 1. IF COL 500 WAS CODED 2.7. OR 9 THEN COL 100-101 ON THIS FILE IS CODED 2.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
	KIDNEYIF	102-103		WAS KIDNEY DISORDER OR STONES REPORTED IN 1982-84 NHEFS INTERVIEW?
			689 825 8484	-1 INAPPLICABLE 1 YES 2 NO

INAPPLICABLE: (COL 176-177=3-9)

THIS VARIABLE WAS USED TO DETERMINE WHICH KIDNEY DISORDER QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.GGA IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 1097 ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 1097 WAS CODED 1 (SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING KIDNEY DISORDER), THEN COL 102-103 ON THIS FILE IS CODED 1. IF COL 1097 WAS CODED 2.8. OR 9 THEN COL 102-103 ON THIS FILE IS CODED 2

CATARECF 104-105	WAS CATARACT SURGERY REPORTED IN 1986						
		NHEFS INTERVIEW?					

7195 -1 INAPPLICABLE 431 1 YES 2372 2 NO

INAPPLICABLE: COL 8-9=1,2

THIS VARIABLE WAS USED TO DETERMINE WHICH CATARACT SURGERY QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON INFORMATION LISTED ON THE 1986 FOLLOWUP HOSPITAL AND HEALTH CARE FACILITY (HHCF) CHART WHICH IS CODED IN COL 1129-1130 ON THE 1986 FOLLOWUP INTERVIEW FILE OR THE RESPONSE TO Q.F3 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 1137-1138 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 1129-1130 OR COL 1137-1138 WAS CODED 1 (SUBJECT REPORTED HAVING CATARACT SURGERY) THEN COL 104-105 ON THIS FILE IS CODED 1. IF NEITHER COL 1129-1130 NOR COL 1137-1138 WAS CODED 1, THEN COL 104-105 ON THIS FILE IS

Ques No.	Variable Name	Column Number(s)	Counts	Variable	Description and Codes
	LIVARECF	106-107		HOME REPOR	G. CONVALESCENT, OR REST TED AS SUBJECT'S CURRENT ANGEMENT IN 1986 NHEFS
			7195 175 2628	- 1 1 2	INAPPLICABLE YES NO

INAPPLICABLE: COL 8-9=1,2

THIS VARIABLE WAS USED TO DETERMINE WHICH NURSING HOME ADMISSION QUESTIONS IN PART B WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.A3 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 173-174 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 173-174 WAS CODED 2 (CURRENT LIVING ARRANGEMENT IS NURSING HOME, CONVALESCENT, OR REST HOME), THEN COL 106-107 ON THIS FILE IS CODED 1.

WORKIF	108-109		DID_SUBJE	CT REPORT WORKING IN 1982-84 ERVIEW?
		689	- 1	INAPPLICABLE
		4744	1	YES
		4565	2	NO

INAPPLICABLE: (COL 176-177=3-9)

THIS VARIABLE WAS USED TO DETERMINE WHICH OCCUPATION QUESTIONS IN PART A WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSES TO Q.U14 OR Q.U21 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 3597 AND COL 3607, RESPECTIVELY, ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 3597 OR COL 3607 WAS CODED 1 (SUBJECT REPORTED WORKING FOR SAME EMPLOYER OR SUBJECT REPORTED WORKING IN THE THREE MONTHS PRIOR TO THE 1982-84 FOLLOWUP INTERVIEW), THEN COL 108-109 ON THIS FILE IS CODED 1. IF NEITHER COL 3597 NOR COL 3607 WAS CODED 1 THEN COL 108-109 ON THIS FILE IS CODED 2.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	RETIREIF	110-111		DID SUBJECT REPORT BEING RETIRED OR KEEPING HOUSE IN 1982-84 NHEFS INTERVIEW?
			689 4188 5121	-1 INAPPLICABLE 1 YES 2 NO

INAPPLICABLE: (COL 176-177=3-9)

THIS VARIABLE WAS USED TO DETERMINE WHICH OCCUPATION QUESTIONS IN PART A WOULD BE ASKED OF THE RESPONDENT IT IS BASED ON THE RESPONSE TO Q.U21 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 3607 ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 3607 WAS CODED 2 OR 3 (SUBJECT REPORTED RETIRED, OR KEEPING HOUSE IN THE THREE MONTHS PRIOR TO THE 1982-84 FOLLOWUP INTERVIEW), THEN COL 110-111 ON THIS FILE IS CODED 1.

MOMALIF 112-113 <u>WAS SUBJECT'S MOTHER REPORTED ALIVE IN</u> 1982-84 NHEFS INTERVIEW?

689 -1 INAPPLICABLE 3688 1 YES 5621 2 NO

INAPPLICABLE: (COL 176-177=3-9)

THIS VARIABLE WAS USED TO DETERMINE WHICH FAMILY HISTORY QUESTIONS IN PART A WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.B4 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 149 ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 149 WAS CODED 1 (MOTHER STILL LIVING), THEN COL 112-113 ON THIS FILE IS CODED 1.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	DADALIF	114-115		WAS SUBJECT'S FATHER REPORTED ALIVE IN 1982-84 NHEFS INTERVIEW?
			689 2148 7161	-1 INAPPLICABLE 1 YES 2 NO

INAPPLICABLE: (COL 176-177=3-9)

THIS VARIABLE WAS USED TO DETERMINE WHICH FAMILY HISTORY QUESTIONS WOULD BE ASKED OF THE RESPONDENT. IT IS BASED ON THE RESPONSE TO Q.BB IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 159 ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 159 WAS CODED 1 (FATHER STILL LIVING), THEN COL 114-115 ON THIS FILE IS CODED 1.

Ques No . 	Variable Name	Column Number(s) Cou	unts	Variable Description and Codes
	SMOKSTAT	116-117		SMOKING STATUS IN PREVIOUS INTERVIEW
			566	- 1 INAPPLICABLE
		4	4325	1 NEVER SMOKED
		ţ	5059	2 CURRENT OR FORMER IN 1982-84 FOLLOWUP
			48	3 CURRENT OR FORMER IN 1986 FOLLOWUP

INAPPLICABLE. COL 8-9=2

THIS VARIABLE WAS USED TO DETERMINE WHICH SMOKING QUESTIONS IN PART D WOULD BE ASKED OF THE RESPONDENT IT IS BASED ON THE RESPONSE TO Q.L1 OR Q.L2A IN THE 1982-84 FOLLOWUP QUEST-TIONNAIRE WHICH ARE CODED IN COL 1991 AND COL 1992, RESPECTIVELY, ON THE 1982-84 FOLLOWUP INTERVIEW FILE OR Q.D1 OR Q.D2 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 1049-1050 AND COL 1051-1052, RESPECTIVELY, ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 1991 WAS NOT CODED 1 OR COL 1049-1050 WAS NOT CODED 1 THEN COL 116-117 ON THIS FILE IS CODED 1 (NEVER SMOKED). IF COL 1992 WAS CODED 1,2,8 OR 9 (CURRENT, FORMER OR NOT ASCERTAINED) THEN COL 116-117 ON THIS FILE IS CODED 2 (CURRENT OR FORMER SMOKER IN 1982-84 FOLLOWUP). IF COL 1051-1052 WAS CODED 1,2, OR -8 (CURRENT, FORMER OR NOT ASCERTAINED) THEN COL 116-117 ON THIS FILE IS CODED 3 (CURRENT OR FORMER SMOKER IN 1986 FOLLOWUP).

LIVBRTH1 118-119 <u>DID SUBJECT REPORT A LIVE BIRTH IN PREVIOUS INTERVIEW?</u>

3624 -1 INAPPLICABLE
362 -3 FEMALE, NOT PREVIOUSLY INTERVIEWED
5131 1 YES
881 2 NO

INAPPLICABLE. COL 10-11=1

THIS VARIABLE WAS USED TO DETERMINE WHICH REPRODUCTIVE AND MENSTRUAL HISTORY QUESTIONS IN PART G WOULD BE ASKED IF THE SUBJECT WAS FEMALE. IT IS BASED ON THE RESPONSE TO Q.C5 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 281-282 ON THE 1982-84 FOLLOWUP INTERVIEW FILE OR THE RESPONSE TO Q.G4 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 1165-1166 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 281-282 WAS CODED BETWEEN 1 AND 18 OR IF COL 1165-1166 WAS CODED BETWEEN 1 AND 11 (SUBJECT HAD A REPORT OF ONE OR MORE LIVE BIRTHS), THEN COL 118-119 ON THIS FILE IS CODED 1. IF COL 281-282 WAS CODED O,97,98,OR 99 OR IF COL 1165-1166 WAS CODED -1,-9 THEN COL 118-119 ON THIS FILE IS CODED 2 COL 118-119 ON THIS FILE IS CODED STEMALE AND HAD NOT BEEN INTERVIEWED SINCE THE 1971-75 NHANES I EXAM

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes		
	PREGIF	120-121		DID SUBJECT REPORT ANY PREGNANCIES EVER IN 1982-84 NHEFS INTERVIEW?		
			3624 362 5291 721	-1 INAPPLICABLE -3 FEMALE, NOT PREVIOUSLY INTERVIEWE 1 YES 2 NO	ED	

INAPPLICABLE: COL 10-11=1

THIS VARIABLE WAS USED TO DETERMINE WHICH REPRODUCTIVE AND MENSTRUAL HISTORY QUESTIONS IN PART G WOULD BE ASKED IF THE SUBJECT WAS FEMALE. IT IS BASED ON THE RESPONSE TO Q.C.1 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 275 ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 275 WAS CODED 1 (SUBJECT HAD A REPORT OF A PREVIOUS PREGNANCY), THEN COL 120-121 ON THIS FILE IS CODED 1. IF COL 275 WAS CODED 2, 8, OR 9 OR IF FEMALE SUBJECT WAS NOT INTERVIEWED IN THE 1982-84 FOLLOWUP AND WAS LAST INTERVIEWED IN THE 1986 FOLLOWUP THEN COL 120-121 ON THIS FILE IS CODED 2. COL 120-121 ON THE FILE IS CODED -3 IF THE SUBJECT WAS FEMALE AND HAD NOT BEEN INTERVIEWED SINCE THE 1971-75 NHANES I EXAM.

UTERUSIF	122-123	DID SUBJECT REPORT HAVING A UTERUS IN
		1982-84 NHEFS INTERVIEW?

3624	- 1	INAPPLICABLE	
362	-3	FEMALE, NOT PREVIOUSLY INTERVIEW	ED
4347	1	YES	
1665	2	ND	

INAPPLICABLE: CDL 10-11=1

THIS VARIABLE WAS USED TO DETERMINE WHICH REPRODUCTIVE AND MENSTRUAL HISTORY QUESTIONS IN PART G WOULD BE ASKED IF THE SUBJECT WAS FEMALE. IT IS BASED ON THE RESPONSE TO Q.C14 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 293 ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 293 WAS CODED 1,7,8 OR 9 (SUBJECT STILL HAS UTERUS OR INFORMATION NOT ASCERTAINED) OR IF FEMALE SUBJECT WAS NOT INTERVIEWED IN THE 1982-84 FOLLOWUP AND WAS LAST INTERVIEWED IN THE 1986 FOLLOWUP THE COL 122-123 ON THIS FILE IS CODED 1. IF COL 293 WAS CODED 2 THEN COL 122-123 ON THIS FILE IS CODED 2. COL 122-123 ON THIS FILE IS CODED 2. COL 122-123 ON THIS FILE IS CODED 5 THE SUBJECT WAS FEMALE AND HAD NOT BEEN INTERVIEWED SINCE THE 1971-75 NHANES I EXAM.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
	OVARYIF	124-125			PORT HAVING ONE, BOTH, IN 1982-84 NHEFS
			3624	- 1	INAPPLICABLE
			362	-3	FEMALE, NOT PREVIOUSLY INTERVIEWED
			4658	1	BOTH OVARIES
			564	2	ONE OVARY
			790	3	NO OVARIES

INAPPLICABLE: COL 10-11=1

THIS VARIABLE WAS USED TO DETERMINE WHICH REPRODUCTIVE AND MENSTRUAL HISTORY QUESTIONS IN PART G WOULD BE ASKED IF THE SUBJECT WAS FEMALE. IT IS BASED ON THE RESPONSES TO Q C15, Q.C16, Q.C21, OR Q.C22 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 294, COL 295, COL 304, AND COL 305, RESPECTIVELY, ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 295 OR COL 305 WAS CODED 2 (SUBJECT HAS NO OVARIES), THEN COL 124-125 ON THIS FILE IS CODED 3. IF COL 295 OR COL 305 WAS CODED 1,8, OR 9 (SUBJECT HAS ONE OVARY OR INFORMATION NOT ASCERTAINED), THEN COL 124-125 ON THIS FILE IS CODED 2. IF COL 294 OR COL 304 WAS CODED 1,8, OR 9 (SUBJECT HAS BOTH OVARIES OR INFORMATION NOT ASCERTAINED) OR IF FEMALE SUBJECT WAS NOT INTERVIEWED IN THE 1982-84 FOLLOWUP, AND WAS LAST INTERVIEWED IN THE 1986 FOLLOWUP, THEN COL 124-125 ON THIS FILE IS CODED 1. COL 124-125 ON THIS FILE IS CODED -3 IF THE SUBJECT WAS FEMALE AND HAD NOT BEEN INTERVIEWED SINCE THE 1971-75 NHANES I EXAM.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes		
	PERIODIF	126-127			ORT HAVING MENSTRUAL -84 NHEFS INTERVIEW?	
			3624	- 1	INAPPLICABLE	
			362	-3	FEMALE, NOT PREVIOUSLY INTERVIEWED	
			2058	1	YES	
			3954	2	NO	

INAPPLICABLE: COL 10-11=1

THIS VARIABLE WAS USED TO DETERMINE WHICH REPRODUCTIVE AND MENSTRUAL HISTORY QUESTIONS IN PART G WOULD BE ASKED IF THE SUBJECT WAS FEMALE. IT IS BASED ON THE RESPONSE TO Q.C8 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 286 ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 286 WAS CODED 1 (SUBJECT STILL HAVING MENSTRUAL PERIODS), 2 (SUBJECT CURRENTLY PREGNANT), 8, OR 9 (INFORMATION NOT ASCERTAINED) OR IF FEMALE SUBJECT WAS NOT INTERVIEWED IN THE 1982-84 FOLLOWUP AND WAS LAST INTERVIEWED IN THE 1986 FOLLOWUP, THEN COL 126-127 ON THIS FILE IS CODED 1. IF COL 286 WAS CODED 3 OR 6, THEN COL 126-127 ON THIS FILE IS CODED 2. COL 126-127 ON THIS FILE IS CODED 2. COL 126-127 ON THIS FILE IS CODED 5. THE SUBJECT WAS FEMALE AND HAD NOT BEEN INTERVIEWED SINCE THE 1971-75 NHANES I EXAM.

Ques No .	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	HORMONES	128-129		DID SUBJECT REPORT HORMONE PILL USE IN PREVIOUS INTERVIEW?
			3624	-1 INAPPLICABLE
			362	-3 FEMALE, NOT PREVIOUSLY INTERVIEWED
			398	1 CURRENT USER
			851	2 FORMER USER
			4763	3 NEVER USER

INAPPLICABLE: COL 10-11=1

THIS VARIABLE WAS USED TO DETERMINE WHICH REPRODUCTIVE AND MENSTRUAL HISTORY QUESTIONS IN PART G WO'JLD BE ASKED IF THE SUBJECT WAS FEMALE. IT IS BASED ON THE RESPONSES TO Q.C17 AND Q.C19 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 296 AND COL 299-300, RESPECTIVELY, ON THE 1982-84 FOLLOWUP INTERVIEW FILE OR THE RESPONSES TO Q.G9 AND Q.G11 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 1205-1206 AND COL 1209-1210, RESPECTIVELY, ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 299 WAS CODED 1 OR COL 1209-1210 WAS CODED 95 (SUBJECT IS CURRENTLY USING HORMONE PILLS), THEN COL 128-129 ON THIS FILE IS CODED 1. IF COL 299 WAS CODED BETWEEN 25 AND 82 OR EQUAL TO 98 OR 99 OR IF COL 1209-1210 WAS CODED BETWEEN 25 AND 90 OR EQUAL TO -8 (SUBJECT FORMERLY USED HORMONE PILLS OR INFORMATION NOT ASCERTAINED) THEN COL 128-129 ON THIS FILE IS CODED 2. IF COL 296 IS CODED 2,7,8 OR 9 OR IF COL 1209 IS CODED 2,-7, OR -9 (SUBJECT NEVER USED HORMONE PILLS OR INFORMATION NOT ASCERTAINED) THEN COL 128-129 ON THIS FILE IS CODED 3. COL 128-129 ON THIS FILE IS CODED -3 IF THE SUBJECT WAS FEMALE AND HAD NOT BEEN INTERVIEWED SINCE THE 1971-75 NHANES I EXAM.

Ques No .	Variable Name	Column Number(s)	Counts	Variable Description and Codes
	BCPILLIF	130-131		DID SUBJECT REPORT BIRTH CONTROL PILL USE IN THE 1982-84 NHEFS INTERVIEW?
			3624	-1 INAPPLICABLE
			362	-3 FEMALE, NOT PREVIOUSLY INTERVIEWED
			53	1 CURRENT USER
			2062	2 FORMER USER
			3897	3 NEVER USER

INAPPLICABLE: COL 10-11=1

THIS VARIABLE WAS USED TO DETERMINE WHICH REPRODUCTIVE AND MENSTRUAL HISTORY QUESTIONS IN PART G WOULD BE ASKED IF THE SUBJECT WAS FEMALE. IT IS BASED ON THE RESPONSES TO Q.C23 AND Q.C25 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH ARE CODED IN COL 306 AND COL 309-310, RESPECTIVELY, ON THE 1982-84 FOLLOWUP INTERVIEW FILE. IF COL 306 WAS CODED 2,8 OR 9 (SUBJECT NEVER USED BIRTH CONTROL PILLS OR INFORMATION NOT ASCERTAINED) OR IF FEMALE SUBJECT WAS NOT INTERVIEWED IN THE 1982-84 FOLLOWUP AND WAS LAST INTERVIEWED IN THE 1986 FOLLOWUP. THEN COL 130-131 ON THIS FILE IS CODED 3. IF COL 306 WAS CODED 1 AND COL 309-310 WAS CODED 1 (SUBJECT IS CURRENTLY USING BIRTH CONTROL PILLS), THEN COL 130-131 ON THIS FILE IS CODED 1. IF COL 306 WAS CODED 1 AND COL 309-310 WAS NOT CODED 1 (SUBJECT FORMERLY USED BIRTH CONTROL PILLS), THEN COL 130-131 ON THIS FILE IS CODED 2. COL 130-131 ON THIS FILE IS CODED -3 IF THE SUBJECT WAS FEMALE AND HAD NOT BEEN INTERVIEWED SINCE THE 1971-75 NHANES I EXAM.

Ques No .	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
	BCPILL25	132-133			ORT BIRTH CONTROL AGE 25 IN PREVIOUS
			3624	- 1	INAPPLICABLE
			362	-3	FEMALE, NOT PREVIOUSLY INTERVIEWED
			1108	1	YES
			4904	2	NO

INAPPLICABLE: COL 10-11=1

THIS VARIABLE WAS USED TO DETERMINE WHICH REPRODUCTIVE AND MENSTRUAL HISTORY QUESTIONS IN PART G WOULD BE ASKED IF THE SUBJECT WAS FEMALE. IT IS BASED ON THE RESPONSE TO Q.C24 IN THE 1982-84 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 307-308 ON THE 1982-84 FOLLOWUP INTERVIEW FILE OR THE RESPONSE TO QUESTION TO Q.G14 IN THE 1986 FOLLOWUP QUESTIONNAIRE WHICH IS CODED IN COL 1217-1218 ON THE 1986 FOLLOWUP INTERVIEW FILE. IF COL 307-308 OR COL 1217-1218 WAS CODED LESS THAN OR EQUAL TO 25 (SUBJECT FIRST TOOK BIRTH CONTROL PILLS BEFORE AGE 25), THEN COL 132-133 ON THIS FILE IS CODED 1. IF COL 307~308 OR COL 1217-1218 WAS CODED GREATER THAN 25 OR IF COL 1217-1218 WAS CODED 2, -7,-8,-9 OR IF COL 307-308 WAS CODED 97, 98, OR 99, THEN COL 132-133 ON THIS FILE IS CODED 2. COL 132-133 ON THIS FILE IS CODED -3 IF THE SUBJECT WAS FEMALE AND HAD NOT BEEN INTERVIEWED SINCE THE 1971-75 NHANES I EXAM.

Ques No .	Variable Name	Column Number(s) C	Counts	Varia 	ble Descript	ion and Codes	
C	GRIDATEM	(134-139)		DATE OF	INTERVIEW:	1982-1984 NHEFS	
	IDATEMM	134-135		MONTH			
			689 9309	-1 01-12		NAPPLICABLE ONTH OF INTERVIEW	
	INAP	PLICABLE: (COL	_ 176-17	7=3-9)			
	IDATEDAY	136-137		DAY			
			689 9309	-1 01-31		NAPPLICABLE AY OF INTERVIEW	
	INAP	PLICABLE: (CO	L 176-17	77=3-9)			
	IDATEYR	138-139		YEAR		-	
			689 9309	-1 82-84		NAPPLICABLE Ear of interview	(1982-1984)
	INAP	PLICABLE: (CO	L 176-1	77=3-9)			

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
G	RCFMONT	(140-145)		DATE OF INTERVIE	<u>W: 1986 NHEFS</u>
	CFMONTH	140-141		MONTH	
			7 195 2803		INAPPLICABLE MONTH OF INTERVIEW
	INAPPL	ICABLE. COL	8-9-1,2		
	CFDAY	142-143		DAY	
			7195 2803	-1 01-31	INAPPLICABLE DAY OF INTERVIEW
	INAPPL	ICABLE: COL	8-9=1,2		
	CFYEAR	144-145		YEAR	
			7195 2803	~1 85-86	INAPPLICABLE YEAR OF INTERVIEW (1985-1986)
	INAPPL	ICABLE: COL	8-9=1,2		
GF	REXAMMO	(146-151)		DATE OF NHANES I	EXAM
	EXAMMO	146-147		MONTH	
			9998	01-12	MONTH OF EXAM
	EXAMDAY	148-149		DAY	
			9998	01-31	DAY OF EXAM
	EXAMYR	150-151		YEAR	
			9998	71-75	YEAR OF EXAM (1971-1975)

G	RBIRTHM	( 152-157 )		NHEFS DATE	OF BIRTH		
Ques No.	Variable Name	Column Number(s)	Counts	Variable	Description	and Cod	des

THIS VARIABLE IS THE NHANES I DATE OF BIRTH. IT WAS CORRECTED FOR SUBJECTS FOR WHOM UPDATED BIRTH DATE INFORMATION WAS OBTAINED IN THE NHEFS 1982-84 FOLLOWUP. THE NHEFS DATE OF BIRTH WAS NOT UPDATED USING DATA COLLECTED FROM THE NHEFS 1986 OR 1987 SURVEY.

BIRTHMO	152-153		MONTH	
		9998	01-12	MONTH OF BIRTH
	154-155		BLANK	
	450 457		VEAD	
BDATE2	156-157		<u>YEAR</u>	
		9811	00-50	YEAR OF BIRTH (1900-1950)
		187	96-99	YEAR OF BIRTH (1896-1899)

Ques Variable Column

No. Name Number(s) Counts Variable Description and Codes

AGEEXAM 158-159 AGE OF SUBJECT AT NHANES I EXAMINATION

9998 25-76 AGE AT EXAMINATION (IN YEARS)

THE AGE AT NHANES I EXAM IS CALCULATED FROM THE NHEFS DATE OF BIRTH (COL 152-157) AND THE DATE OF NHANES I EXAMINATION (COL 146-151).

AGE IF 160-161 AGE OF SUBJECT AT 1982-84 NHEFS INTERVIEW

689 -1 INAPPLICABLE

9309 32-86 AGE AT 1982-84 NHEFS

INAPPLICABLE: (COL 176-177=3-9)

THE AGE AT THE 1982-84 NHEFS INTERVIEW IS CALCULATED FROM THE NHEFS DATE OF BIRTH (COL 152-157) AND THE DATE OF THE 1982-84 NHEFS INTERVIEW (COL 134-139).

AGECF 162-163 AGE OF SUBJECT AT 1986 FOLLOWUP INTERVIEW

7195 -1 INAPPLICABLE

2803 65-89 AGE AT 1986 NHEFS

INAPPLICABLE: COL 8-9=1,2

THE AGE AT THE 1986 NHEFS INTERVIEW IS CALCULATED FROM THE NHEFS DATE OF BIRTH (COL 152-157) AND THE DATE OF THE 1986 NHEFS INTERVIEW (COL 140-145).

AGECONT 164-165 AGE OF SUBJECT AT PREVIOUS FOLLOWUP INTERVIEW

566 -1 INAPPLICABLE

9432 32-90 SUBJECT'S AGE AT PREVIOUS INTERVIEW

INAPPLICABLE: COL 8-9=2

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
	ELIGECF	166-167		WAS SUBJECT ELIGIBLE FOR 1986 NHEFS?	
			2894 7104	1 YES 2 NO	

THIS VARIABLE IS CODED 1 IF SUBJECT WAS 55 YEARS OF AGE OR OLDER AT NHANES I EXAM.

GRCONTMO (168-173) DATE OF PREVIOUS INTERVIEW

THIS VARIABLE IS THE DATE OF THE MOST RECENT INTERVIEW, EITHER THE 1986 FOLLOWUP, THE 1982-1984 FOLLOWUP, OR THE NHANES I EXAMINATION.

CONTMO	168 - 169		MONTH OF PREVIO	DUS INTERVIEW
		9998	01-12	MONTH OF LAST INTERVIEW
CONTDAY	170-171		DAY OF PREVIOUS	SINTERVIEW
		9998	01-31	DAY OF LAST INTERVIEW
CONTYR	172-173		YEAR OF PREVIOU	JS INTERVIEW (1971-1986)
		9998	71-86	YEAR OF LAST INTERVIEW (1971-1986)
EFVIT	174-175		VITAL STATUS:	1986 NHEFS
		7104	<b>-</b> 1	INAPPLICABLE
		2842	1	ALIVE
		45	4	UNKNOWN
		7	5	TRACED BUT LOST PRIOR TO INTERVIEW

INAPPLICABLE: COL 166-167=2

Ques No	Variable Name	Column Number(s) Cou	nts	Variable Descr	ription and Codes
	QDISIF	176~177		INTERVIEW DISPOS	SITION: 1982-84 NHEFS
		8	786	1	FINAL COMPLETE
			523	2	PARTIAL COMPLETE
			304	3	REFUSAL/BREAKOFF
			20	4	NOT AT HOME
			10	5	OTHER NOT INTERVIEWED, NOT SPECIFIED
			21	6	NO PROXY LOCATED
			277	7	NOT TRACED/TRACED BUT LOST PRIOR TO INTERVIEW
			21	8	OUT OF COUNTRY
			36	9	MAIL QUESTIONNAIRE

A PARTIAL COMPLETE INTERVIEW DISPOSITION (CODE 2) INDICATES THAT A NHEFS 1982-84 FOLLOWUP INTERVIEW WAS ADMINISTERED BUT IS MISSING ONE OR MORE SECTIONS OF INFORMATION. RESPONDENTS WHO BROKE OFF THE INTERVIEW AFTER COMPLETING SECTION D (HEALTH/DISEASES AND OPERATIONS) ARE ALSO CODED AS PARTIAL COMPLETE.

A REFUSAL BREAKOFF INTERVIEW DISPOSITION (CODE 3) INDICATES A NHEFS 1982-84 FOLLOWUP INTERVIEW WAS NOT ADMINISTERED OR THE RESPONDENT BROKE OFF THE INTERVIEW BEFORE COMPLETION OF SECTION D. INTERVIEWS ENDED BEFORE COMPLETION OF SECTION D WERE NOT CODED.

INTERVIEW INFORMATION IS AVAILABLE ON THE NHEFS 1982-84 INTERVIEW PUBLIC USE DATA TAPE ONLY FOR RESPONDENTS WITH DISPOSITION CODES OF FINAL OR PARTIAL COMPLETE (CODES 1 AND 2).

IFVIT	178-179		<u>VITAL STATUS:</u>	1982-84 NHEFS
		9710	1	ALIVE
		247	4	UNKNOWN
		41	5	TRACED BUT LOST PRIOR TO INTERVIEW

Ques No.	Variable Name	Column Number(s)	Counts	Variable D	escription and Codes
	QDISECF	180-181		INTERVIEW DI	SPOSITION: 1986 NHEFS
			7104	- 1	INAPPLICABLE
			2788	1	FINAL COMPLETE
			10	2	PARTIAL COMPLETE
			19	3 ,	REFUSAL/BREAKOFF
			17	5	OTHER NOT INTERVIEWED, NOT SPECIFIED
			23	6	NO PROXY LOCATED
			32	7	NOT TRACED/TRACED BUT LOST PRIOR TO INTERVIEW
			0	8	OUT OF COUNTRY
			5	9	MATI OLIESTIONNAIRE

INAPPLICABLE: COL 166-167=2

A PARTIAL COMPLETE INTERVIEW DISPOSITION (CODE 2) INDICATES THAT THE RESPONDENT BROKE OFF THE INTERVIEW IN THE NHEFS 1986 FOLLOWUP AT SOME POINT AFTER COMPLETING SECTION A (BACKGROUND INFORMATION) OF THE QUESTIONNAIRE AND DID NOT COMPLETE THE REMAINDER OF THE INTERVIEW. FURTHERMORE, IT INDICATES THAT THE RESPONDENT PROVIDED INFORMATION ON AT LEAST ONE FACILITY STAY FOR THE SUBJECT IN SECTION B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE OR COMPLETED A SUBSTANTIVE PART OF SECTION B, IF THE RESPONDENT DID NOT FULLY COMPLETE THAT SECTION.

A REFUSAL/BREAKOFF INTERVIEW DISPOSITION (CODE 3) INDICATES THAT A NHEFS 1986 FOLLOWUP INTERVIEW WAS NOT ADMINISTERED OR THE RESPONDENT BROKE OFF THE INTERVIEW BEFORE COMPLETING SECTION A OR THE RESPONDENT BROKE OFF THE INTERVIEW EARLY INTO SECTION B WITHOUT PROVIDING INFORMATION ON ANY FACILITY STAYS FOR THE SUBJECT. IN THE LATTER TWO CASES, THE INTERVIEWS WERE NOT CODED.

INTERVIEW INFORMATION IS AVAILABLE ON THE NHEFS 1986 FOLLOWUP PUBLIC USE DATA TAPE ONLY FOR RESPONDENTS WITH DISPOSITION CODES OF FINAL COMPLETE (CODE 1), OR PARTIAL COMPLETE (CODE 2), OR MAIL QUESTIONNAIRE (CODE 9).

QVERSION	182-183		METHOD O	F DATA	COLLECTION:	1987
			NHEFS	_		
		9901	1		TELEPHONE	INTERVIEW
		97	2		MAIL INTER	RVIEW

Ques No	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
	REVRACE	184-185		REVISED RACE	
			22	1	ALEUT, ESKIMO OR AMERICAN INDIAN
			65	2	ASIAN/PACIFIC ISLANDER
			1274	3	BLACK
			8622	4	WHITE
			15	5	OTHER

THIS VARIABLE IS THE REVISED RACE VARIABLE THAT WAS CREATED IN THE NHEFS 1982-84 FOLLOWUP TO RESOLVE DISCREPANCIES BETWEEN THE NHANES I INTERVIEW-OBSERVED RACE AND THE NHEFS 1982-84 FOLLOWUP RESPONDENT-REPORTED RACE. REVISED RACE CODES WERE BASED ON A CASE-BY-CASE ADJUDICATION OF THE FOLLOWING DATA: NHANES I RACE AND ETHNICITY; NHEFS 1982-84 FOLLOWUP RACE AND ETHNICITY; AND, IN THE CASE OF DECEASED SUBJECTS, RACE ON THE DEATH CERTIFICATE THAT WAS OBTAINED IN THE 1982-84 NHEFS. THE REVISED RACE VARIABLE WAS NOT UPDATED USING DATA COLLECTED FROM THE NHEFS 1986 OR 1987 SURVEY.

INFORMATION ON RACE WAS COLLECTED IN Q.A11 (CODED IN COL 461-462) IN THE 1987 FOLLOWUP INTERVIEW IF THE SUBJECT DID NOT HAVE A PREVIOUS INTERVIEW (I.E., COL 8-9 ON THIS FILE IS CODED 2). THE DATA COLLECTED IN Q.A11 WERE NOT USED TO UPDATE THE REVISED RACE VARIABLE IN COL 184-185.

PRELA	186-187			TIONSHIP OF PROXY TO DECEASED OR PACITATED SUBJECT: 1987 NHEFS
		8896	- 1	INAPPLICABLE
		327	1	HUSBAND/WIFE (OR EQUIVALENT)
		15	2	FATHER/MOTHER (NATURAL, STEP, ADOPTIVE)
		1	3	FATHER/MOTHER (IN-LAW)
		416	5	SON/DAUGHTER (NATURAL, STEP, ADOPTIVE)
		53	6	SON/DAUGHTER (IN-LAW)
		25	7	GRANDCHILD
		65	8	BROTHER/SISTER (NATURAL, STEP, ADOPTIVE)
		18	9	BROTHER/SISTER (IN-LAW)
		8	10	AUNT/UNCLE/COUSIN
		54	11	NIECE/NEPHEW
		36	12	ROOMATE/FRIEND/NEIGHBOR
		8	91	OTHER-SPECIFIED RELATIVE/RELATIVE-IN-LAW
		76	93	OTHER-SPECIFIED NON-RELATIVE

PART A: BACKGROUND INFORMATION

Ques No.	Variable Name	Column Number(s)	Counts	Varia	able Description and Codes
		188-192		BLANK	
AOB	RELATOS	193-194			STATE OF PROXY TO DECEASED  1 1987 NHEFS
			9526	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			170	1	HUSBAND/WIFE (OR EQUIVALENT)
			9	2	FATHER/MOTHER
			1	3	FATHER-IN-LAW/MOTHER-IN-LAW
			157	5	SON/DAUGHTER
			23	6	SON/DAUGHTER (IN-LAW)
			9	7	GRANDCHILD
			34	В	BROTHER/SISTER
			4	9	BROTHER-IN-LAW/SISTER-IN-LAW
			5	10	AUNT/UNCLE/COUSIN
			20	11	NIECE/NEPHEW
			18	12	FRIEND/NEIGHBOR/ROOMMATE
			2	91	OTHER-SPECIFIED RELATIVE
			4	92	OTHER-SPECIFIED RELATIVE-IN-LAW
			16	93	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 12-13=1

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

195-284 BLANK

Ques No.	Variable Name 	Column Number(s)	Counts	Variable De	escription and Codes
A 1	LIVEARRG	285-286		CURRENT LIVIN	G ARRANGEMENT OF SUBJECT
			3	-7	REFUSED
			1	-8	DON'T KNO₩
			8	-9	NOT ASCERTAINED
			9605	1	PRIVATE HOUSE OR APARTMENT
			265	2	NURSING, CONVALESCENT, OR REST HOME
			52	3	RETIREMENT HOME
			23	4	BOARDING/ROOMING HOUSE, OR RENTED ROOM
			14	5	FAMILY OR FOSTER CARE HOME
			8	6	ANOTHER HEALTH FACILITY
			16	91	OTHER-SPECIFIED ARRANGEMENT
			3	92	OTHER-SPECIFIED INSTITUTION

IF THE SUBJECT WAS ALIVE, THIS VARIABLE IDENTIFIES THE SUBJECT'S CURRENT LIVING ARRANGEMENT. IF THE SUBJECT WAS DECEASED, THIS VARIABLE IDENTIFIES THE PLACE WHERE THE SUBJECT LIVED MOST OF THE TIME IN THE YEAR PRIOR TO HIS OR HER DEATH.

PART A: BACKGROUND INFORMATION

Ques No	Variable Name	Column Number(s)	Counts	Variable Description and Codes
		287-336		BLANK
A 1A	SDIENRHM	337-338		WAS SUBJECT IN NURSING HOME OR OTHER HEALTH CARE FACILITY AT TIME OF DEATH?
			9585	-1 INAPPLICABLE
			. О	-7 REFUSED
			0	-B DON'T KNOW
			1	-9 NOT ASCERTAINED
			67	1 YES
			345	2 NO

INAPPLICABLE: (COL 12-13=1) OR (COL 12-13=3 AND COL 285-286=2,6,92,-7,-8,-9)

A 1B	PRXLIVWD	339-340		PRIOR TO DEATH?
		9585	- 1	INAPPLICABLE
		0	-7	REFUSED
		1	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		228	1	YES
		184	2	NΠ

INAPPLICABLE: (COL 12-13=1) OR (COL 12-13=3 AND COL 285-286=2,6,92,~7,-8,-9)

Ques No.	Variable Name	Column Number(s)	Counts	Variable	e Description and Codes
A1C	PRXVISTD	341-342			ENTLY DID RESPONDENT VISIT N YEAR BEFORE DEATH?
			9759	- 1	INAPPLICABLE
			0	-7	REFUSED
			10	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			111	1	EVERYDAY
			82	2	LESS THAN DAILY BUT AT LEAST ONCE A WEEK
			19	3	LESS THAN WKLY BUT MORE THAN ONCE A MNTH
			17	4	LESS THAN ONCE A MONTH

INAPPLICABLE. (COL 12-13=1) OR (COL 12-13=3 AND COL 339-340=1) OR (COL 12-13=3 AND COL 285-286=-7,-8,-9)

A2 NHCONTU	343-344
------------	---------

# HAS SUBJECT CONTINOUSLY LIVED IN A NURSING HOME?

9837	- 1	INAPPLICABLE
0	-7	REFUSED
2	-8	DON'T KNOW
1	-9	NOT ASCERTAINED
156	1	YES
2	2	NO

INAPPLICABLE: (COL 285-286=1,3-6,91,92,-7,-8,-9) OR (COL 285-286=2 AND COL 106-107=-1,2)

THIS QUESTION IS ASKED ONLY FOR SUBJECTS WHO REPORTED THEIR CURRENT LIVING ARRANGEMENT WAS A NURSING HOME IN THE 1986 FOLLOWUP (Q.A3 IS CODED 2 IN THE 1986 FOLLOWUP INTERVIEW QUESTIONNAIRE) AND ALSO REPORTED THEIR CURRENT LIVING ARRANGEMENT WAS A NURSING HOME IN THE 1987 FOLLOWUP (Q.A1 IS CODED 2 IN THE 1987 FOLLOWUP INTERVIEW QUESTIONNAIRE).

Ques No.	Variable Name	Column Number(s)	Counts 	Variable Descr	iption and Codes
EA	SAMENH	345-346		IS THIS THE SAME WAS PREVIOUSLY L	NURSING HOME SUBJECT IVING IN?
			G	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPP	LICABLE: COL	. 343-344	=-1,2,-7,-8,-9	
<b>A</b> 4	NUMSLIVE	347-348		NUMBER OF PERSON CURRENT HOUSEHOL	IS LIVING IN SUBJECT'S
	<u></u>		276 7 15 16 9684	-1 -7 -8 -9 1-14	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF PERSONS IN HOUSEHOLD, INCLUDING SUBJECT
	INAPP	LICABLE: COI	L 285-286	6=2,6,92	
	GRLGTHAL				BJECT LIVED ALONE?
A6	LGTHALNE	349-350		NUMBER OF MONTHS	S OR YEARS
			8271 2 28 3 1683	- 1 - 7 - 8 - 9 1 - 64 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MONTHS OR YEARS LESS THAN ONE MONTH

INAPPLICABLE: COL 347-348=-1,2-14,-7,-8,-9

Ques No ,	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
A6	LGTHUNIT	351-352		TIME PERIOD RES	PONDED IN
			8315	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			148	1	MONTHS
			1535	2	YEARS

INAPPLICABLE: COL 349-350=-1,95,-7,-8,-9

GRRELATO (353-378)

RELATIONSHIP TO SUBJECT OF EACH HOUSEHOLD MEMBER CURRENTLY LIVING WITH SUBJECT

THE QUESTIONNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON THE SEX AND RELATIONSHIP TO THE SUBJECT FOR A MAXIMUM OF 16 HOUSEHOLD MEMBERS. HOWEVER, NO HOUSEHOLD CONTAINED MORE THAN 14 MEMBERS, INCLUDING THE SUBJECT. THE RELATIONSHIP OF EACH OF THE HOUSEHOLD MEMBERS TO THE SUBJECT IS CODED IN COL 353-378. COL 353-354 REFERS TO THE FIRST HOUSEHOLD MEMBER OTHER THAN THE SUBJECT. THE SEX OF EACH OF THE HOUSEHOLD MEMBERS OTHER THAN THE SUBJECT IS CODED IN COL 379-404.

A5	RELTOS 1	353-354	RELA	TIONSHIP TO SUBJECT OF CURRENT
			HOUS	EHOLD MEMBER #1
		2041	- 1	INAPPLICABLE
		0	-7	REFUSED
		1	-8	DON'T KNOW
		6	-9	NOT ASCERTAINED
		6284	1	HUSBAND/WIFE (OR EQUIVALENT)
		167	2	FATHER/MOTHER (INCLUDES IN-LAW)
		2	3	GRANDPARENT
		978	4	SON/DAUGHTER (INCLUDES IN-LAW)
		71	5	GRANDCHILD
		146	6	BROTHER/SISTER (INCLUDES IN-LAW)
		16	7	AUNT/UNCLE/COUSIN
		39	8	OTHER-SPECIFIED RELATIVE
		152	9	FRIEND
		95	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1,-7,-8,-9

PART A: BACKGROUND INFORMATION

Qu No		able	Column Number(s)	Counts	Variable Descr	ription and Codes
<b>A</b> 5	RELT	0\$2	355-356		RELATIONSHIP TO HOUSEHOLD MEMBER	SUBJECT OF CURRENT
				6090	<b>- 1</b>	INAPPLICABLE
				0	-7	REFUSED
				1	-8	DON'T KNOW
				3	-9	NOT ASCERTAINED
				33	1	HUSBAND/WIFE (OR EQUIVALENT)
				104	2	FATHER/MOTHER (INCLUDES IN-LAW)
				3	3	GRANDPARENT
				3273	4	SON/DAUGHTER (INCLUDES IN-LAW)
				202	5	GRANDCHILD
				84	6	BROTHER/SISTER (INCLUDES IN-LAW)
				12	7	AUNT/UNCLE/COUSIN
				59	8	OTHER-SPECIFIED RELATIVE
				52	9	FRIEND
				82	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1,2,-7,-8,-9

A5	RELTOS3	357-358		NSHIP TO SUBJECT OF CURRENT LO MEMBER #3
		7799	- 1	INAPPLICABLE
		0	-7	REFUSED
		0	-8	DON'T KNOW
		2	-9	NOT ASCERTAINED
		27	1	HUSBAND/WIFE (OR EQUIVALENT)
		34	2	FATHER/MOTHER (INCLUDES IN-LAW)
		0	3	GRANDPARENT
		1754	4	SON/DAUGHTER (INCLUDES IN-LAW)
		235	5	GRANDCHILD
		25	6	BROTHER/SISTER (INCLUDES IN-LAW)
		-6	7	AUNT/UNCLE/COUSIN
		35	8	OTHER-SPECIFIED RELATIVE
		30	9	FRIEND
		51	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1-3,-7,-8,-9

Ques No .	Variable Name	Column Number(s)	Counts	Varı	able Description and Codes
A5	RELTOS4	359-360		RELATI	ONSHIP TO SUBJECT OF CURRENT
				HOUSEH	OLD MEMBER #4
			9044	- 1	INAPPLICABLE
			0	-7	REFUSED
			1	- <b>8</b>	DON'T KNOW
			2	-9	NOT ASCERTAINED
			15	1	HUSBAND/WIFE (OR EQUIVALENT)
			17	2	FATHER/MOTHER (INCLUDES IN-LAW)
			О	3	GRANDPARENT
			676	4	SON/DAUGHTER (INCLUDES IN-LAW)
			156	5	GRANDCHILD
			10	6	BROTHER/SISTER (INCLUDES IN-LAW)
			4	7	AUNT/UNCLE/COUSIN
			26	8	OTHER-SPECIFIED RELATIVE
			13	9	FRIEND
			34	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1-4,-7,-8,-9

A5	RELTOS5	361-362		TIONSHIP TO SUBJECT OF CURRENT EHOLD MEMBER #5
		9628	- 1	INAPPLICABLE
		О	-7	REFUSED
		0	-8	DON'T KNOW
		2	-9	NOT ASCERTAINED
		11	1	HUSBAND/WIFE (OR EQUIVALENT)
		5	2	FATHER/MOTHER (INCLUDES IN-LAW)
		0	3	GRANDPARENT
		218	4	SON/DAUGHTER (INCLUDES IN-LAW)
		84	5	GRANDCHILD
		6	6	BROTHER/SISTER (INCLUDES IN-LAW)
		2	7	AUNT/UNCLE/COUSIN
		14	В	OTHER-SPECIFIED RELATIVE
		6	9	FRIEND
		22	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1-5,-7,-8,-9

PART A: BACKGROUND INFORMATION

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
<b>A</b> 5	RELTOS6	363-364		RELATIONSHIP TO HOUSEHOLD MEMBER	SUBJECT OF CURRENT R #6
			9848	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			5	1	HUSBAND/WIFE (OR EQUIVALENT)
			1	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
			76	4 .	SON/DAUGHTER (INCLUDES IN-LAW)
			40	5	GRANDCHILD
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)
			1	7	AUNT/UNCLE/COUSIN
			6	В	OTHER-SPECIFIED RELATIVE
			4	9	FRIEND
			16	10	OTHER-SPECIFIED NON-RELATIVE
	INAP	PLICABLE: CO	DL 347-34	8=-1.1-6,-7,-8,-9	

A5	RELTOS7	365-366			FHOLD MEMBER #7
		992	25	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			1	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
		;	32	4	SON/DAUGHTER (INCLUDES IN-LAW)
		:	27	5	GRANDCHILD
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)
			Ō	7	AUNT/UNCLE/COUSIN
			4	8	OTHER-SPECIFIED RELATIVE
			Ó	9	FRIEND
			Ā	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1-7,-7,-8,-9

Ques No.	Variable Name 	Column Number(s)	Counts	Varı 	able Description and Codes
A5	RELTOSB	367-368			ONSHIP TO SUBJECT OF CURRENT OLD MEMBER #8
			9964	- 1	INAPPLICABLE
			0	- 7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			1	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
			13	4	SON/DAUGHTER (INCLUDES IN-LAW)
			14	5	GRANDCHILD
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)
			0	7	AUNT/UNCLE/COUSIN
			2	8	OTHER-SPECIFIED RELATIVE
			0	9	FRIEND
			4	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1-8,-7,-8,-9

A5	RELTOS9	369-370	RELATIONSHIP TO SUBJECT OF CURRENT			
			HOUSEHOLD MEMBER #9			
			9979	- 1	INAPPLICABLE	
			0	-7	REFUSED	
			0	-8	DON'T KNOW	
			0	-9	NOT ASCERTAINED	
			0	1	HUSBAND/WIFE (OR EQUIVALENT)	
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)	
			0	3	GRANDPARENT	
			8	4	SON/DAUGHTER (INCLUDES IN-LAW)	
			7	5	GRANDCHILD	
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)	
			0	7	AUNT/UNCLE/COUSIN	
			1	8	OTHER-SPECIFIED RELATIVE	
			0	9	FRIEND	
			3	10	OTHER-SPECIFIED NON-RELATIVE	

INAPPLICABLE: COL 347-348=-1,1-9,-7,-8,-9

PART A: BACKGROUND INFORMATION

Ques No.	Variable Name	Column Number(s)	Counts	Variable	Description and Codes
A5	RELTOS 10	371-372		RELATIONSHI HOUSEHOLD N	IP TO SUBJECT OF CURRENT MEMBER #10
			9991	-1	INAPPLICABLE
			0	-7	REFUSED
			1	~8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			О	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
			2	4	SON/DAUGHTER (INCLUDES IN-LAW)
			2	5	GRANDCHILD
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)
			0	7	AUNT/UNCLE/COUSIN
			0	8	OTHER-SPECIFIED RELATIVE
			0	9	FRIEND
			2	10	OTHER-SPECIFIED NON-RELATIVE
	TNADD	LICABLE: CO	1 247-246	34 4-40 7	

INAPPLICABLE: COL 347-348--1,1-10,-7,-8,-9

A5	RELTOS11	373-374			DNSHIP TO SUBJECT OF CURRENT DLD MEMBER #11
			9993 0 0 0 0 0 1 2	-1 -7 -8 -9 1 2 3 4 5 6	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED HUSBAND/WIFE (OR EQUIVALENT) FATHER/MOTHER (INCLUDES IN-LAW) GRANDPARENT SON/DAUGHTER (INCLUDES IN-LAW) GRANDCHILD BROTHER/SISTER (INCLUDES IN-LAW)
			o	8	AUNT/UNCLE/COUSIN OTHER-SPECIFIED RELATIVE
			ō	9	FRIEND
			2	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1-11,-7,-8,-9

Ques No.	Variable Name	Column Number(s)	Counts	Var 1ab	le Description and Codes
Α5	RELTOS12	375-376			SHIP TO SUBJECT OF CURRENT D MEMBER #12
			9996	- 1	INAPPLICABLE
			0	- 7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
			0	4	SON/DAUGHTER (INCLUDES IN-LAW)
			1	5	GRANDCHILD
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)
			0	7	AUNT/UNCLE/COUSIN
			0	8	OTHER-SPECIFIED RELATIVE
			0	9	FRIEND
			1	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 347-348=-1,1-12,-7,-8,-9

Α5

RELTOS 13 377-378 RELATIONSHIP TO SUBJECT OF CURRENT

N)
)
AW)
)

INAPPLICABLE. COL 347-348=-1,1-13,-7,-8,-9

1 10

FRIEND

OTHER-SPECIFIED NON-RELATIVE

Ques No .		Column Number(s)	Counts	Variable Desc	ription and Codes
G	GRRELSEX	(·379-404)		SEX OF EACH HOU CURRENTLY LIVIN	
	INFOR FOR A HOUSE SUBJE CODED	MATION ON THE MAXIMUM OF HOLD CONTAIN CT. THE SEX IN COL 379-4	E SEX AND 16 HOUSEH ED MORE T OF EACH 404. COL	FOR THE COLLECTI RELATIONSHIP TO HOLD MEMBERS. HO HAN 14 MEMBERS, OF THE HOUSEHOLD 379-380 REFERS HER THAN THE SUBJ	THE SUBJECT WEVER, NO INCLUDING THE MEMBERS IS TO THE
A5	RELSEX1	379-380		SEX OF CURRENT	HOUSEHOLD MEMBER #1
			2041 1 1 1 4326 3628	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPF	PLICABLE: CO	L 347-348	3=-1,1,-7,-8,-9	
<b>A</b> 5	RELSEX2	381-382		SEX OF CURRENT	HOUSEHOLD MEMBER #2
			6090 0 1 0 2247 1660	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAP	PLICABLE: CO	L 347-348	3=-1,1,2,-7,-8,-9	)
A5	RELSEX3	383-384		SEX OF CURRENT	HOUSEHOLD MEMBER #3
	INAPI	PLICABLE: CO	7799 O O O 1031 1168 L 347-348	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE

Ques No .	Variable Name 	Column Number(s)	Counts		ription and Codes
Α5	RELSEX4	385-386		SEX OF CURRENT H	HOUSEHOLD MEMBER #4
			9044 0 1 0 423 530	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: CO	_ 347-348	3=-1,1-4,-7,-8,-9	
A5	RELSEX5	387-388		SEX OF CURRENT	HOUSEHOLD MEMBER #5
	IMARRI	TCABLE: CO	9628 0 0 0 167 203	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAFFL	TOABLE. CO.	2 047 040	, ,,, ,, ,, ,,	
A5	RELSEX6	389-390		SEX OF CURRENT	HOUSEHOLD MEMBER #6
			9848 O O O 64 86	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: CO	L 347-348	3=-1,1-6,-7,-8,-9	
<b>A</b> 5	RELSEX7	391-392		SEX OF CURRENT	HOUSEHOLD MEMBER #7
	TNAPDI	ICABLE: CO	9925 O O O 27 46	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE

INAPPLICABLE: COL 347-348=-1,1-7,-7,-8,-9

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
A5	RELSEX8	393-394		SEX OF CURRENT HO	DUSEHOLD MEMBER #8
			9964 0 0 0 13 21	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: COL	347-348	1,1-8,-7,-8,-9	
A5	RELSEX9	395-396		SEX OF CURRENT H	OUSEHOLD MEMBER #9
	INAPPL		9979 0 0 0 6 13	-1 -7 -8 -9 1 2 =-1,1-9,-7,-8,-9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
<b>A</b> 5	RELSEX 10	397-398		SEX OF CURRENT H	OUSEHOLD MEMBER #10
			9991 0 1 0 1 5	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: COL	. 347-348	=-1,1-10,-7,-8,-9	
A5	RELSEX 11	399-400		SEX OF CURRENT H	OUSEHOLD MEMBER #11
	*****	YOUR S CO.	9993 0 0 0 2 3	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	TOABLE: CUL	. 347-346	=-1,1-11,-7,-8,-9	

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descript	tion and Codes	
A5	RELSEX 12	401-402		SEX OF CURRENT HOUS	SEHOLD MEMBER #12	
			9996	-1 IN	IAPPLICABLE	
			0	-7 RE	FUSED	
			0	- <b>8</b> DO	N'T KNO₩	
			0	-9 NO	OT ASCERTAINED	
			2	1 MA	ALE.	
			0	2 FE	MALE	
	INAPPL	ICABLE: CO	L 347-348	=-1,1-12,-7,-8,-9		
A5	RELSEX13	403-404		SEX OF CURRENT HOUS	SEHOLD MEMBER #13	
			9996	-1 IN	IAPPLICABLE	
			0		FUSED	
			ō		N'T KNOW	
			0	-9 NO	T ASCERTAINED	
			2	1 MA	LE	
			0	2 FE	MALE	
	INAPPL	ICABLE: CO	L 347-348	=-1,1-13,-7,-8,-9		
Α7	NUMSLVED	405-406		NUMBER OF PERSONS LIVING IN SUBJECT'S HOUSEHOLD PRIOR TO SUBJECT ENTERING A NURSING HOME, PERSONAL CARE HOME, OR OTHER INSTITUTION		
			9872	-1 IN	IAPPLICABLE	
			0		FUSED	
			11		N'T KNOW, DON'T REMEMBER	
			1		T ASCERTAINED	
			114		MBER OF PERSONS IN HOUSEHOLD,	INCLUDING SUBJECT

INAPPLICABLE: (COL 285-286=1,3,4,5,91,-7,-8,-9) OR (COL 345-346=1)

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	iption and Codes
G	RLGTHA2	(407-410)		HOW LONG HAD SUB	JECT LIVED ALONE?
A9	LGTHALN2	407-40 <b>8</b>		NUMBER OF MONTHS	OR YEARS
			9955 0 3 0 40 0	-1 -7 -8 -9 3-58 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MONTHS OR YEARS LESS THAN ONE MONTH

INAPPLICABLE: COL 405-406=-1,2-13,-7,-8,-9

Α9	LGTHUNT2	409-410		TIME PER.	IOD RESPONDED IN
			9958	- 1	INAPPLICABLE
			0	-7	REFUSED
			o	-8	DON'T KNO₩
			0	-9	NOT ASCERTAINED
			0	1	MONTHS
			40	2	YEARS

INAPPLICABLE: COL 407-408=-1,95,-7,-8,-9

GRRELDOS (411-434)

RELATIONSHIP TO SUBJECT OF EACH
HOUSEHOLD MEMBER LIVING WITH SUBJECT
PRIOR TO SUBJECT ENTERING A
NURSING HOME, PERSONAL CARE HOME,
OR OTHER INSTITUTION

THE QUESTIONNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON THE SEX AND RELATIONSHIP TO THE SUBJECT FOR A MAXIMUM OF 16 HOUSEHOLD MEMBERS WHO WERE LIVING IN THE SUBJECT'S HOUSEHOLD PRIOR TO THE SUBJECT ENTERING A NURSING HOME, PERSONAL CARE HOME, OR OTHER INSTITUTION. HOWEVER, NO HOUSEHOLD CONTAINED MORE THAN 13 MEMBERS, INCLUDING THE SUBJECT. THE RELATIONSHIP TO THE SUBJECT OF EACH OF THE HOUSEHOLD MEMBERS IS CODED IN COL 411-434. COL 411-412 REFERS TO THE FIRST HOUSEHOLD MEMBER OTHER THAN THE SUBJECT. THE SEX OF EACH OF THE HOUSEHOLD MEMBERS OTHER THAN THE SUBJECT IS CODED IN COL 435-458.

Ques No .	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
8A	RELDOS 1	411-412		RELATIONSHIP TO	SUBJECT OF HOUSEHOLD
AO	KEEDO31	411 412		MEMBER #1	JOHOLCI OI HOOGENOLD
				<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	
			9927	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			33	1	HUSBAND/WIFE (OR EQUIVALENT)
			4	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
			20	4	SON/DAUGHTER (INCLUDES IN-LAW)
			1	5	GRANDCHI LD
			7	6	BROTHER/SISTER (INCLUDES IN-LAW)
			0	7	AUNT/UNCLE/COUSIN
			2	8	OTHER-SPECIFIED RELATIVE
			2	9	FRIEND
			1	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 405-406=-1,1,-7,-8,-9

A8	RELDOS2	413-414	REL	ATIONSHIP TO SUBJECT OF HOUSEHOLD
			MEMI	BER #2
		9961	- 1	INAPPLICABLE
		0	-7	REFUSED
		0	-8	DON'T KNOW
		1	-9	NOT ASCERTAINED
		0	1	HUSBAND/WIFE (OR EQUIVALENT)
		2	2	FATHER/MOTHER (INCLUDES IN-LAW)
		0	3	GRANDPARENT
		21	4	SON/DAUGHTER (INCLUDES IN-LAW)
		2	5	GRANDCHILD
		4	6	BROTHER/SISTER (INCLUDES IN-LAW)
		0	7	AUNT/UNCLE/COUSIN
		2	8	OTHER-SPECIFIED RELATIVE
		3	9	FRIEND
		2	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 405-406=-1, 1-2, -7, -8, -9

PART A: BACKGROUND INFORMATION

Variable Name 	Column Number(s)	Counts	Variable D	Description and Codes
RELDOS3	415-416		RELATIONSHIP MEMBER #3	TO SUBJECT OF HOUSEHOLD
		9980	<b>-1</b>	INAPPLICABLE
		0	-7	REFUSED
		0	-8	DON'T KNOW
		1	-9	NOT ASCERTAINED
		0	1	HUSBAND/WIFE (OR EQUIVALENT)
		0	2	FATHER/MOTHER (INCLUDES IN-LAW)
		0	3	GRANDPARENT
		4	4	SON/DAUGHTER (INCLUDES IN-LAW)
		9	5	GRANDCHILD
		0	6	BROTHER/SISTER (INCLUDES IN-LAW)
		1	7	AUNT/UNCLE/COUSIN
		1	8	OTHER-SPECIFIED RELATIVE
		1	9	FRIEND
		1	10	OTHER-SPECIFIED NON-RELATIVE
	Name 	Name Number(s)	Name Number(s) Counts	Name Number(s) Counts Variable Description   RELDOS3 415-416 RELATIONSHIF   MEMBER #3  9980 -1 0 -7 0 -8 1 -9 0 1 0 2 0 3 4 4 4 9 5 0 6 1 7 1 8 1 9

INAPPLICABLE: COL 405-406=-1,1-3,-7,-8,-9

MEMBER #4     INAPPLICABLE	A8	RELDOS4	417-418	RELATIONSHIP TO SUBJECT OF HOUSEHOLD
O -7 REFUSED O -8 DON'T KNOW 1 -9 NOT ASCERTAINED O 1 HUSBAND/WIFE (OR EQUIVALENT) O 2 FATHER/MOTHER (INCLUDES IN-LAW) O 3 GRANDPARENT 4 4 SON/DAUGHTER (INCLUDES IN-LAW)				MEMBER #4
O -7 REFUSED O -8 DON'T KNOW 1 -9 NOT ASCERTAINED O 1 HUSBAND/WIFE (OR EQUIVALENT) O 2 FATHER/MOTHER (INCLUDES IN-LAW) O 3 GRANDPARENT 4 4 SON/DAUGHTER (INCLUDES IN-LAW)				
O -8 DON'T KNOW 1 -9 NOT ASCERTAINED O 1 HUSBAND/WIFE (OR EQUIVALENT) O 2 FATHER/MOTHER (INCLUDES IN-LAW) O 3 GRANDPARENT 4 4 SON/DAUGHTER (INCLUDES IN-LAW)			9984	-1 INAPPLICABLE
1 -9 NOT ASCERTAINED O 1 HUSBAND/WIFE (OR EQUIVALENT) O 2 FATHER/MOTHER (INCLUDES IN-LAW) O 3 GRANDPARENT 4 4 SON/DAUGHTER (INCLUDES IN-LAW)			0	-7 REFUSED
O 1 HUSBAND/WIFE (OR EQUIVALENT) O 2 FATHER/MOTHER (INCLUDES IN-LAW) O 3 GRANDPARENT 4 4 SON/DAUGHTER (INCLUDES IN-LAW)			0	-8 DON'T KNOW
O 2 FATHER/MOTHER (INCLUDES IN-LAW) O 3 GRANDPARENT 4 4 SON/DAUGHTER (INCLUDES IN-LAW)			1	-9 NOT ASCERTAINED
O 3 GRANDPARENT 4 4 SON/DAUGHTER (INCLUDES IN-LAW)			0	1 HUSBAND/WIFE (OR EQUIVALENT)
4 4 SON/DAUGHTER (INCLUDES IN-LAW)			0	2 FATHER/MOTHER (INCLUDES IN-LAW)
			0	3 GRANDPARENT
5 5 GRANDCHILD			4	4 SON/DAUGHTER (INCLUDES IN-LAW)
			5	5 GRANDCHILD
O G BROTHER/SISTER (INCLUDES IN-LAW			0	6 BROTHER/SISTER (INCLUDES IN-LAW)
O 7 AUNT/UNCLE/COUSIN			0	7 AUNT/UNCLE/COUSIN
2 8 OTHER-SPECIFIED RELATIVE			2	8 OTHER-SPECIFIED RELATIVE
1 9 FRIEND			1	9 FRIEND
1 10 OTHER-SPECIFIED NON-RELATIVE			1	10 OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 405-406=-1,1-4,-7,-8,-9

Ques No 	Variable Name	Column Number(s)	Counts	Variabi	e Description and Codes
84	RELDOS5	419-420		RELATIONS MEMBER #5	SHIP TO SUBJECT OF HOUSHOLD
			9993	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			0	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
			0	4	SON/DAUGHTER (INCLUDES IN-LAW)
			2	5	GRANDCHILD
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)
			0	7	AUNT/UNCLE/COUSIN
			1	8	OTHER-SPECIFIED RELATIVE
			1	9	FRIEND
			0	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 405-406=-1,1-5,-7,-8,-9

AB	RELDOS6	421-422		RELATIONSHIP_	TO SUBJECT OF HOUSEHOLD
				MEMBER #6	
			9996	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			Ō	3	GRANDPARENT
			0	4	SON/DAUGHTER (INCLUDES IN-LAW)
			1	5	GRANDCHILD
			Ó	6	BROTHER/SISTER (INCLUDES IN-LAW)
			ō	7	AUNT/UNCLE/COUSIN
			1	8	OTHER-SPECIFIED RELATIVE
			ò	9	FRIEND
			ŏ	10	OTHER-SPECIFIED NON-RELATIVE
			U	10	OTTICK STEETITED NOW KEERITVE

INAPPLICABLE: COL 405-406=-1,1-6,-7,-8,-9

PART A. BACKGROUND INFORMATION

		ı		PART	A. BACKGROUND INFORMATION
Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
<b>8</b> A	RELDOS7	423-424		RELATIONSHIP TO MEMBER #7	SUBJECT OF HOUSEHOLD
			9996	<b>-1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	HUSBAND/WIFE (OR EQUIVALENT)
			Ō	2	FATHER/MOTHER (INCLUDES IN-LAW)
			ō	3	GRANDPARENT
			ō	4	SON/DAUGHTER (INCLUDES IN-LAW)
			1	5	GRANDCHILD
			ò	6	
			ŏ	7	BROTHER/SISTER (INCLUDES IN-LAW) AUNT/UNCLE/COUSIN
			1	8	
		,	ö	9	OTHER-SPECIFIED RELATIVE FRIEND
			Ö	10	
			U	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 405-406=-1,1-7,-7,-8,-9

<b>8</b> A	RELDOSB	425-426	RELATIONSHIP TO MEMBER #8	SUBJECT OF HOUSEHOLD
		9997	-1	INAPPLICABLE
		0	-7	REFUSED
		0	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		0	1	HUSBAND/WIFE (OR EQUIVALENT)
		0	2	FATHER/MOTHER (INCLUDES IN-LAW)
		0	3	GRANDPARENT
		0	4	SON/DAUGHTER (INCLUDES IN-LAW)
		0	5	GRANDCHILD
		0	6	BROTHER/SISTER (INCLUDES IN-LAW)
		0	7	AUNT/UNCLE/COUSIN
		1	8	OTHER-SPECIFIED RELATIVE
		0	9	FRIEND
		0	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 405-406=-1,1-8,-7,-8,-9

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes		
<b>A8</b>	RELDOS9	427-428		RELAT MEMBE	IONSHIP TO SUBJECT OF HOUSEHOLD R #9	
			9997	- 1	INAPPLICABLE	
			0	-7	REFUSED	
			Ō	-8	DON'T KNOW	
			0	-9	NOT ASCERTAINED	
			0	1	HUSBAND/WIFE (OR EQUIVALENT)	
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)	
			0	3	GRANDPARENT	
			0	4	SON/DAUGHTER (INCLUDES IN-LAW)	
			0	5	GRANDCHILD	
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)	
			0	7	AUNT/UNCLE/COUSIN	
			1	8	OTHER-SPECIFIED RELATIVE	
			0	9	FRIEND	
			0	10	OTHER-SPECIFIED NON-RELATIVE	

INAPPLICABLE: COL 405-406=-1,1-9,-7,-8,-9

8A	RELDOS 10	429-430		<u>RELATI</u>	ONSHIP TO SUBJECT OF HOUSEHOLD
				MEMBER	#10
		99	97	- 1	INAPPLICABLE .
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			Ō	3	GRANDPARENT
			ŏ	4	SON/DAUGHTER (INCLUDES IN-LAW)
			ō	5	GRANDCHILD
			ō	6	BROTHER/SISTER (INCLUDES IN-LAW)
			Ö	7	AUNT/UNCLE/COUSIN
			1	B	OTHER-SPECIFIED RELATIVE
			ò	9	FRIEND
			-	10	OTHER-SPECIFIED NON-RELATIVE
			0	10	OTHER SPECIALED MON RECALIVE

INAPPLICABLE: COL 405-406=-1,1-10,-7,-8,-9

PART A: BACKGROUND INFORMATION

Ques No.	Variable Name	Column Number(s)	Counts	Variable De	escription and Codes
AB	RELDOS11	431-432		RELATIONSHIP MEMBER #11	TO SUBJECT OF HOUSEHOLD
			9997	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			О	-9	NOT ASCERTAINED
			0	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
			0	4	SON/DAUGHTER (INCLUDES IN-LAW)
			0	5	GRANDCHILD
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)
			0	7	AUNT/UNCLE/COUSIN
			1	8	OTHER-SPECIFIED RELATIVE
			0	9	FRIEND
			0	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 405-406=-1,1-11,-7,-8,-9

8A	RELDOS 12	433-434		RELATIONSHIP	TO SUBJECT OF HOUSEHOLD
				MEMBER #12	
		9:	997	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	HUSBAND/WIFE (OR EQUIVALENT)
			0	2	FATHER/MOTHER (INCLUDES IN-LAW)
			0	3	GRANDPARENT
			0	4	SON/DAUGHTER (INCLUDES IN-LAW)
			0	5	GRANDCHILD
			0	6	BROTHER/SISTER (INCLUDES IN-LAW)
			0	7	AUNT/UNCLE/COUSIN
			1	8	OTHER-SPECIFIED RELATIVE
			0	9	FRIEND
			0	10	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 405-406=-1,1-12,-7,-8,-9

Ques No	Variable Name	Column Number(s) 	Counts	Variable Description and Codes
G	RRELDSX	(435-458)		SEX OF EACH HOUSEHOLD MEMBER LIVING WITH SUBJECT PRIOR TO SUBJECT ENTERING A NURSING HOME, PERSONAL CARE HOME, OR OTHER INSTITUTION

THE QUESTIONNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON THE SEX AND RELATIONSHIP TO THE SUBJECT FOR A MAXIMUM OF 16 HOUSEHOLD MEMBERS WHO WERE LIVING IN THE SUBJECT'S HOUSEHOLD PRIOR TO THE SUBJECT ENTERING A NURSING HOME, PERSONAL CARE HOME, OR OTHER INSTITUTION. HOWEVER, NO HOUSEHOLD CONTAINED MORE THAN 13 MEMBERS, INCLUDING THE SUBJECT. THE SEX OF EACH OF THE HOUSEHOLD MEMBERS IS CODED IN COL 435-458. COL 435-436 REFERS TO THE FIRST HOUSEHOLD MEMBER OTHER THAN THE SUBJECT.

84	RELDSX1	435-436		SEX OF HOUSEHOLD	MEMBER #1
			9927	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			34	1	MALE
			37	2	FEMALE

INAPPLICABLE: COL 405-406=-1,1,-7,-8,-9

AB	RELDSX2	437-438		SEX OF HOU	SEHOLD MEMBER #2
			9961	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			12	1	MALE
			25	2	FFMALF

INAPPLICABLE: COL 405-406=-1,1,2,-7,-8,-9

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
AB	RELDSX3	439-440		SEX OF HOUSEHOLD	MEMBER #3
			9980 0 0 0 11 7	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: CO	L 405-406	5=-1,1-3,-7,-8,-9	
A8	RELDSX4	441-442		SEX OF HOUSEHOLD	MEMBER #4
			9984 0 0 0 5 9	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: CO	L 405-406	6=-1,1-4,-7,-8,-9	
8A	RELD\$X5	443-444		SEX OF HOUSEHOLD	MEMBER #5
			9993 O O O 2 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: CO	L 405-406	6=-1,1-5,-7,-8,-9	
A8	RELDSX6	445-446		SEX OF HOUSEHOLD	MEMBER #6
	*****	Table 5	9996 0 0 0 1	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	TCABLE: CO	L 405-406	5=-1,1-6,-7,-8,-9	

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	
A8	RELDSX7	447-448	9996 0 0 0	SEX OF HOUSEHOLD -1 -7 -8 -9 1	MEMBER #7  INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE
			1	2	FEMALE
	INAPPL	ICABLE. COL	405-406	=-1,1-7,-7,-8,-9	
A8	RELDSX8	449-450		SEX OF HOUSEHOLD	MEMBER #B
			9997 0 0 0 1 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: COL	405-406	=-1,1-8,-7,-8,-9	
A8	RELDSX9	451-452		SEX OF HOUSEHOLD	MEMBER #9
			9997 0 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	INAPPL	ICABLE: COL	405-406	=-1,1-9,-7,-8,-9	
<b>A8</b>	RELDSX 10	453-454		SEX OF HOUSEHOLD	MEMBER #10
			9997 0 0 0 0	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MALE FEMALE
	TAIADDI	TCABLE: COL	405-406	= - 1 . 1 - 10 7 8 9	

INAPPLICABLE: COL 405-406=-1,1-10,-7,-8,-9

PART A: BACKGROUND INFORMATION

-	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
A8	RELDSX11	455-456		SEX OF HOUSEHOL	D_MEMBER #11
			9997	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			. 0	- <b>8</b>	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	MALE
			1	2	FEMALE
	INAPPL	.ICABLE: CO	L 405-406	5=-1,1-11,-7,-8,-	9
<b>8</b> 8	RELDSX 12	457~458		SEX OF HOUSEHOL	D MEMBER #12
			9997	-1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	-8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			Ó	1	MALE
			1	2	FEMALE
	INAPPL	ICABLE: CO	L 405-406	6=-1,1-12,-7,-8,-	9
A 10	MARRSTAT	459-460		CURRENT MARITAL	STATUS OF SUBJECT
			4	-7	REFUSED
			7	-8	DON'T KNOW
			7	-9	NOT ASCERTAINED
			6498	1	MARRIED
			1902	2	WIDOWED
			874	3	DIVORCED
			234	4	SEPARATED
			472	5	NEVER MARRIED

Ques No.	Variable Name	Column Number(s)	Counts	Väriable Descr	ription and Codes
A 1 1	SUBJRACE	461-462		RACE OF SUBJECT	
			9432	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			20	-9	NOT ASCERTAINED
			10	1	ALEUT, ESKIMO OR AMERICAN INDIAN
			9	2	ASIAN/PACIFIC ISLANDER
			98	3	BLACK
			416	4	WHITE
			13	91	OTHER-SPECIFIED RACE
	-4				

INAPPLICABLE: COL 8-9=1,3

Q.A11 WAS ONLY ASKED IF THE SUBJECT WAS NOT PREVIOUSLY INTERVIEWED. THE INFORMATION COLLECTED FROM Q.A11 WAS NOT USED TO UPDATE THE REVISED RACE VARIABLE CREATED IN THE 1982-84 FOLLOWUP (CODED IN COL 184-185).

		463-492		BLANK	
A 12	HISPANIC	493-494		IS SUBJEC	CT OF HISPANIC ORIGIN?
			9432	- 1	INAPPLICABLE
			0	- 7	REFUSED
			7	-8	DON'T KNOW
			20	-9	NOT ASCERTAINED
			36	1	YES
			503	2	NO

INAPPLICABLE: COL 8-9=1,3

PART A: BACKGROUND INFORMATION

Ques No.	Variable Name	Column Number(s)	Counts	Variable Des	cription and Codes
A 13	DOINGMST	495-496		DURING THE LAS	T THREE MONTHS WHAT HAS DING MOST?
	INAPPI (COL	.ICABLE: (CO 12-13=3)	2574 2 0 87 4292 1263 1298 43 76 276 30 57	-1 -7 -8 -9 1 2 3 4 5 6 7 91	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED WORKING RETIRED KEEPING HOUSE GOING TO SCHOOL LOOKING FOR WORK LONG TERM ILLNESS/DISABILITY LEISURE ACTIVITIES OTHER SPECIFY 67=1 AND COL 110-111=1) OR
	, 	497-526		——- — — BLANK	
A14	HRSWKJB1	527-528			HOW MANY HOURS A WEEK
			5706 3 55 51 4174 9	-1 -7 -8 -9 1-91 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED HOURS WORKED PER WEEK 95 OR MORE HRS WORKED PER WEEK

INAPPLICABLE: COL 495-496=-1,2-7,91,-7,-8,-9

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
A 15	WORKJOB	529-530		DURING THE LAST SUBJECT WORKED BUSINESS?	T THREE MONTHS, HAS AT ALL AT A JOB OR
			6866 2 2 89 468 2571	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: CO	L 495-496	6=-1,1	
A 16	HRSWKJB2	531-532		ON AVERAGE, HOW SUBJECT WORK?	MANY HOURS A WEEK DID
			1 442	1-92	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED HOURS WORKED PER WEEK
	INAPPL	ICABLE: COL	529-530	)=-1,2,-7,-8,-9	
A 17	STPJBHEA	533-534		DID SUBJECT STO BECAUSE OF REAS	P WORKING AT JOB ONS RELATED TO HEALTH?
	THEORY	<b>70.0</b> 16 (55	111 373	2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	OR (CO	ICABLE: (CC L 108-109=1	L 108-10 AND COL	9=-1,2) OR (COL 529-530=1,-7,-8,	108-109=1 AND COL 495-496=-1,1) -9)

PART A: BACKGROUND INFORMATION

Ques No.	Variable Name 	Column Number(s)	Counts	Variable De	escription and Codes
A 18	MOMALIVE	535-536		IS SUBJECT'S LIVING?	NATURAL MOTHER STILL
	INAPP	LICABLE: (CO	162 3309 775	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
A 19	MOMAGED	537-539		HOW OLD WAS	SHE WHEN SHE DIED?
			9223 0 26 0 749	- 1 - 7 - 8 - 9 20 - 104	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED AGE AT DEATH (IN YEARS)
	INAPP	LICABLE: COL	535-536	6=-1,1,-7,-8,-9	
A20	DADALIVE	540-541		IS SUBJECT'S LIVING?	NATURAL FATHER STILL
			7252 0 28 145 1730 843	-8	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPP	LICABLE: (CO	L 114-1	15=2) OR (COL 1	114-115=-1,1 AND COL 12-13-3)
A21	DADAGED	542-544		HOW OLD WAS H	HE WHEN HE DIED?
	INAPP	LICABLE: COL	9155 0 45 1 797	-1 -7 -8 -9 21-100	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED AGE AT DEATH (IN YEARS)

Ques No .	Variable Name	Column Number(s)	Counts	Variable Des	cription and Codes
В1	GENERAL	545-546			YOUR HEALTH EXCELLENT, D, FAIR OR POOR?
			1102	- 1	INAPPLICABLE
			1	-7	REFUSED
			25	-8	DON'T KNOW
			4	-9	NOT ASCERTAINED
			1759	1	EXCELLENT
			2520	2	VERY GOOD
			2622	3	GOOD
			1436	4	FAIR
			529	5	POOR

INAPPLICABLE: COL 22-23=2-3,5-6

B1A	PRXMHQD	547-548	CAN PROXY ANSWER QUESTIONS ABOUT
			DECEASED SUBJECT'S MEDICAL HISTORY

9964	- 1	INAPPLICABLE
0	-7	REFUSED
0	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
29	1	YES
5	2	NO

INAPPLICABLE: (COL 12-13=1) OR (COL 12-13=3 AND COL 193-194=1-11,91,92)

Q.B1A WAS ASKED ONLY IF THE PROXY WAS NOT RELATED TO THE DECEASED SUBJECT.

B2 JOINTS 549-550 WITHIN PAST YEAR, HAS SUBJECT HAD PAIN. SWELLING, STIFFNESS IN JOINTS ON MOST DAYS FOR AT LEAST ONE MONTH?

472	- 1	INAPPLICABLE
0	-7	REFUSED
66	-8	DON'T KNOW
92	-9	NOT ASCERTAINED
2824	1	YES
6544	2	NO

INAPPLICABLE: COL 12-13=3

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name	Column Number(s)	Counts	Variable D	escription and Codes
В3	DREVRTEL	551-552		DID DOCTOR E	VER SAY SUBJECT HAS
			1009	- 1	INAPPLICABLE
			1005	-7	REFUSED
			-	•	· - · - <del>-</del>
			99	-8	DON'T KNOW
			5	-9	NOT ASCERTAINED
			2794	1	YES
			6021	2	NO
			70	96	DISCREPANCY
			, 0		DISCREPA

INAPPLICABLE: (COL 22-23=1,4 AND COL 76-77=1) OR (COL 12-13=3 AND COL 547-548=2)

IF A SUBJECT WAS CODED AS HAVING A REPORT OF ARTHRITIS IN THE 1986 FOLLOWUP BUT THE RESPONDENT DID NOT REPORT ANY ARTHRITIS A CODE OF 96 FLAGS THE DISCREPANCY. THE RESPONDENT WAS THEN ASKED Q.B10 OR Q.B11.

84	FRSTARTH	553-554		WHAT YEAR WAS SU ARTHRITIS?	JBJECT FIRST TOLD ABOUT
			6200 0 593	- 1 - 7 - 8	INAPPLICABLE REFUSED DON'T KNOW
			4 3123	-9 02- <b>8</b> 7	NOT ASCERTAINED YEAR FIRST TOLD ARTHRITIS (1902-1987)
			78	96	DISCREPANCY

INAPPLICABLE: (COL 551-552=2,96,-7,-8,-9) OR (COL 547-548=2)

IF A SUBJECT WAS CODED AS HAVING A REPORT OF ARTHRITIS IN THE 1986 FOLLOWUP BUT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY. THE SUBJECT WAS THEN ASKED Q.B10 OR Q.B11.

Ques No .	Variable Name	Column Number(s)	Counts		e Description and Codes
	ARTHFLG1	555-556			NOT REPORTED PREVIOUSLY AND RTED YEAR BEFORE PREVIOUS YEAR
			9832 0 166	- 1 -9 1	INAPPLICABLE NOT ASCERTAINED DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR
					COL 553-554=-1,-7,-8,-9, =COL 172-173)
	PREVI		W BUT THE	YEAR REPO	AS NOT REPORTED IN THE RTED IN Q.B4 WAS PRIOR
B5	DRARTHR	557-558			R EVER SAY WHICH KIND OF SUBJECT HAS?
			7471 0 85 6 867 1569	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO .
	AND C	OL 76~77≈-1, 6-77=1 AND C	2 AND COL OL 547~54	. 551-552=2 18=-1,1) OR	76-77=1) DR (CDL 12-13=1 ,-7,-8,-9) DR (COL 12-13=3 AND (COL 12-13=3 AND =-1,2) OR (COL 547-548=2)
B6A	OSTEGART	559-560			OF ARTHRITIS DOES SUBJECT STEGARTHRITIS?
			9131 O 46 O 437 384	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 557-558=-1,2,-7,-8,-9

PART B: MEDICAL CONDITIONS

-	Variable Name		Counts	Variable Descr	iption and Codes
B6B	RHEUMATD	561-562		WHAT TYPE OF ART	HRITIS DOES SUBJECT ID ARTHRITIS?
			9131 0 46 0 287 534	-9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
BGC	OTHRTYPE		L 557-558	=-1,2,-7,-8,-9  WHAT TYPE OF ARTI	<u>HRITIS DOES SUBJECT</u> ER TYPE OF ARTHRITIS?
			9131 0 50 0 116 701	~ 1 ~ 7 ~ 8 ~ 9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	557-558	=-1,2,-7,-8,-9	
		565-594		BLANK	

Ques No.	Variable Name	Column Number(s) Counts	Varıable Desc	ription and Codes
В7	XRYJOINT	595-596	HAS SUBJECT HAD ARTHRITIS?	AN X-RAY FOR
	(COL :	7561 0 46 32 1285 1074 LICABLE: (COL 12-1: 22-23=2,5 AND COL 5: 22-23=1,4 AND COL 7:	1 2 3=1 AND COL 551-552 51-552=1 AND COL 76	6-77=1) OR
B <b>8</b>	FRSTXRAY	597-598	HOW LONG AGO DIE	D SUBJECT FIRST HAVE ITIS?
		8713 0 32 10 192 412 261 378	1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED LESS THAN ONE YEAR AGO AT LEAST 1 BUT LESS THAN 5 YEARS AGO AT LEAST 5 BUT LESS THAN 10 YEARS AGO 10 OR MORE YEARS AGO
	INAPPI	ICABLE: COL 595-59	06=-1,2,-7,-8,-9	
В9	LASTXRAY	599-600	HOW LONG AGO DIE	<u>D_SUBJECT_LAST_HAVE</u> ITIS?
		8713 0 36 10 286 285 70 34 564	-1 -7 -8 -9 1 2 3 4	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED LESS THAN ONE YEAR AGO AT LEAST 1 BUT LESS THAN 5 YEARS AGO AT LEAST 5 BUT LESS THAN 10 YEARS AGO 10 OR MORE YEARS AGO ONLY ONE XRAY EVER
	INAPPL	ICABLE: COL 595-59	16=-1,2,-7,-8,-9	

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B10	GOUT	601-602		DID DOCTOR EVER SAY SUBJECT HAS GOUT?
			677	-1 INAPPLICABLE
			0	-7 REFUSED
			38	-8 DON'T KNOW
			90	-9 NOT ASCERTAINED
			342	1 YES
			8851	2 NO
			0051	2 110

INAPPLICABLE: (COL 78-79=1) OR (COL 12-13=3 AND COL 78-79=-1,2)

Q.B10 WAS ASKED OF THE REPONDENT IF NO EPISODE OF GOUT WAS REPORTED IN THE PREVIOUS INTERVIEW OR THE SUBJECT HAD NOT BEEN PREVIOUSLY INTERVIEWED.

B11	SINCGOUT	603-604			JECT HAD AN ADDITIONAL EPISODE SINCE THE PREVIOUS INTERVIEW?
			9793	- 1	INAPPLICABLE
			0	-7	REFUSED
			4	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			61	1	YES
			140	2	NO

INAPPLICABLE: (COL 78-79=-1,2) OR (COL 12-13=3 AND COL 78-79=1)

Q.B11 WAS ASKED OF THE REPONDENT IF AN EPISODE OF GOUT WAS REPORTED FOR THE SUBJECT IN A PREVIOUS INTERVIEW. OTHERWISE, THE RESPONDENT WAS ASKED Q.B10.

#### B12 FRSTGOUT 605-606 WHAT YEAR WAS SUBJECT FIRST TOLD ABOUT GOUT SINCE THE PREVIOUS INTERVIEW?

9656	- 1	INAPPLICABLE
1	-7	REFUSED
33	-8	DON'T KNOW
3	-9	NOT ASCERTAINED
305	42-87	YEAR FIRST TOLD ABOUT GOUT (1942-1987)

INAPPLICABLE: (COL 601-602=2,-7,-8,-9) OR (COL 603-604=1,2,-7,-8,-9) OR (CDL 12-13=3)

Ques No.	Variable Name	Column Number(s)	Counts		ription and Codes
	GOUTFLG1	607-608			<u>ED PREVIOUSLY AND</u> YEAR BEFORE PREVIOUS
			9969 O 29	-1 -9 1	INAPPLICABLE NOT ASCERTAINED DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR
				=-1,1 AND COL 605 606>=COL 172-173)	-606=-1,-7,-8,-9) OR
	INTER		YEAR REI	GOUT WAS NOT REPO PORTED IN Q.B12 W	RTED IN THE PREVIOUS AS PRIOR TO THE
B13	MEMGOUT 1	609-610		TIME PERIOD SIN	CE SUBJECT WAS FIRST TOLD
			9965	-1	INAPPLICABLE
			0	-7	REFUSED
			1	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			1	1	LESS THAN ONE YEAR AGO
			7	2	AT LEAST 1 BUT LESS THAN 5 YEARS AGO
			12 12	3 4	AT LEAST 5 BUT LESS THAN 10 YEARS AGO 10 OR MORE YEARS AGO
	INAPF	LICABLE: CO		6=-1,42-87,-7,-9	TO SK MORE TEARS AGE
B14	LASTGOUT	611-612		WHAT YEAR DID S	UBJECT HAVE LAST GOUT
			0050		TAIADDI TOADI E
			9656 1	- 1 - 7	INAPPLICABLE REFUSED
			25	- / -8	DON'T KNOW
			6	-9	NOT ASCERTAINED
			210	48-87	YEAR OF LAST GOUT EPISODE (1948-1987)
			100	95	SUBJECT HAD ONLY ONE EPISODE OF GOUT
		LICABLE: (C 12-13=3)	DL 601-60	02=2,-7,-8,-9) OR	(COL 603-604=1,2,-7,-8,-9) OR

PART B: MEDICAL CONDITIONS

Ques No .	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
B15	MEMGOUT2	613-614		TIME PERIOD SIN	ICE SUBJECT HAD LAST
			9973	-1	INAPPLICABLE
			0	-7	REFUSED
			1	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			5	1	LESS THAN ONE YEAR AGO
			8 4	2 3	AT LEAST 1 BUT LESS THAN 5 YEARS AGD
			7	4	AT LEAST 5 BUT LESS THAN 10 YEARS AGD 10 DR MORE YEARS AGO
	INAPPI	LICABLE: CO	L 611-612	2=-1,48-87,95,-7,	-9
B 16	ARTHGOUT	615-616		DID DOCTOR EVER ARTHRITIS CAUSE	SAY SUBJECT HAD D BY GOUT?
			9656	- 1	INADDI ICABI E
			0	-7	INAPPLICABLE REFUSED
			11	- <b>8</b>	DON'T KNOW
			2	-9	NOT ASCERTAINED
			37	1	YES
			292	2	NO
	INAPPI (COL	LICABLE: (C 12-13=3)	OL 601-60	02=2,-7,-8,-9) DR	(CDL 603-604=1,2,-7,-8,-9) DR
B 17	B17_HOSP	617-618		WAS SUBJECT HOS	PITALIZED FOR GOUT OR
		•	6116	- 1	INAPPLICABLE
			0	-7	REFUSED
			17	-8	DON'T KNOW
			4	-9	NOT ASCERTAINED
			205	1	YES
			3656	2	NO
	(COL 6 COL 55 COL 55	501-602=2,-7 51-552=2,96, 51-552=2,96,	,-8,-9 OR -7,-8,-9 -7,-8,-9	R COL 603-604=2,- AND COL 601-602=	AND COL 553-554 =96 AND 7,-8,-9) OR (COL 12-13=1 AND 2,-7,-8,-9) OR (COL 12-13=1 AND 2,-7,-8,-9) OR (COL 12-13=3 AND 2)

Ques No .	Variable Name	Column Number(s)	Counts	Variab	le Description and Codes	
B18	HEARTATK	619-620			ECT HAD A HEART ATTACK SINCE IOUS INTERVIEW?	
				THE PREV	1003 IMIEKATEMS	
			9375	- 1	INAPPLICABLE	
			0	-7	REFUSED	
			8	-8	DON'T KNOW	
			1	-9	NOT ASCERTAINED	
			106	1	YES	
			508	2	NO	

INAPPLICABLE: (COL 80-81=-1,2) OR (COL 80-81=1 AND COL 547-548=2)

Q.B18 WAS ASKED OF THE RESPONDENT IF A HEART ATTACK WAS REPORTED FOR THE SUBJECT IN A PREVIOUS INTERVIEW. OTHERWISE, THE RESPONDENT WAS ASKED Q.B19.

B19	EVERATT	621-622		DID DOCTOR HEART ATTA	EVER SAY SUBJECT HAD A
			628	-1	INAPPLICABLE
			0	-7	REFUSED
			31	-8	DON'T KNOW
			5	-9	NOT ASCERTAINED
			359	1	YES
			8975	2	NO

INAPPLICABLE: (COL 80-81=1) DR (COL 80-81=-1,2 AND COL 547-548=2)

Q.B19 WAS ASKED OF THE RESPONDENT IF NO HEART ATTACK WAS REPORTED IN PREVIOUS INTERVIEW OR THE SUBJECT HAD NOT BEEN PREVIOUSLY INTERVIEWED.

B20	FIRSTATT	623-624	WHAT YEAR WAS S HEART ATTACK?	SUBJECT FIRST TOLD ABOUT
		9639	- <b>1</b>	INAPPLICABLE
		0	-7	REFUSED
		21	-8	DON'T KNOW
		4	-9	NOT ASCERTAINED
		334	41-87	YR 1ST TOLD ABOUT HEART ATTACK (1941-1987)

INAPPLICABLE: (COL 619-620=1,2,-7,-8,-9) OR (COL 621-622=2,-7,-8,-9) OR (COL 547-548=2)

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes	
	ATTFLAG	625-626		HEART ATTACK NOT AND Q.B2O REPORT PREVIOUS INTERVI		
			9911	-1	INAPPLICABLE	
			0 87	-9 1	NOT ASCERTAINED DISCRPNCY: YR BEFORE PREV INTE	RVIEW YEAR

. INAPPLICABLE: (COL 80-81=-1,1) OR (COL 623-624=-1,-7,-8,-9) OR (COL 80-81=2 AND COL 623-624>=COL 172-173)

THIS FLAG INDICATES THAT A HEART ATTACK WAS NOT REPORTED IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B2O WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

2

B21	SINCEART	627-628			CT HAD AN ADDITIONAL HEART NCE THEN?
	-		9639	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			3	-8	DON'T KNOW
			4	-9	NOT ASCERTAINED
			63	1	YES

289

INAPPLICABLE: (COL 619-620=1,2,-7,-8,-9) OR (COL 621-622=2,-7,-8,-9) OR (COL 547-548=2)

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
B22	ATTKYR1	629-630		WHAT YEAR WAS T HEART ATTACK?	HAT 1ST ADDITIONAL
			9829	- 1	INAPPLICABLE
			0	- 7	REFUSED
			9	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			160	52-87	YEAR OF HEART ATTACK (1952-1987)

INAPPLICABLE: (COL 619-620=2,-7,-8,-9) OR (COL 627-628=2,-7,-8,-9) OR (COL 621-622=2,-7,-8,-9) OR (COL 547-548=2)

VARIABLES IN COL 629-636 CONTAIN THE YEAR OF OCCURRENCE FOR EACH ADDITIONAL HEART ATTACK REPORTED PER Q.B22 IN RESPONSE TO EITHER Q.B18 OR Q.B21. COL 629-630 REFERS TO THE FIRST ADDITIONAL HEART ATTACK REPORTED. COL 631-636 REFER TO THE SECOND THROUGH FOURTH ADDITIONAL HEART ATTACKS REPORTED. THE YEARS OF ADDITIONAL HEART ATTACK OCCURANCE ARE STORED IN COL 629-636 IN THE ORDER THAT THEY WERE REPORTED AND ARE NOT NECESSARILY IN CHRONOLOGICAL ORDER. NUMBER OF INAPPLICABLE CODES IN COL 629-636 DEPENDS ON THE NUMBER OF ADDITIONAL HEART ATTACKS REPORTED BY THE RESPONDENT. THE YEARS OF OCCURRENCE IN COL 629-636 ARE IN THE ORDER IN WHICH THEY WERE REPORTED AND ARE NOT NECESSARILY IN CHRONLOGICAL ORDER.

B22	ATTKYR2	631-632	<u>WHAT YEAR WAS THAT 2ND ADDITIONAL</u>
			HEART ATTACK?

99	47	- 1	INAPPLICABLE
	0	-7	REFUSED
	15	-8	DON'T KNOW
	0	-9	NOT ASCERTAINED
	36	53-87	YEAR OF HEART ATTACK (1953-1987)

THE PERSON OF THE PART OF ADDITIONAL

INAPPLICABLE: (COL 619-620=2,-7,-8,-9) OR (COL 627-628=2,-7,-8,-9) OR (COL 621-622=2,-7,-8,-9) OR (COL 547-548=2) OR LESS THAN TWO ADDITIONAL HEART ATTACKS REPORTED

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
B22	ERYXTTA	633-634		WHAT YEAR WAS THAT 3RD ADDITIONAL HEART ATTACK?
			9973 0 13 0 12	-1 INAPPLICABLE -7 REFUSED -8 DK -9 NOT ASCERTAINED 54-87 YEAR OF HEART ATTACK (1954-1987)

INAPPLICABLE: (COL 619-620=2,-7,-8,-9) OR (COL 627-628=2,-7,-8,-9) OR (COL 621-622=2,-7,-8,-9) OR (COL 547-548=2) OR LESS THAN THREE ADDITIONAL HEART ATTACKS REPORTED.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
B22	ATTKYR4	635-636		WHAT YEAR WAS THEART ATTACK?	HAT 1TH ADDITIONAL
			9980	-1	INAPPLICABLE
			0	-7	REFUSED
			12	-8	DK
			0	-9	NOT ASCERTAINED
			6	55-87	YEAR OF HEART ATTACK (1955-1987)

INAPPLICABLE. (COL 619-620=2,-7,-8,-9) OR (COL 627-628=2,-7,-8,-9) OR (COL 621-622=2,-7,-8,-9) OR (COL 547-548=2) OR LESS THAN FOUR ADDITIONAL HEART ATTACKS REPORTED

ATTFL2\_1 637-638

# HEART ATTACK NOT REPORTED PREVIOUSLY AND Q.B22 1ST REPORTED YEAR BEFORE PREVIOUS INTERVIEW YEAR

9998 -1 INAPPLICABLE
O -9 NOT ASCERTAINED
O 1 DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR

THE FOUR VARIABLES IN COL 637-644 FLAG REPORTED INCONSISTENCIES REGARDING THE DATA IN COL 629-636. THE INCONSISTENCY OCCURS WHEN THE SUBJECT HAD NO REPORT OF A HEART ATTACK IN THE PREVIOUS INTERVIEW (COL 80-81 IS CODED 2) BUT THE RESPONDENT GAVE A YEAR IN RESPONSE TO Q.B22 WHICH WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR. THE VARIABLE IN COL 637-638 FLAGS THE REPORTING INCONSISTENCY FOR THE YEAR OF THE FIRST ADDITIONAL HEART ATTACK (COL 629-630). THE VARIABLES IN COL 639-644 FLAG THIS TYPE OF INCONSISTENCY FOR THE YEARS OF THE SECOND THROUGH FOURTH ADDITIONAL HEART ATTACKS (COL 631-636). THE NUMBER OF INAPPLICABLE CODES IN COL 637-644 DEPENDS ON THE NUMBER OF ADDITIONAL HEART ATTACKS REPORTED AND IF ANY REPORTING INCONSISTENCIES WERE FOUND.

ATTFL2 2 639-640

# HEART ATTACK NOT REPORTED PREVIOUSLY AND Q.B22 2ND REPORTED YEAR BEFORE PREVIOUS INTERVIEW YEAR

9998	- 1	INAPPLICABLE
0	-9	NOT ASCERTAINED
0	1	DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR

Ques No.	Variable Name	Column Number(s) Cou	unts	Variable Descr	iption and Codes
	ATTFL2_3	641-642			REPORTED PREVIOUSLY PORTED YEAR BEFORE EW YEAR
		•	9 <b>998</b> O	- 1 -9	INAPPLICABLE NOT ASCERTAINED
			0	1	DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR
	ATTFL2_4	643-644			REPORTED PREVIOUSLY PORTED YEAR BEFORE EW YEAR
		!	9998	- 1	INAPPLICABLE
			0	-9 1	NOT ASCERTAINED
			U	1	DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR
<u>B</u> 23	B23_HOSP	645-646		WAS SUBJECT HOSP ATTACK?	ITALIZED FOR HEART
		!	9533	- 1	INAPPLICABLE
			1	-7	REFUSED
				-8	DON'T KNOW
				-9	NOT ASCERTAINED
			293 1 <b>6</b> 7	1 2	YES NO
		PLICABLE: (COL ( COL 547-548=2)			(COL 621-622=2,-7,-8,-9)
B24	B24_HOSP	647-648		WAS SUBJECT HOSP HEART CONDITION?	ITALIZED FOR ANY OTHER
			5	- 1	INAPPLICABLE
			1	-7	REFUSED
			24	-8	DON'T KNOW
			7	-9	NOT ASCERTAINED
			476	1	YES
		•	9485	2	NO

INAPPLICABLE: COL 547-548=2

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
B25	ADDBYPAS	649~650		HAS SUBJECT HAD BY-PASS SURGERY	ADDITIONAL CORONARY
			9946 0 0 1 1 50	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
					-85=1 AND COL 547-548=2)
	Q.B25 FOLLO	WAS ASKED ON WUP INTERVIEW	NLT IF SU V.	JBJECT REPORTED A	CORONARY BY-PASS IN THE 1986
B26	CORONBYP	651-652		HAS SUBJECT EVER	R HAD CORONARY BY-PASS
			8022 0 2 29 115 1830	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	COL 82 OR (CC COL 62 (COL 5	2-83=-1,2 AND DL 12-13=3 AN 21-622=-1,2,-	COL 621 D COL 80 789	)-81=-1,2 AND COL AND COL 647-648=-	NND COL 647-648=2,-7,-8,-9) 82-83=-1 2 AND
B27	B27_BYPS	653~654		WAS SUBJECT HOSP BY-PASS SURGERY?	ITALIZED FOR CORONARY
			9882 0 0 0 86 30	- 1 - 7 - 8 - 9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL (COL 8	ICABLE: (CO 4-85=-1,2 AN	L 649-650 D COL 65	O=2,-7,-8,-9) OR 1-652=-1)	(COL 651-652=2,-7,-8,-9) OR

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B28	PACEMAKR	655-656		HAS SUBJECT EVER HAD A PACEMAKER REPLACEMENT, INSERTION, OR REPAIR?
			8022 0 4 27 47 1898	1 YES 2 NO
	OR (COL 6	S2-83=-1,2 AND COL 12-13=3 AP S21-622=-1,2,	OCOL 621 ND COL 80 -8,-9 AND COL 86-8	1 AND COL 80-81=-1,2 AND -622=2,-8,-9 AND COL 647-648=2,-8,-9) 0-81=-1,2 AND COL 82-83=-1,2 AND COL 647-648=-1,2,-8,-9) OR 7=-1,2 AND (COL 80-81=1 OR =1)
B29	B29_PACE	657-658		WAS SUBJECT HOSPITALIZED FOR PACEMAKER INSERTION, REPAIR, OR REPLACEMENT?
			9901 0 3 0 37 57	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPP COL 8	LICABLE: (CC 6-87=~1,2) OR	L 655-65 COL 86	6=2,-7,-8,-9) OR (COL 655-656=-1 AND -87=1 AND COL 547-548=2)
390	ADDSTRKE	659-660		HAS SUBJECT HAD A STROKE SINCE THE PREVIOUS INTERVIEW?
			9807 O 2 1 39 144 4 1	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO 3 VOLUNTEERS SMALL STROKE 4 VOLUNTEERS POSSIBLE STROKE 5 VOLUNTEERS TIA

INAPPLICABLE: (COL 88-89=-1.2) OR (COL 88-89=1 AND COL 547-548=2)

Q.B3O WAS ASKED OF THE RESPONDENT IF A STROKE WAS REPORTED FOR THE SUBJECT IN A PREVIOUS INTERVIEW. OTHERWISE, THE RESPONDENT WAS ASKED Q.B31.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
B31	CVA	661-662		DID DOCTOR EVER	R SAY SUBJECT HAD A
				STROKE?	
			196	- 1	INAPPLICABLE
			0	-7	REFUSED
			31	-8	DON'T KNOW
			5	-9	NOT ASCERTAINED
			293	1	YES
			9374	2	NO
			60	3	VOLUNTEERS SMALL STROKE
			27	4	VOLUNTEERS POSSIBLE STROKE
			12	5	VOLUNTEERS TIA

INAPPLICABLE: (COL 88-89=1) OR (COL 88-89=-1,2 AND COL 547-548=2)

Q.B31 WAS ASKED OF THE RESPONDENT IF NO STROKE WAS REPORTED IN A PREVIOUS INTERVIEW OR THE SUBJECT HAD NOT BEEN PREVIOUSLY INTERVIEWED.

B32 STRKYR1 663-664

# WHAT YEAR WAS SUBJECT FIRST TOLD

## ABOUT STROKE?

9606	- 1	INAPPLICABLE
0	-7	REFUSED
20	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
372	54-87	YR FIRST TOLD ABOUT STROKE (1954-1987)

INAPPLICABLE: (COL 659-660=1,2,3,4,5,-7,-8,-9) OR (COL 661-662=2,-7,-8,-9) OR (COL 547-548=2)

Q.B32 WAS ASKED OF THE REPONDENT ONLY IF A STROKE WAS REPORTED FOR THE SUBJECT THROUGH Q.B31.

STRKFLAG

665-666

# STROKE NOT REPORTED PREVIOUSLY AND Q.B32 REPORTED YEAR BEFORE PREVIOUS INTERVIEW YEAR

9822	- 1	INAPPLICABLE
0	-9	NOT ASCERTAINED
176	1	DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR

INAPPLICABLE: (COL 88-89=-1,1) OR (663-664=-1,-7,-8,-9) OR (COL 88-89=2 AND COL 663-664>=COL 172-173)

THIS FLAG INDICATES THAT A STROKE WAS NOT REPORTED IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B32 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
		~			
B33	ADDISTRK	667-668		HAS SUBJECT HAD SINCE THEN?	AN ADDITIONAL STROKE
			9606	-1	INAPPLICABLE
			0	-7	REFUSED
			8	-8	DON'T KNOW
			5	-9	NOT ASCERTAINED
			70	1	YES
			309	2	NO

INAPPLICABLE: (COL 659-660=1,2,3,4,5,-7,-8,-9) OR (COL 661-662=2,-7,-8,-9) OR (COL 547-548=2)

Q.B33 WAS ASKED OF THE RESPONDENT ONLY IF A STROKE WAS REPORTED FOR THE SUBJECT THROUGH Q.B31.

B34	STYR2_1	669-670	WHAT YEAR WAS THAT FIRST ADDITIONAL
	_		STROKE?

9884	- 1	INAPPLICABLE
0	-7	REFUSED
9	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
105	74-87	YEAR OF ADDITIONAL STROKE (1974-1987)

INAPPLICABLE: (COL 659-660=2,-7,-8,-9) OR (COL 661-662=2,-7,-8,-9) OR (COL 667-668=2,-7,-8,-9) OR (COL 547-548=2)

THE TWO VARIABLES IN COL 669-672 CONTAIN THE YEAR OF OCCURENCE FOR EACH ADDITIONAL STROKE REPORTED IN RESPONSE TO EITHER Q.B30 or Q.B33.

THE YEARS OF ADDITIONAL STROKE OCCURRENCE ARE STORED IN COL 669-672 IN THE ORDER THAT THEY WERE REPORTED AND ARE NOT NECESSARILY IN CHRONOLOGICAL ORDER.

B34 STYR2\_2 671-672 WHAT YEAR WAS THAT SECOND ADDITIONAL STROKE?

9973	-1	INAPPLICABLE
0	-7	REFUSED
1	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
24	83-87	YEAR OF ADDITIONAL STROKE (1983-1987)

INAPPLICABLE: (COL 659-660=2,-7,-8,-9) OR (COL 661-662=2,-7,-8,-9) OR (COL 667-668=2,-7,-8,-9) OR (COL 547-548=2) OR LESS THAN TWO ADDITIONAL STROKES REPORTED

Oues						
	Variable		_		1.00.100	
No .	Name 	Number(s)	Counts	Variable Descript		
	STFL2_1	673-674		STROKE NOT REPORTED		
				Q.B34 1ST REPORTED PREVIOUS INTERVIEW		
				PREVIOUS INTERVIEW	TEAR	
			9978	- 1 IN	IAPPLICABLE	
			0	-9 NC	T ASCERTAINED SCRPNCY: YR BEFORE PREV INTERVIEW	VEAD
			20	1 DI	SCRPNCY: YR BEFORE PREV INTERVIEW	YEAR
	INAPP OR (C	LICABLE: (C	OL 88-89: ND COL 66	1,1) OR (COL 669-67 -670>=COL 172-173)	'O=-1,-7,-8,-9)	
				3-676 FLAG REPORTED		
	SISTE	NCIES REGARD	ING THE	TA IN COL 669-672.	THE	
	INCON	ISISTENCY OCC	CURS WHEN	HE SUBJECT HAD NO F RVIEW (COL 88-89 IS	EPURI OF A	
	SIRUK	E IN THE PRE	VE A VEA	IN RESPONSE TO Q.B3	14 WHICH WAS	
	PRIOR	TO THE PREV	IOUS INTE	VIEW YEAR. THE VAR	RIABLE IN	
	COL 6	73-674 FLAGS	THE REPO	TING INCONSISTENCY	FOR THE YEAR OF	
	THE F	IRST ADDITIO	NAL STROP	(COL 669-670). TH	HE VARIABLE IN	
				OF INCONSISTENCY F . THE NUMBER OF INA	OR THE YEAR OF THE	
		ID STRUKE (CL		. INE NOMBER OF INF	APPLICABLE CODES	
	IN CO	U 673-676 DE	PENDS ON	HE NUMBER OF ADDITI		
	IN CO REPOR	IL 673-676 DE TED AND IF A	PENDS ON NY REPORT	HE NUMBER OF ADDITING INCONSISTENCIES	ONAL STROKES	
	REPOR	TED AND IF A	ANY REPORT	HE NUMBER OF ADDITING INCONSISTENCIES	ONAL STROKES	
	REPOR	OL 673-676 DE RTED AND IF A 675-676	ANY REPORT	NG INCONSISTENCIES  STROKE NOT REPORTED	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND	
	REPOR	TED AND IF A	ANY REPORT	NG INCONSISTENCIES  STROKE NOT REPORTED  Q.B34 2ND REPORTED	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE	
	REPOR	TED AND IF A	ANY REPORT	NG INCONSISTENCIES  STROKE NOT REPORTED  Q.B34 2ND REPORTED  PREVIOUS INTERVIEW	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR	
	REPOR	TED AND IF A	ANY REPORT	NG INCONSISTENCIES  STROKE NOT REPORTED  Q.B34 2ND REPORTED  PREVIOUS INTERVIEW	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR	
	REPOR	TED AND IF A	ANY REPOR <sup>*</sup> 9998 O	NG INCONSISTENCIES  STROKE NOT REPORTED  Q.B34 2ND REPORTED  PREVIOUS INTERVIEW	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR	V
	REPOR	TED AND IF A	ANY REPOR <sup>-</sup> 9998	NG INCONSISTENCIES  STROKE NOT REPORTED  Q.B34 2ND REPORTED  PREVIOUS INTERVIEW	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE	YEAR
B35	REPOR	675-676	ANY REPOR <sup>*</sup> 9998 O	NG INCONSISTENCIES  STROKE NOT REPORTED  Q.B34 2ND REPORTED  PREVIOUS INTERVIEW	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR  MAPPLICABLE OT ASCERTAINED SCRPNCY: YR BEFORE PREV INTERVIEW	YEAR
B35	REPOR	675-676	ANY REPOR <sup>*</sup> 9998 O	NG INCONSISTENCIES  STROKE NOT REPORTED Q.B34 2ND REPORTED PREVIOUS INTERVIEW  -1 IN -9 NO 1 DI WAS SUBJECT HOSPITA	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR  MAPPLICABLE OT ASCERTAINED SCRPNCY: YR BEFORE PREV INTERVIEW	YEAR
B35	REPOR	675-676	9998 O O	NG INCONSISTENCIES  STROKE NOT REPORTED Q.B34 2ND REPORTED PREVIOUS INTERVIEW  -1 IN -9 NO 1 DI WAS SUBJECT HOSPITA -1 IN	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR  MAPPLICABLE OT ASCERTAINED SCRPNCY: YR BEFORE PREV INTERVIEW  ALIZED FOR STROKE?	YEAR
B35	REPOR	675-676	9998 0 0 9562 0	NG INCONSISTENCIES  STROKE NOT REPORTED Q.B34 2ND REPORTED PREVIOUS INTERVIEW  -1 IN -9 NO 1 DI  WAS SUBJECT HOSPITA -1 RE -8 DO	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR  NAPPLICABLE OT ASCERTAINED CSCRPNCY: YR BEFORE PREV INTERVIEW  ALIZED FOR STROKE?  NAPPLICABLE EFUSED ON'T KNOW	YEAR
B35	REPOR	675-676	9998 0 0 0	STROKE NOT REPORTED Q.B34 2ND REPORTED PREVIOUS INTERVIEW  -1 IN -9 NO 1 DI  WAS SUBJECT HOSPITA -1 RE -8 DO -9 NO	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR  NAPPLICABLE OT ASCERTAINED CSCRPNCY: YR BEFORE PREV INTERVIEW  ALIZED FOR STROKE?  NAPPLICABLE ON'T KNOW OT ASCERTAINED	YEAR
B35	REPOR	675-676	9998 0 0 9562 0	NG INCONSISTENCIES  STROKE NOT REPORTED Q.B34 2ND REPORTED PREVIOUS INTERVIEW  -1 IN -9 NO 1 DI  WAS SUBJECT HOSPITA -1 RE -8 DO	ONAL STROKES WERE FOUND.  O PREVIOUSLY AND YEAR BEFORE THE YEAR  NAPPLICABLE OT ASCERTAINED SCRPNCY: YR BEFORE PREV INTERVIEW  ALIZED FOR STROKE? NAPPLICABLE FUSED ON'T KNOW OT ASCERTAINED	YEAR

INAPPLICABLE: (COL 659-660=2,-7,-8,-9) OR (COL 661-662=2,-7,-8,-9) OR (COL 547-548=2)

Ques No.	Variable Name		Counts	Variable Descr	iption and Codes
В36	STRARMLG	679-680		DOES SUBJECT HAV	'E WEAK ARM AND LEG AS IKE?
			9590 0 8 9 164 227	-9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
				=2,5 AND COL 659-6 662=2,-7,-8,-9) OR	60=2,-7,-8,-9) OR (COL 12-13=3)
В36	STRWALK	681-682		DOES SUBJECT HAV A RESULT OF STRO	YE TROUBLE WALKING AS
					INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	_ICABLE: CO	L 679-680	)=-1	
В36	STRTALK	683-684		A RESULT OF STRO	
			9590 0 4 9 95 300	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 679-680=-1

Ques No .	Variable Name 		Counts	Variable Des	cription and Codes
B36	STRTRBLE	685-686		DOES SUBJECT H AS A RESULT OF	AVE SOME OTHER TROUBLE STROKE?
			9590	-1	INAPPLICABLE
			0	-7	REFUSED
			5	-8	DON'T KNOW
			9	-9	NOT ASCERTAINED
			110	1	YES
			284	2	NO
	INAPPL	ICABLE: CO 687-716	L 679-680	BLANK	
	CHECK 1	717-718			INUE TO ANSWER QUESTIONS SUBJECT'S MEDICAL
			9531	- 1	INAPPLICABLE
			1	-9	NOT ASCERTAINED
			464	1	YES
			2	2	NO
	TNAPPI	ICABLE: (C	NI 12-13=	1) OP (COL 547-	548=2)

INAPPLICABLE: (COL 12-13=1) OR (COL 547-548=2)

Ques No	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
B37	DIABMED	719-720		IS SUBJECT NOW TAKING MEDICATION FO	<u>R</u>
			9276	-1 INAPPLICABLE	
			0	-7 REFUSED	
			5	-8 DON'T KNO₩	
			2	-9 NOT ASCERTAINED	
			443	1 YES	
			246	2 NO	
			26	96 DISCREPANCY	

INAPPLICABLE: (COL 90-91=-1,2) OR (COL 90-91=1 AND COL 547-548=2) OR (COL 90-91=1 AND COL 717-718=2)

Q.B37 WAS ASKED OF THE RESPONDENT ONLY IF DIABETES WAS REPORTED FOR THE SUBJECT IN A PREVIOUS INTERVIEW. OTHERWISE, THE RESPONDENT WAS ASKED Q.B38.

IF THE SUBJECT WAS ALIVE, THE RESPONDENT WAS ASKED IF THE SUBJECT WAS CURRENTLY TAKING MEDICATION FOR DIABETES. IF THE SUBJECT WAS DECEASED, THE PROXY WAS ASKED IF THE SUBJECT TOOK MEDICATION FOR DIABETES DURING THE YEAR PRIOR TO HIS OR HER DEATH.

IF THE SUBJECT WAS CODED AS HAVING DIABETES IN THE PREVIOUS INTERVIEW BUT THE RESPONDENT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY. THE RESPONDENT WAS THEN ASKED Q.B38.

B38	SUGRDIAB	721-722		DID DOCTOR E DIABETES?	VER SAY SUBJECT HAD
			729	- 1	INAPPLICABLE
			0	-7	REFUSED
			13	-8	DON'T KNOW
			4	-9	NOT ASCERTAINED
			247	1	YES
			8931	2	NO
			74	95	BORDERLINE

INAPPLICABLE. (COL 90-91=1) OR (COL 90-91=-1,2 AND COL 547-548=2) DR (COL 90-91=-1,2 AND COL 717-718=2)

Q.B38 WAS ASKED OF THE RESPONDENT IF NO DIABETES WAS REPORTED IN A PREVIOUS INTERVIEW OR THE SUBJECT HAD NOT BEEN PREVIOUSLY INTERVIEWED. IF THE RESPONDENT VOLUNTEERED BORDERLINE DIABETES, COL 721-722 IS CODED 95.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable D	Description and Codes
B39	DIABYR1	723-724		WHAT YEAR WAABOUT DIABET	S SUBJECT FIRST TOLD ES?
			9677	- 1	INAPPLICABLE
			0	-7	REFUSED
			16	-8	DON'T KNOW
			44	-9	NOT ASCERTAINED
			261	47-87	YR 1ST TOLD ABOUT DIABETES (1947-1987)
	TALADE	NITCADLE: (O	01 740 7	20-1 2 22 7	0 0 00

INAPPLICABLE: (COL 719-720=1,2,96,-7,-8,-9) OR (COL 721-722=2,-7,-8,-9) OR (COL 547-548=2) OR (COL 717-718=2)

Q.B39 WAS ASKED OF THE RESPONDENT ONLY IF DIABETES WAS REPORTED FOR THE SUBJECT THROUGH Q.B38.

DIABFLAG 725-726

DIABETES NOT REPORTED PREVIOUSLY AND Q.B39 REPORTED YEAR BEFORE PREVIOUS INTERVIEW

9938 -1 INAPPLICABLE
O -9 NOT ASCERTAINED
60 1 DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR

INAPPLICABLE: (COL 90-91=-1,1) OR (COL 723-724=-1,-7,-8,-9) OR (COL 90-91=2 AND COL 723-724>=COL 172-173)

THIS FLAG INDICATES THAT DIABETES WAS NOT REPORTED IN THE PREVIOUS INTERVIEW, BUT THE YEAR REPORTED IN Q.B39 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

PART B: MEDICAL CONDITIONS

Variable Name	Column Number(s)	Counts	Variable De	escription and Codes
INSLNDB	727-728		IS SUBJECT NO INJECTIONS FO	DW TAKING INSULIN DR DIABETES?
		9234	-1	INAPPLICABLE
		0	-7	REFUSED
		1	-8	DON'T KNOW
		49	-9	NOT ASCERTAINED
		249	1	YES
		465	2	NO
	Name 	Name Number(s)	Name Number(s) Counts INSLNDB 727-728  9234 0 1 49 249	Name Number(s) Counts Variable Do

INAPPLICABLE: (COL 719-720=2.96,-7,-8,-9) OR (COL 721-722=2,-7,-8,-9) OR (COL 547-548=2) OR (COL 717-718=2)

Q.B40 WAS ASKED IF THE RESPONDENT REPORTED IN Q.B37 THAT THE SUBJECT WAS CURRENTLY TAKING MEDICATION FOR DIABETES OR IF THE RESPONDENT REPORTED IN Q.B38 THAT THE SUBJECT HAD BEEN TOLD BY A DOCTOR ABOUT HAVING DIABETES.

IF THE SUBJECT WAS ALIVE, THE RESPONDENT WAS ASKED IF THE SUBJECT WAS CURRENTLY TAKING INSULIN INJECTIONS FOR DIABETES. IF THE SUBJECT WAS DECEASED, THE PROXY WAS ASKED IF THE SUBJECT TOOK INSULIN INJECTIONS FOR DIABETES DURING THE YEAR PRIOR TO HIS OR HER DEATH.

					TART B. MEDICAL CONDITION			
-	Varıable Name		Counts	Variable	Description and Codes			
B41	ORALDB	729-730		IS SUBJECT FOR DIABET	TAKING ORAL MEDICATION			
			9483 O 2 49 341 123	-9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO			
	INAPPLICABLE: (COL 719-720=2,96,-7,-8,-9) OR (COL 721-722=2,-7,-8,-9) OR (COL 727-728=1) OR (COL 547-548=2) OR (COL 717-718=2)							
	SUBJE IF TH SUBJE	CT WAS CURRE E SUBJECT WA	NTLY TAKI S DECEASE MEDICATI	ING ORAL MED ED, THE PROX ION FOR DIAB	ENT WAS ASKED IF THE ICATION FOR DIABETES. Y WAS ASKED IF THE ETES DURING THE YEAR			
B42	B42_HOSP	731-732		WAS SUBJEC	T HOSPITALIZED FOR DIABETES?			
			8981 O 8 50 146 813	-7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO			
	INAPP	LICABLE: (C	OL 721-72	22=2,-7,-8,-	9) OR (COL 719-720=96) OR			

(COL 547-548=2) OR (COL 717-718=2)

Ques No.	Variable Name 	Column Number(s)	Counts	Varıable D	escription and Codes
B42A	HIGHBLCH	733-734		DID DOCTOR E HIGH BLOOD C	VER SAY SUBJECT HAD HOLESTEROL?
			472	- 1	INAPPLICABLE
			ō	-7	REFUSED
			123	-8	DON'T KNOW
			92	-9	NOT ASCERTAINED
			1347	1	YES
			7937	2	NO
			27	95	BORDERLINE

INAPPLICABLE: COL 12-13-3

IF THE RESPONDENT VOLUNTEERED BORDERLINE HIGH BLOOD CHOLESTEROL, COL 733-734 IS CODED 95.

B42BA	BLCHMED	735-736			DOCTOR PRESCRIBE MEDICINE HIGH BLOOD CHOLESTEROL?
			8624	- 1	INAPPLICABLE
			0	-7	REFUSED
			15	-8	DON'T KNOW
			20	-9	NOT ASCERTAINED
			369	1	YES
			970	2	NO

INAPPLICABLE: COL 733-734=-1,2,-7,-8,-9

B42BB BLCHWIGT	737-738			R PRESCRIBE CONTROLLING R HIGH BLOOD CHOLESTEROL?
		8624 O	- 1 - 7 - 8	INAPPLICABLE REFUSED DON'T KNOW
		20	-9	NOT ASCERTAINED
		825	1	YES
		528	2	NO

INAPPLICABLE: COL 733-734=-1,2,-7,-8,-9

				ļ	PART B. MEDICAL CONDI
Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
B42BC	BLCHFTFD	739-740			SCRIBE EATING FEWER FOR HIGH BLOOD
			8624 0 3 20 1108 243	_	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 733-734	1=-1,2,-7,-8,-9	
B42BD	BLCHCHFD	741-742			CRIBE EATING FEWER DL FOODS FOR HIGH ROL?
			1089	-7 -8 -9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: COI	L 733-734	=-1,2,-7,-8,-9	
B42BE	BLCHEXER	743-744		DID DOCTOR PRES	
			8624 0 3 20 886 465	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 733-734=-1,2,-7,-8,-9

Ques No.	Variable Name		Counts	Variable Description and Codes			
B42CA	CHMEDLW	745-746		IS SUBJECT CURRENTLY TAKING PRESCRIBED MEDICATION TO LOWER BLOOD CHOLESTEROL?			
			9629	-1 INAPPLICABLE			
			0	-7 REFUSED			
			7	-8 DON'T KNOW			
			_	-9 NOT ASCERTAINED			
				1 YES			
			152	2 NO			
	INAPPLICABLE: COL 735-736=-1,2,-7,-8,-9						
B42CB	CHWIGTLW	747-748		IS SUBJECT CURRENTLY CONTROLLING			
				WEIGHT TO LOWER BLOOD CHOLESTEROL?			
			9173	-1 INAPPLICABLE			
			0	-7 REFUSED			
			5	-8 DON'T KNOW			
			0	-9 NOT ASCERTAINED			
			650	1 YES			
			170	2 NO			
	INAPPL	.ICABLE: CO	L 737-738	3=-1,2,-7,-8,-9			
B42CC	CHFTFDLW	749-750		IS SUBJECT CURRENTLY EATING FEWER HIGH			
				FAT FOODS TO LOWER BLOOD CHOLESTEROL?			
			8890	-1 INAPPLICABLE			
			0	-7 REFUSED			
			2	-8 DON'T KNOW			
			0	-9 NOT ASCERTAINED			
			984				
			122	2 NO			
	INAPPL	ICABLE: CO	L 739-740	0=-1,2,-7,-8,-9			

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
B42CD	CHCHFDLW	751-752			ENTLY EATING FEWER L FOODS TO LOWER OL?
			8909	-1	INAPPLICABLE
			0	-7	REFUSED
			3	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			987	1	YES
			99	2	NO
	TNADDI	TCARLE COL	7.11-749	==1 2 ~7 -B -0	

INAPPLICABLE. COL 741-742=-1,2,-7,-8,-9

B42CE CHEXERLW IS SUBJECT CURRENTLY EXERCISING TO 753-754 LOWER BLOOD CHOLESTEROL? 9112 -1 INAPPLICABLE -7 0 REFUSED 2 -8 DON'T KNOW 0 -9 NOT ASCERTAINED 624 YES 1 260 2 NO

INAPPLICABLE: COL 743-744=-1,2,-7,-8,-9

Ques No .	Variable Name	Column Number(s)	Counts	Varıable	Description and Codes
B43	HBPMEDIC	755-756		HAS DOCTOR HIGH BLOOD	EVER PRESCRIBED MEDICINE FOR PRESSURE?
			7749 0 18 0 1585 511 135	- 1 - 7 - 8 - 9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO DISCREPANCY

INAPPLICABLE: (COL 92-93=-1,2) OR (COL 94-95=1) OR (COL 92-93=1 AND COL 547-548=2 AND COL 94-95=-1,2) OR (COL 92-93=1 AND COL 94-95=-1,2 AND COL 717-718=2)

IF A SUBJECT WAS CODED AS HAVING A REPORT OF HIGH BLOOD PRESSURE IN THE PREVIOUS INTERVIEW BUT THE RESPONDENT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY.

Q.B43 WAS ASKED ONLY IF THE SUBJECT WAS CODED AS HAVING A REPORT OF HIGH BLOOD PRESSURE IN THE PREVIOUS INTERVIEW. Q.B46, THE COMPLEMENT OF Q.B43, WAS ASKED ONLY IF HIGH BLOOD PRESSURE WAS FIRST REPORTED IN RESPONSE TO Q.B44 IN THE 1987 FOLLOWUP INTERVIEW. BOTH QUESTIONS SHOULD BE USED TO IDENTIFY THE TOTAL NUMBER OF SUBJECTS IN THE TOTAL INTERVIEW SAMPLE WHO HAD A REPORT OF HIGH BLOOD PRESSURE AND A HISTORY OF BEING PRESCRIBED HIGH BLOOD PRESSURE MEDICATION BY A DOCTOR.

B44	HYPER	757-758		TOR EVER SAY SUBJECT HAD HIGH RESSURE OR HYPERTENSION?
		3591	- 1	INAPPLICABLE
		0	-7	REFUSED
		39	-8	DON'T KNOW
		4	-9	NOT ASCERTAINED
		757	1	YES
		5573	2	NO
		34	95	BORDERLINE

INAPPLICABLE: (COL 92-93=1) OR (COL 92-93=-1,2 AND COL 547-548=2) OR (COL 92-93=-1,2 AND COL 717-718=2)

IF THE RESPONDENT VOLUNTEERED BORDERLINE HIGH BLOOD PRESSURE OR HYPERTENSION COL 757-758 IS CODED 95.

Ques No .	Variable Name	Column Number(s)	Counts	Variable	Description and Codes	
B45	HBPYEAR 1	759-760		WHAT YEAR W HIGH BLOOD	AS SUBJECT FIRST TOLD ABOUT PRESSURE?	
			9207 0 59 19 713	- 1 -7 -8 -9 20-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YR FIRST TOLD ABOUT HBP (1920-1987)	
	(COL	LICABLE: (CO 757-758=2,-7, 94-95=-1,2 AN	-B,-9) C	R (COL 547-5	-8,-9) OR (COL 94-95=1) OR 48=2 AND COL 94-95=-1,2) OR	
	HIBPFLAG	761-762		PREVIOUSLY	PRESSURE NOT REPORTED AND Q.B45 REPORTED YEAR PREVIOUS INTERVIEW YEAR	
			9861 0 137	- 1 -9 1	INAPPLICABLE NOT ASCERTAINED DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR	٥

INAPPLICABLE: (COL 92-93=-1,1) OR (COL 759-760=-1,-7,-8,-9) OR (COL 92-93=2 AND COL 759-760>=COL 172-173)

THIS FLAG INDICATES THAT HIGH BLOOD PRESSURE WAS NOT REPORTED IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B45 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

PART B: MEDICAL CONDITIONS

	Variable Name		Counts	Varia	ble Description and Codes
B46	PRESCMED	763-764			TOR EVER PRESCRIBED MEDICINE H BLOOD PRESSURE?
				- 1 - 7 - 8 - 9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	OR (C (COL Q.B46 REPOR 1987 WAS A	OL 94-95=1) 94-95=-1,2 A WAS ASKED O TED FOR THE FOLLOWUP INT SKED ONLY IF	OR (COL! ND COL 7 NLY IF H! SUBJECT : ERVIEW. THE SUB	547-548=2 17-718=2) IGH BLOOD IN RESPON Q.B43, T JECT WAS	PRESSURE WAS FIRST ISE TO Q.B44 IN THE THE COMPLEMENT OF Q.B46, CODED AS HAVING A REPORT
B47				 DOES SU	BJECT CURRENTLY TAKE THIS E REGULARLY?
			6581 0 50 2	- 1 - 7 - 8 - 9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED

1

2565

800

INAPPLICABLE: (COL 755-756=2,96,-7,-8,-9) OR (COL 757-758=2,-7,-8,-9) OR (COL 763-764=2,-7,-8,-9) OR (COL 547-548=2) OR (COL 717-718=2)

YES

NO

Ques No.		Column Number(s)	Counts	Variable Description and Codes
B47AA	HGBLWIGT	767-768		HAS DOCTOR EVER ADVISED SUBJECT TO CONTROL WEIGHT BECAUSE OF HYPERTENSION OR HIGH BLOOD PRESSURE?
			6021 0 27 55 2058 1837	1 YES 2 NO
				1 AND COL 757-758=2,-7,-8,-9) OR 56=96) OR (COL 12-13=3)
B47AB	HGBLSALT	769-770		HAS DOCTOR EVER ADVISED SUBJECT TO CUT DOWN ON SALT OR SODIUM BECAUSE OF HYPERTENSION OR HIGH BLOOD PRESSURE?
			6021 0 24 55 2639 1259	-7 REFUSED
				1 AND COL 757-758=2,-7,-8,-9) OR 56=96) OR (COL 12-13=3)
B47AC	HGBLEXER	771-772		HAS DOCTOR EVER ADVISED SUBJECT TO INCREASE EXERCISE BECAUSE OF HYPER-TENSION OR HIGH BLOOD PRESSURE?
			6021 0 29 55 1839 2054	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
				1 AND COL 757-758-2,-7,-8,-9) OR 56-96) OR (COL 12-13-3)

(COL 12-13=1 AND COL 755-756=96) OR (COL 12-13=3)

Ques No.	Variable Name		Counts	Variable Description and Codes	
B47BA	HBWIGTLW	773-774		IS THE SUBJECT CURRENTLY CONTROLLIN WEIGHT TO LOWER BLOOD PRESSURE?	<u>G</u>
			7940	-1 INAPPLICABLE	
			0		
				-8 DON'T KNOW	
			0	-9 NOT ASCERTAINED	
			1589		
			452	2 NO	
	INAPPL	ICABLE: CO	L 767-768	3=-1,2,-7,-8,-9	
B47BB	HBSALTLW	775-776		IS SUBJECT CURRENTLY CUTTING DOWN	
				SALT AND SODIUM TO LOWER BLOOD	
				PRESSURE?	
			7359	-1 INAPPLICABLE	
				-7 REFUSED	
		-		8 DON'T KNOW	
				-9 NOT ASCERTAINED	
			2425		
			194	2 NO	
	INAPPL	ICABLE: CO	L 769-770	D=-1,2,-7,-8, <b>-</b> 9	
0.4700	NO EVEDILA	777 770		TO CUR IFOT OURDENITY THORSESTED	
B47BC	HBEXERLW	///-//8		IS SUBJECT CURRENTLY INCREASING EXERCISE TO LOWER BLOOD PRESSURE?	
			0.450		
			8159		
			19	-7 REFUSED -8 DON'T KNOW	
			0		
			1181		
			639		
			633	2 140	
	TNIAPPI	TCABLE: CO	1 771-773	0=-1 2 -7 -8 -9	

INAPPLICABLE: COL 771-772=-1,2,-7,-8,-9

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
B48	B48_HIGH	779-780		WAS SUBJECT HOSE BLOOD PRESSURE?	PITALIZED FOR HIGH
			5758 0 33 20 105 4082	- 1 - 7 - 8 - 9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
840	(COL	547-548=2) OR		17-718=2)	(COL 755-756=96) OR
849	BRCANYR	781-782		BREAST CANCER?	JBJECT FIRST TOLD HAD
			9915 0 3 0 72 8	-1 -7 -8 -9 25-84 96	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YR 1ST TOLD OF BREAST CANCER (1925-1984) DISCREPANCY
		LICABLE: (CO OL 100-101=1)		O1=-1,2) OR (COL 2	22-23=2-3,5-6
	IN TH REPOR	E 1982-84 FOL	LOWUP BU	-	

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name		Counts	Variabl	e Description and Codes	
B50	CANCTYPE	783-784			CT HAD ANY OTHER CANCER PREVIOUS INTERVIEW?	
	(COL 1 (COL 1 (COL 1 (COL 1	OO-101=1 AN OO-101=1 AN OO-101=-1,2 OO-101=1 AN	730 COL 100-10 ID COL 98- ID COL 98- I AND COL 1 ID COL 98-	99=1 AND C 99=-1,2 AN 98-99=1 AN 99=1 AND C	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO  COL 98-99=-1,2) OR OL 547-548=2) OR D COL 547-548=2) OR D COL 547-548=2) OR OL 717-718=2) OR D COL 717-718=2) OR	
-	Q.B5O FOR TH — RESPON	WAS ASKED O IE SUBJECT I IDENT—WAS AS	OF THE RES N A PREVI KED Q.B51	PONDENT ON OUS INTERV	D COL 717-718=2)  LY IF CANCER WAS REPORTED IEW. OTHERWISE THE  CERS REPORTED IN RESPONSE	

THE INFORMATION COLLECTED ON ANY CANCERS REPORTED IN RESPONSE TO Q.B50 IS CODED IN COL 3036-3335. THE TOTAL NUMBER OF CANCERS REPORTED FOR THE SUBJECT IN RESPONSE TO THIS QUESTION IS CODED IN THE VARIABLE IN COL 789-790.

B51	CANCRSRT	785-786		DID DOCTO	OR EVER	SAY	SUBJECT	HAD	CANCER
				OF ANY SO	DRT?				
			941	- 1		IN	APPLICAB	LE	
			0	-7		RE	FUSED		
			15	-8		DO	N'T KNOW		
			6	-9		NO	T ASCERT	AINE	D
			533	1		ΥE	S		
			8503	2		NΩ			

INAPPLICABLE: (COL 783-784=1,2,-7,-8,-9) OR (COL 717-718=2) OR (COL 547-548=2)

Q.B51 WAS ASKED OF THE RESPONDENT IF NO CANCER WAS REPORTED IN A PREVIOUS INTERVIEW OR THE SUBJECT HAD NOT BEEN PREVIOUSLY INTERVIEWED.

THE INFORMATION COLLECTED ON ANY CANCERS REPORTED IN RESPONSE TO Q.B51 IS CODED IN COL 3036-3335. THE TOTAL NUMBER OF TYPES OF CANCERS REPORTED FOR THE SUBJECT IN RESPONSE TO THIS QUESTION IS CODED IN COL 789-790.

Ques No . 	Variable Name	Column Number(s)	Counts	Variable Des	cription and Codes
B52	B52_CANC	787-788		HAS SUBJECT BE	EN HOSPITALIZED FOR ANY ON?
			9255	- 1	INAPPLICABLE
			0	-7	REFUSED
			2	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			7 1	1	YES
			669	2	NO
552	_	,3, ,00	0 2 1 71	-1 -7 -8 -9 1	ON?  INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES

INAPPLICABLE: (COL 783-784=1) OR (COL 785-786=1,2,-7,-8,-9) OR (COL 547-548=2) OR (COL 717-718=2)

PLEASE CONSULT THE QUESTIONNAIRE REGARDING THE SKIP PATTERNS FOR THE CANCER QUESTIONS. DEPENDING ON THE RESPONSE TO Q.B5O, EITHER Q.B52 OR Q.B55 (CODED IN THE CANCER REPORT SECTION IN COL 3036-3335) WAS ASKED IN ORDER TO ASCERTAIN WHETHER OR NOT THE SUBJECT HAD HAD ANY OVERNIGHT HOSPITAL STAYS FOR CANCER. IF CANCER WAS REPORTED IN RESPONSE TO Q.B51. ANY OVERNIGHT HOSPITAL STAYS FOR CANCER WERE REPORTED THROUGH Q.B55.

CANCONT	789-790		NUMBER OF	F TYPES OF CANCER REPORTED
		9274	- 1	INAPPLICABLE
		0	-7	REFUSED
		0	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		645	1	ONE CANCER TYPE
		65	2	TWO CANCER TYPES
		10	3	THREE CANCER TYPES
		3	4	FOUR CANCER TYPES
		0	5	FIVE CANCER TYPES
		1	6	SIX CANCER TYPES

INAPPLICABLE: (COL 783-784=2,-7,-8,-9) OR (COL 785-786=2,-7,-8,-9) OR (COL 547-548=2) OR (COL 717-718=2)

THIS VARIABLE IS THE NUMBER OF TYPES OF CANCER REPORTED FOR THE SUBJECT IN RESPONSE TO EITHER Q.B50 or Q.B51. THE RESPONSES TO Q.B53 THROUGH Q.B55 FOR EACH OF THE TYPES OF CANCER ARE CODED IN COL 3036-3335.

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name		Counts	Variable	Description and Codes
	CHECK2	791-792			NSWER MORE QUESTIONS ABOUT BJECT'S MEDICAL HISTORY?
	INAPPI	LICABLE: (CO	461 3	-9 1 2	INAPPLICABLE NOT ASCERTAINED YES NO 447-548=2) OR (COL 717-718=2)
B56	FRACHIP	793-794			HAD A FRACTURED HIP SINCE S INTERVIEW?
			ō	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
					L 96-97=1 AND COL 547-548=2) (COL 96-97=1 AND COL 791-792=2)
	REPOR	WAS ASKED OF TED FOR THE S WISE, THE RES	UBJECT 1	IN A PREVIOUS	
B57	BRKNHIP	795-796		DID DOCTOR FRACTURED H	EVER SAY SUBJECT HAD A
			223 0 13 6 94 9662	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: (COL 96-97=1) OR (COL 96-97=-1,2 AND COL 547-548=2)
OR (COL 96-97=-1,2 AND COL 717-718=2) OR (COL 96-97=-1,2 AND COL 791-792=2)

Q.B57 WAS ASKED OF THE RESPONDENT IF NO HIP FRACTURE WAS REPORTED IN A PREVIOUS INTERVIEW OR THE SUBJECT HAD NOT BEEN PREVIOUSLY INTERVIEWED.

					PART B: MEDICAL CONDITIONS
Ques No.	Variable Name	Column Number(s)	Counts		Description and Codes
B58	HIPYEAR1	797-798		WHAT YEAR WA	AS SUBJECT FIRST TOLD ABOUT
				FRACIORED HI	<u>1F?</u>
			9904	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			7	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			87	29-87	YR 1ST TOLD ABOUT FRAC HIP (1929-1987)
	INAP	PLICABLE: (CO	OL 793-79	94=1,2,-7,-8,-	-9) OR
		795-796=2,-7			48=2)
	OR (0	COL 717-718=2	) OR (COI	. 791-792=2)	
	HIPFLAG	799-800		FRACTURED HI	IP NOT REPORTED_PREVIOUSLY
	MIFTLAG	755 666			EPORTED YEAR BEFORE
				PREVIOUS IN	TERVIEW YEAR
			9973	- 1	INAPPLICABLE
			0	-9	NOT ASCERTAINED
			25	1	DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR
			25		
	TMADE	DITCABLE: (CI		=-1 1) NP (CN)	797-798=-1 -7 -8 -9) OP
		PLICABLE: (CO 96-97=2 AND (	DL 96-97:		∟ 797-798=-1,-7,-8,-9) OR 173)
	(COL	96-97=2 AND	OL 96-97: COL 797-1	798>=COL 172-	173)
	(COL THIS	96-97=2 AND (	OL 96-97: COL 797-1	798>=COL 172- A HIP FRACTURE	173) E WAS NOT REPORTED IN
	(COL THIS THE F	96-97=2 AND ( FLAG INDICATI PREVIOUS INTER	OL 96-97: COL 797-1 ES THAT A	798>=COL 172- A HIP FRACTURE T THE YEAR REF	173)
	(COL THIS THE F	96-97=2 AND (	OL 96-97: COL 797-1 ES THAT A	798>=COL 172- A HIP FRACTURE T THE YEAR REF	173) E WAS NOT REPORTED IN
	(COL THIS THE F PRIOF	96-97=2 AND ( FLAG INDICAT) PREVIOUS INTER TO THE PREVI	OL 96-97: COL 797-1 ES THAT A	798>=COL 172- A HIP FRACTURE T THE YEAR REF ERVIEW YEAR.	173) E WAS NOT REPORTED IN PORTED FOR Q.B58 WAS
B59	(COL THIS THE F PRIOF	96-97=2 AND ( FLAG INDICATI PREVIOUS INTER	OL 96-97: COL 797-1 ES THAT A	798>=COL 172- A HIP FRACTURE T THE YEAR REF ERVIEW YEAR. HAS SUBJECT	173) E WAS NOT REPORTED IN PORTED FOR Q.B58 WAS  HAD AN ADDITIONAL
B59	(COL THIS THE F PRIOF	96-97=2 AND ( FLAG INDICAT) PREVIOUS INTER TO THE PREVI	OL 96-97: COL 797-1 ES THAT A	798>=COL 172- A HIP FRACTURE T THE YEAR REF ERVIEW YEAR. HAS SUBJECT	173) E WAS NOT REPORTED IN PORTED FOR Q.B58 WAS
B <b>5</b> 9	(COL THIS THE F PRIOF	96-97=2 AND ( FLAG INDICAT) PREVIOUS INTER TO THE PREVI	OL 96-97: COL 797-1 ES THAT A	798>=COL 172- A HIP FRACTURE T THE YEAR REF ERVIEW YEAR. HAS SUBJECT	173) E WAS NOT REPORTED IN PORTED FOR Q.B58 WAS  HAD AN ADDITIONAL
359	(COL THIS THE F PRIOF	96-97=2 AND ( FLAG INDICAT) PREVIOUS INTER TO THE PREVI	OL 96-97: COL 797-1 ES THAT A RVIEW BUI	798>=COL 172- A HIP FRACTURE T THE YEAR REF ERVIEW YEAR. HAS SUBJECT FRACTURED HI	173) E WAS NOT REPORTED IN PORTED FOR Q.B58 WAS  HAD AN ADDITIONAL IP SINCE THEN?
B <b>5</b> 9	(COL THIS THE F PRIOF	96-97=2 AND ( FLAG INDICAT) PREVIOUS INTER TO THE PREV	OL 96-97: COL 797-1 ES THAT A RVIEW BU IOUS INTE	798>=COL 172- A HIP FRACTURE T THE YEAR REF ERVIEW YEAR. HAS SUBJECT FRACTURED HI	173) E WAS NOT REPORTED IN PORTED FOR Q.B58 WAS  HAD AN ADDITIONAL IP SINCE THEN?  INAPPLICABLE
B <b>59</b>	(COL THIS THE F PRIOF	96-97=2 AND ( FLAG INDICAT) PREVIOUS INTER TO THE PREV	DL 96-97: COL 797-1 ES THAT A RVIEW BU IOUS INTE	798>=COL 172- A HIP FRACTURE T THE YEAR REF ERVIEW YEAR. HAS SUBJECT FRACTURED HI -1 -7 -8 -9	173) E WAS NOT REPORTED IN PORTED FOR Q.B58 WAS  HAD AN ADDITIONAL IP SINCE THEN?  INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED
359	(COL THIS THE F PRIOF	96-97=2 AND ( FLAG INDICAT) PREVIOUS INTER TO THE PREV	OL 96-97: COL 797-1 ES THAT A RVIEW BU IOUS INTE	798>=COL 172- A HIP FRACTURE T THE YEAR REF ERVIEW YEAR. HAS SUBJECT FRACTURED HI -1 -7 -8	173) E WAS NOT REPORTED IN PORTED FOR Q.B58 WAS  HAD AN ADDITIONAL IP SINCE THEN?  INAPPLICABLE REFUSED DON'T KNOW

INAPPLICABLE: (COL 793-794=1,2,-7,-8,-9) OR (COL 795-796=2,-7,-8,-9) OR (COL 547-548=2) OR (COL 717-718=2) OR (COL 791-792=2)

Q.B59 WAS ASKED OF THE RESPONDENT ONLY IF A HIP FRACTURE WAS REPORTED FOR THE SUBJECT THROUGH Q.B57.

Ques No	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
В60	HIPYR2_1	803-804		WHAT YEAR WAS T	HAT 1ST ADDITIONAL HIP
			9981	- 1	INAPPLICABLE
			0		REFUSED
			2 0	-8 -9	DON'T KNOW
			15	46- <b>8</b> 7	DON'T KNOW NOT ASCERTAINED YR OF ADDITIONL HIP FRACTURE (1946-1987)
	(COL 5 THE YE THE OF	547-548=2) O EARS OF ADDI	R (COL 7: TIONAL HI H THEY WE		
B60	HIPYR2_2	805-806		WHAT YEAR WAS T	HAT 2ND ADDITIONAL HIP
			9996	-1	TNADDI TCARI E
			0	-7	INAPPLICABLE REFUSED
			2	-8 -9	DON'T KNOW NOT ASCERTAINED YR OF ADDITIONL HIP FRACTURE (1946-1987)
			0	-9	NOT ASCERTAINED
			0	46-87	YR OF ADDITIONL HIP FRACTURE (1946-1987)
	(COL 5	795-796=2,-7 547-548=2) O	,-8,-9) C R (COL 7	94=2,-7,-8,-9) OR DR (COL 801-802=2 17-718=2) OR (COL FRACTURED HIPS RE	,-7,-8,-9) OR 791-792=2) OR
B60	HIPYR2_3	807-808		WHAT YEAR WAS T FRACTURE?	HAT 3RD ADDITIONAL HIP
			9996	-1	INAPPLICABLE
			0	- 7	REFUSED
			2	-8	DON'T KNOW NOT ASCERTAINED
			0	-9 46-87	YR OF ADDITIONL HIP FRACTURE (1946-1987)
	(COL 5	795-796=2,-7 547-548=2) O	,-8, <b>-</b> 9) ( R (COL 71	94=2,-7,-8,-9) OR DR (COL 801-802=2 17-718=2) OR (COL FRACTURED HIPS	,-7,-8,-9) OR 791-792=2) OR

). 	Variable Name 		Counts	Variable	Description and Codes
Ю	HIPYR2_4	809-810		WHAT YEAR FRACTURE?	WAS THAT 4TH ADDITIONAL HIP
			9996	- 1	INAPPLICABLE
			0	-7	REFUSED
			2	-8	DON'T KNOW
			o	-9	NOT ASCERTAINED YR OF ADDITIONL HIP FRACTURE (1946-198
			0	46-87	YR OF ADDITIONL HIP FRACTURE (1946-198
	(COL		,-8,-9) ( R (COL 7	OR (COL 8O1- 17-718=2) OR	802=2,-7,-8,-9) OR (COL 791-792=2) OR
	HYRFL2 1	811-812		HIP ERACTU	RE NOT REPORTED PREVIOUSLY
	111111111111111111111111111111111111111	011 012			1ST REPORTED YEAR BEFORE
					US INTERVIEW YEAR
			9997	- 1	INAPPLICABLE
			9997	-9	NOT ASCERTAINED
			1	1	DISCRPNCY: YR BEFORE PREV INTERVIEW YE
	SISTE INCOM HIP F 2) BU WAS F COL E THE F IN CC OF TH (COL	ENCIES REGARD NSISTENCY OCC FRACTURE IN T JT THE RESPON PRIOR TO THE 811-812 FLAGS FIRST ADDITIO DL 813-818 FL HE SECOND THR 805-810). T	ING THE I URS WHEN HE PREVIO DENT GAV PREVIOUS THE REPUNAL HIP I AG THIS TOUGH FOUI HE NUMBEI	DATA IN COL THE SUBJECT DUS INTERVIE E A YEAR IN INTERVIEW Y DRTING INCON FRACTURE (CO TYPE OF INCO RTH ADDITION R OF INAPPLI	G REPORTED INCON- 803-810. THE HAD NO REPORT OF A W (COL 96-97 IS CODED RESPONSE TO Q.B6O WHICH EAR. THE VARIABLE IN SISTENCY FOR THE YEAR OF L 803-804). THE VARIABLES NSISTENCY FOR THE YEARS AL HIP FRACTURES CABLE CODES IN ADDITIONAL FRACTURES
			NY REPOR	TING INCONSI	STENCIES WERE FOUND.
		RTED AND IF A	NY REPOR'	HIP FRACTU	STENCIES WERE FOUND. <u>RE NOT REPORTED PREVIOUSLY</u> <u>2ND REPORTED YEAR BEFORE</u> <u>US INTERVIEW YEAR</u>
	REPOR	RTED AND IF A	9998 O	HIP FRACTU	<u>RE NOT REPORTED PREVIOUSLY</u> 2ND REPORTED YEAR BEFORE

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes			
	HYRFL2_3	815-816	999 <b>8</b> O O	AND Q.B60 3RD REI	REPORTED PREVIOUSLY PORTED YEAR BEFORE ERVIEW YEAR  INAPPLICABLE NOT ASCERTAINED DISCRPNCY: YR BEFORE	PREV	INTERVIEW	YEAR
	HYRFL2_4	817-818	9998 O O	AND Q.B60 4TH RETHE PREVIOUS INT	REPORTED PREVIOUSLY PORTED YEAR BEFORE ERVIEW YEAR  INAPPLICABLE NOT ASCERTAINED DISCRPNCY: YR BEFORE	PREV	INTERVIEW	YEAR
B61	B61_HOSP	819-820	9892 O 2 O 64 40		ITALIZED FOR A  INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO			
	(COL 7		-8,-9) 0	4=2,-7,-8,-9) OR R (COL 547-548=2) .791-792=2)				
B62	OSTEOPOR	821-822	10 0 74 6 300 9608	DID DOCTOR EVER OSTEOPOROSIS?  -1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO			

INAPPLICABLE: (COL 547-548=2) OR (COL 717-718=2) OR (COL 791-792=2)

Ques No.	Variable Name		Counts	Variable Descr	ription and Codes
B63	OSTEOYR	823-824		WHAT YEAR WAS SU ABOUT OSTEOPOROS	UBJECT FIRST TOLD SIS?
	IMAGG	X0451.5 (0	1 260	-7 -8 -9 28-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEAR OF OSTEOPOROSIS (1928-1987)
				2=2,-7,-8,-9) OR . 791-792=2)	(CDL 547-548=2)
B64	ADBKWRST	825-826		SINCE PREVIOUS I BROKEN WRIST?	INTERVIEW, HAS SUBJECT
			7427 0 3 1 20 2547	-7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (C	OL 12-13=	1 AND COL 8-9=1,2	2) OR (COL 12-13=3)
B65	BRKNWRST	827~828		DID SUBJECT EVER	R HAVE A BROKEN WRIST?
			0 70 1724 DL 12-13=	1	
	•	2-13-1 AND ( 2-13-3)	COL 0-3-1	,2 AND CUL 138-13	33,43) UK

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
B66	WRSTYR1	829-830		WHAT YEAR WAS F BROKEN WRIST?	IRST ADDITIONAL
			9908 0 11 0	- 1 - 7 - 8 - 9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED
	(COL COL & THE Y THE C	12-13=1 AND 3-9=1,2 AND C	COL 827-8 OL 158-1! TIONAL BI H THEY WI	=1 AND COL 825-82 828=2,-7,-8,-9) 0 59<45) OR (COL 12 ROKEN WRISTS LOCA	R (COL 12-13=1 AND
B66	WRSTYR2	831-832	<u>-</u>	WHAT YEAR WAS S BROKEN WRIST?	ECOND ADDITIONAL
			9987 1 8 0 2	- 1 - 7 - 8 - 9 79 - 8 7	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YR OF ADDITIONL BROKEN WRIST (1979-1987)
	COL 1 COL 8	2-13=1 AND C	OL 827-8: OL 158-1	59<45) DR (COL 12	6=2,-7,-89) OR (COL 12-13=1 AND -13=3) OR LESS THAN
B66	WRSTYR3	833-834		WHAT YEAR WAS T BROKEN WRIST?	HIRD ADDITIONAL
			9991 0 7 0 0	- 1 -7 -8 -9 79-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YR OF ADDITIONL BROKEN WRIST (1979-1987)
	(COL	12-13=1 AND	COL 827-8		6=2,-7,-8,-9) OR R (COL 12-13=1 AND -13=3) OR LESS THAN

THREE BROKEN WRISTS REPORTED

Ques No.	Variable Name	Column Number(s) 	Counts	Variable Desc	cription and Codes
B66	WRSTYR4	835-836		WHAT YEAR WAS F BROKEN WRIST?	OURTH ADDITIONAL
			0004	_ 1	INAPPLICABLE
			9991 0	- 1 -7	REFUSED
			7	- / - B	DON'T KNOW
			ó	- 9	NOT ASCERTAINED
			o	79-87	YR OF ADDITIONL BROKEN WRIST (1979-1987)
	COL	3-9=1,2 AND CO BROKEN WRISTS	L 158-15	59<45) OR (COL 12 ED	OR (COL 12-13=1 AND 2-13=3) OR LESS THAN
B67	FALLS	837-838		DURING PAST 12 HAD ANY FALLS?	MONTHS, HAS SUBJECT
			7112	-1	INAPPLICABLE
			0	-7	REFUSED
			17	-8	DON'T KNOW
			6	-9	NOT ASCERTAINED
			620	1	YES
			2243	2	NO
	COL	PLICABLE: (CC 547-548=2) OR 166-167=1 AND	(COL 166	67=2) OR (COL 16 6-167=1 AND COL 1 1-792=2)	6-167=1 AND 717-718=2) OR
B68	NUMFALLS	839-840		HOW MANY TIMES DURING PAST 12	HAS SUBJECT FALLEN MONTHS?
			9469	- 1	INAPPLICABLE
			0	-7	REFUSED
			18	-8	DON'T KNOW
			0 511	-9	NOT ASCERTAINED NUMBER OF FALLS PAST 12 MONTHS
				1-48	

(COL 12-13=3)

Ques No.	Variable Name	Column	0 -		
NO.	Name	Number(s)	Counts	Variable Desc	cription and Codes
B694	FALLBKBN	841-842		DID ANY CALL OF	HIGE A BOOKEN BOOKE
	· NEEDNON	041 042		DID ANT FALL CA	USE A BROKEN BONE?
			9378	-1	INAPPLICABLE
			0	-7	REFUSED
			_	-8	DON'T KNOW
			_	-9	NOT ASCERTAINED
			72	1	YES
			543	2	NO NO
			040	2	NO
	INAPPL	ICABLE: CO	L 837-838	3=-1,2,-7,-8,-9	
				1,2, 7, 3, 3	
B69B	FALLHEAD	843-844		DID ANY FALL CA	USE SUBJECT TO HIT OR
				INJURE HEAD?	SOL SOBOLOT TO THE OK
			9378	-1	INAPPLICABLE
			0	-7	REFUSED
			4	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			120	1	YES
			496	2	NO
	INAPPL	ICABLE: COI	837-838	=-1,2,-7,-8,-9	
				, , , , , ,	
B69C	FALLMEDC	845-846		DID ANY FALL CA	USE SUBJECT TO SEEK
				MEDICAL CARE?	
			9378	- 1	INAPPLICABLE
			· O	-7	REFUSED
			1	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			257	1	YES
			362	2	NO
	INAPPL	ICABLE: COL	837-838	=-1,2,-7,-8,-9	

Ques No.	Variable Name 		Counts	Variable	Description and Codes
B <b>7</b> 0	B70_FALL	847-848			12 MONTHS, WAS SUBJECT D FOR ANY FALL?
			9378 0 1 0 71 548	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: CO		3=-1,2,-7,-8,	
B71	B71_FLU	849-850			HOSPITALIZED FOR BRONCHITIS OR FLU?
			10 0 31 83 356 9518	- 1 - 7 - 8 - 9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: (C	OL 547-54	18=2) OR (COL	717-718=2) OR (COL 791-792=2)
B72	KIDNYST	851-852			34 FOLLOWUP, HAS SUBJECT / DISORDER OR STONE?
			9175 0 12 0 121 690	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
					COL 102-103=1 AND COL 547-548=2) R (COL 102-103=1 AND COL 791-792=2)

Ques	Variable	Column			
No .			Counts		scription and Codes
В7ЗА	EVERKDNY	853-854			ER SAY SUBJECT HAD A
				KIDNEY DISORD	ER OR STONE?
			833	- 1	INAPPLICABLE
			0	-7	REFUSED
			31	-8	DON'T KNOW
			7	-9	NOT ASCERTAINED
			292 8835	1 2	YES
			6633	2	NO
	INAPP OR (C	LICABLE: (C OL 102-103=-	OL 102-10 1,2 AND	03=1) OR (COL 10 COL 717-718=2) (	02-103=-1,2 AND COL 547-548=2) OR (COL 102-103=-1,2 AND COL 791-792=2)
873B	YRTELKID	855-856		WHAT YEAR WAS	SUBJECT FIRST TOLD ABOUT
				KIDNEY DISORDI	ER OR STONE?
			9706	- 1	INAPPLICABLE
			0	-7	
			34	-8	REFUSED DON'T KNOW
			3	-9	NOT ASCERTAINED YR 1ST TOLD ABOUT KIDNEY DIS (1923-1987)
			255	23-87	YR 1ST TOLD ABOUT KIDNEY DIS (1923-1987)
	INAPP (COL	LICABLE: (C 853-854=2,-7	OL 851-8	52=1,2,-7,-8,-9 DR (COL 547-548:	) OR =2)
		OL 717-718=2			·
	KIDNEYFG	857-858		KIDNEY DISORDE	ER OR KIDNEY STONE
				NOT REPORTED F	PREVIOUSLY AND Q.B73B
					BEFORE THE 1982-84
				FOLLOWUP	
			9916	- 1	INAPPLICABLE
			0	-9	NOT ASCERTAINED
			82	1	DISCRPNCY: YR BEFORE 1982-84 FOLLOWUP
	INAPP -9) O	LICABLE: (C R (COL 102-1	OL 102-10 03=2 AND	03=-1,1) OR (COL COL 855-856>=CO	L 855-856=-17,-8, DL 138-139)
	TUTO	CLAC INDICAT	CC TUAT 1	ATDMEN DISORDES	OR WIDNEY STONE (C)
				882-84 FOLLOWUP	OR KIDNEY STONE(S)
				OR TO THE 1982-	
	KEFUK	ובה זוא מים/פ	D MAS LKI	OK 10 INE 1982-	TOH FULLUWUP,

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desci	ription and Codes
В7ЭС	DOCKID	859-860			SAY SUBJECT HAD A R KIDNEY INFECTION TIMES?
			10 0 104 7 970 8907	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (CO	L 547-54	18=2) OR (COL 717-	718=2) OR (COL 791-792=2)
B73D	FRSTOLDK	861-862			UBJECT FIRST TOLD HAD REKIDNEY INFECTION?
			9028 0 174 2 794	-1 -7 -8 -9 24-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YR 1ST TOLD OF KIDNEY INFEC (1924-1987)
	INAPPL	ICABLE: COL	859-860	)=-1,2,-7,-8,-9	
B74	B74_HOSP	B63-864		WAS SUBJECT HOSE CONDITION OR URI	ITALIZED FOR KIDNEY NARY TRACT INFECTION?
			8706 1 15 2 217 1057	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	(COL 8	53-854=2,-7,	-8,-9 AN	2=2,-7,-8,-9 AND D COL 859-860=2,-	COL 859-860=2,-7,-8,-9) OR 7,-8,-9) OR (COL 547-548=2)

OR (COL 717-718=2) OR (COL 791-792=2)

PART B: MEDICAL CONDITIONS

Ques No .	Variable Name	Column Number(s)	Counts	Variabl	e Description and Codes
B75	SURGCATR	865-866			6 FOLLOWUP, HAS SUBJECT HAD ACT SURGERY?
			9568	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			3	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			60	1	YES
			367	2	NO

INAPPLICABLE: (COL 104-105=-1,2) DR (COL 104-105=1 AND COL 547-548=2)

OR (COL 104-105=1 AND COL 717-718=2) OR (COL 104-105=1 AND COL 791-792=2)

Q.B75 WAS ASKED OF THE RESPONDENT IF CATARACT SURGERY WAS REPORTED FOR THE SUBJECT IN THE 1986 FOLLOWUP INTERVIEW. OTHERWISE, THE RESPONDENT WAS ASKED Q.B76.

B76	EVERCATR	867-868		DID DOCTOR CATARACTS?	EVER SAY SUBJECT HAD
			440	- 1	INAPPLICABLE
			0	-7	REFUSED
			43	-8	DON'T KNOW
			97	-9	NOT ASCERTAINED
			1079	1	YES
			8339	2	NO

INAPPLICABLE: (COL 104-105=1) OR (COL 104-105=-1,2 AND COL 547-548=2)
OR (COL 104-105=-1,2 AND COL 717-718=2) OR (COL 104-105=-1,2 AND COL 791-792=2)

Q.876 WAS ASKED OF THE RESPONDENT IF NO CATARACT SURGERY WAS REPORTED IN THE 1986 FOLLOWUP INTERVIEW OR THE SUBJECT HAD NOT BEEN PREVIOUSLY INTERVIEWED.

B77	CATRSURG	869-870		HAS SUBJECT E	EVER HAD SURGERY FOR
			8919	<del>-</del> 1	INAPPLICABLE
			0	-7	REFUSED
			4	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			259	1	YES
			816	2	NO

INAPPLICABLE: COL 867-868=-1.2.-7.-8.-9

Ques No.	Variable Name 	Column Number(s)	Counts	Variable De	escription and Codes
B78	YRCATR1	871-872		WHAT YEAR DIE	SUBJECT HAVE CATARACT
			9679 0 18 0 301	- 1 -7 -8 -9 39-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEAR CATARACT SURGERY (1939-1987)
	INAPPI	LICABLE: (C	OL 865-86	66=2,-7,-8,-9)	OR (COL 867-868=2,-7,-8,-9) OR

(COL 869-870-2,-7,-8,-9) OR (COL 547-548-2) OR (COL 717-718-2) OR (COL 791-792-2)

THE YEARS OF ADDITIONAL CATARACT SURGERIES ARE STORED IN COL 871-874 IN THE ORDER THAT THEY WERE REPORTED AND ARE NOT NECESSARILY IN CHRONOLOGICAL ORDER.

B78	YRCATR2	873-874	WHAT YEAR DID SUBJECT HAVE ADDITIONAL					
			CATARACT SURGERY?					

INAPPLICABLE 9910 -1 0 -7 REFUSED DON'T KNOW 18 -8 NOT ASCERTAINED -9 0 70 73-87 YEAR CATARACT SURGERY (1973-1987)

INAPPLICABLE: (COL 865-866=2,-7,-8,-9) OR (COL 867-868=2,-7,-8,-9) OR (COL 869-870=2,-7,-8,-9) OR (COL 547-548=2) OR (COL 717-718=2) OR (COL 791-792=2) OR LESS THAN TWO CATARACT SURGERIES REPORTED

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes			
	CATFLAG1	875-876		CATARACT SURGERY PREVIOUSLY AND Q REPORTED BEFORE YEAR				
			9970	- 1	INAPPLICABLE			
			0	-9	NOT ASCERTAINED			
			28	1	DISCRPNCY: YR BEFORE	PREV	INTERVIEW	YEAR

INAPPLICABLE: (COL 104-105=-1,1) OR (COL 871-872=-1,-7,-8, -9) OR (COL 104-105=2 AND COL 871-872>=COL 172-173)

THE TWO VARIABLES IN COL 875-878 FLAG REPORTED INCONSISTENCIES REGARDING THE DATA IN COL 871-874. THE INCONSISTENCY OCCURS WHEN THE SUBJECT HAD NO REPORT OF CATARACT SURGERY IN THE PREVIOUS INTERVIEW (COL 104-105 CODED 2) BUT THE RESPONDENT GAVE A YEAR IN Q.B78 WHICH WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR. THE VARIABLE IN COL 877-878 FLAGS THIS TYPE OF INCONSISTENCY FOR THE YEAR OF THE FIRST CATARACT SURGERY (COL 871-872). THE VARIABLE IN COL 875-876 FLAGS THIS TYPE OF INCONSISTENCY FOR THE YEAR OF THE SECOND CATARACT SURGERY (COL 873-874). THE NUMBER OF INAPPLICABLE CODES IN COL 875-878 DEPENDS ON THE NUMBER OF CATARACT SURGERIES REPORTED AND IF ANY REPORTING INCONSISTENCIES WERE FOUND.

CATFLAG2 877-878

CATARACT SURGERY NOT REPORTED
PREVIOUSLY AND Q.B78 SECOND YEAR
REPORTED BEFORE PREVIOUS INTERVIEW
YEAR

9993 -1 INAPPLICABLE
O -9 NOT ASCERTAINED
5 1 DISCRPNCY: YR BEFORE PREV INTERVIEW YEAR

INAPPLICABLE: (COL 104-105=-1,1) OR (COL 873-874=-1,-7,-8, -9) OR (COL 104-105=2 AND COL 873-874>=COL 172-173)

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
B79	B79_HOSP	879-880		WAS SUBJECT HOSP CATARACT SURGERY	
			9679 0 4 0 100 215	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL (COL 8	ICABLE: (CO 69-870=2,-7,	L 865-86 -8,-9) O	6=2,-7,-8,-9) OR R (COL 547-548=2)	(COL 867-868=2,-7,-8,-9) OR OR (COL 717-718=2) OR (COL 791-792=2)
B80	VASECTMY	881-882		HAS SUBJECT EVER	HAD A VASECTOMY?
			2	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: (CO	L 12-13=	1 AND COL 10-11=2	) DR (COL 12-13=3)
B81	AGEVASEC	883-884		WHAT WAS SUBJECT VASECTOMY?	'S AGE AT THE TIME OF
			9507 0 3 0 488	-9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED AGE AT TIME OF VASECTOMY (IN YRS)

INAPPLICABLE: COL 881-882=-1,2,-7,-8,-9

Ques No.	Variable Name 	Column Number(s)	Counts	Varıable	Description and Codes
B83, B93G	ввэ_ноѕр	885-886		HAS SUBJECT	T STAYED IN HOSPITAL FOR REASON?
	•		4	-7	REFUSED
			41	-8	DON'T KNOW
			3	-9	NOT ASCERTAINED
			2953	1	YES
			6997	2	NO

THIS VARIABLE ALSO CONTAINS THE RESPONSE TO Q.B93G. Q.B93G WAS ASKED ONLY IF THE SUBJECT WAS DECEASED AND THE PROXY RESPONDENT COULD NOT FULLY COMPLETE PART B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE.

INFORMATION COLLECTED ON ADDITIONAL HOSPITAL STAYS WAS CODED DIRECTLY ONTO THE SUBJECT'S HOSPITAL AND HEALTH CARE FACILITY CHART. THIS INFORMATION IS SUMMARIZED ON THE DATA TAPE IN POSITIONS 5070-5143.

В86, В93Н	FACIL	887-888	HAD HOM	SUBJECT EVER STAYED IN A NURSING BE OR OTHER NON-HOSPITAL FACILITY?
		15	0 -1	INAPPLICABLE
			3 -7	REFUSED
			3 -8	DON'T KNOW
		2	3 -9	NOT ASCERTAINED
		29	4 1	YES
		952	5 2	NO

INAPPLICABLE: COL 345-346=1

THIS VARIABLE ALSO CONTAINS THE RESPONSE TO Q.B93H. Q.B93H WAS ASKED ONLY IF THE PROXY RESPONDENT FOR A DECEASED SUBJECT COULD NOT FULLY COMPLETE PART B (MEDICAL CONDITIONS) OF THE OUESTIONNAIRE.

THE INFORMATION COLLECTED ON NURSING HOME OR OTHER NON-HOSPITAL FACILITY ADMISSIONS REPORTED IN RESPONSE TO Q.B86 ONLY IS STORED IN COL 3336-5069. THE TOTAL NUMBER OF NURSING HOME OR OTHER NON-HOSPITAL FACILITY ADMISSIONS IS CODED IN THE VARIABLE IN COL 889-890.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	RESTONT	889-890		NUMBER OF NURSING HOME OR OTHER NON HOSPITAL ADMISSIONS REPORTED
			9705	-1 INAPPLICABLE
			0	-7 REFUSED
			Ō	-8 DON'T KNO₩
			0	-9 NOT ASCERTAINED
			250	1 ONE ADMISSION
			36	2 TWO ADMISSIONS
			4	3 THREE ADMISSIONS
			1	4 FOUR ADMISSIONS
			1	5 FIVE ADMISSIONS
			1	6 SIX ADMISSIONS

INAPPLICABLE: (COL 887-888=-1,2,-7,-8,-9) OR (COL 887-888=1 AND COL 547-548=2) OR (COL 887-888=1 AND COL 717-718=2) OR (COL 887-888=1 AND COL 791-792=2)

THIS VARIABLE IS THE NUMBER OF NURSING HOME OR OTHER NON-HOSPITAL ADMISSIONS REPORTED FOR THE SUBJECT IN RESPONSE TO Q.B86. THE RESPONSES TO Q.B87 THROUGH Q.B93 FOR EACH OF THE NURSING HOME OR OTHER NON-HOSPITAL FACILITY ADMISSIONS ARE CODED IN COL 3936-5069.

B94	HEALTH	891-892		WHAT HAS BEEN SUBJECT DURING	
		68	35	-1	INAPPLICABLE
			0	-7	REFUSED
		•	60	-8	DON'T KNO₩
		4	49	-9	NOT ASCERTAINED
		130	09	1	IMPROVED
		666	67	2	REMAINED THE SAME
		109	92	3	GRADUALLY WORSENED
			36	4	SUDDENLY WORSENED

INAPPLICABLE: (COL 12-13=1 AND COL 285-286=2) OR (COL 12-13=3)

PART B: MEDICAL CONDITIONS

Ques No.	Variable Name	Column Number(s)	Counts	Variable	Description and Codes
В95, В9ЭА	PREVMNHT	893-894		NURSING HOM	MONTH BEFORE SUBJECT'S E ADMISSION OR DEATH SIGNIFICANT CHANGE IN EALTH?
			9449	- 1	INAPPLICABLE
			0	-7	REFUSED
			6	-8	DON'T KNOW
			25	-9	NOT ASCERTAINED
			340	1	YES
			178	2	NO

INAPPLICABLE: (COL 12-13=1 AND COL 285-286=1,3,4,5,6,91,92,-7,-8,-9)
OR (COL 12-13=1 AND COL 343-344=1 AND COL 285-286=2) OR (COL 12-13=3
AND COL 547-548=2) OR (COL 12-13=3 AND COL 717-718=2) OR (COL 12-13=3 AND COL 791-792=2)

Q.B95 WAS ASKED IF THE SUBJECT'S MOST CURRENT LIVING ARRANGEMENT WAS A NURSING HOME (COL 285-286 IS CODED 2) OR IF THE SUBJECT WAS DECEASED (COL 12-13 IS CODED 3) AND THE PROXY RESPONDENT COULD COMPLETE PART B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE. THIS VARIABLE ALSO CONTAINS THE RESPONSE TO Q.B93A. Q.B93A WAS ASKED ONLY IF THE SUBJECT WAS DECEASED AND THE PROXY RESPONDENT COULD NOT FULLY COMPLETE PART B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE. IF THE SUBJECT WAS ALIVE, THE RESPONDENT WAS ASKED IF THERE WAS A SIGNIFICANT CHANGE IN THE SUBJECT'S HEALTH DURING THE MONTH BEFORE ADMISSION TO THE NURSING HOME. IF THE SUBJECT WAS DECEASED, THE PROXY WAS ASKED IF THERE WAS A CHANGE IN THE SUBJECT'S HEALTH DURING THE MONTH BEFORE HIS OR HER DEATH.

Q.B95 WAS NOT ASKED IF THE SUBJECT'S MOST CURRENT LIVING ARRANGEMENT WAS A NURSING HOME (COL 285-286 IS CODED 2) AND THE SUBJECT HAS CONTINUOUSLY LIVED IN A NURSING HOME SINCE THE 1986 FOLLOWUP INTERVIEW (COL 343-344 IS CODED 1)

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
B96, B93B	PREVYRHT	895-896			NTHS PRIOR TO NURSING R DEATH WHAT WAS UECT'S HEALTH?
			9449	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			17	-8	DON'T KNOW
			22	-9	NOT ASCERTAINED
			19	1	IMPROVED
			156	2	REMAINED THE SAME
			282	3	GRADUALLY WORSENED
			53	4	SUDDENLY WORSENED

INAPPLICABLE: (COL 12-13=1 AND COL 285-286=1,3,4,5,6,91,92,-7,-8,-9)
OR (COL 12-13=1 AND COL 343-344=1 AND COL 285-286=2) OR (COL 12-13=3
AND COL 547-548=2) OR (COL 12-13=3 AND COL 717-718=2) OR (COL 12-13=3 AND COL 791-792=2)

Q.896 WAS ASKED IF THE SUBJECT'S MOST CURRENT LIVING ARRANGEMENT WAS A NURSING HOME (COL 285-286 IS CODED 2) OR IF THE SUBJECT WAS DECEASED (COL 12-13 IS CODED 3) AND THE PROXY RESPONDENT COULD COMPLETE PART B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE. THIS VARIABLE ALSO CONTAINS THE RESPONSE TO Q.893B. Q.893B WAS ASKED ONLY IF THE SUBJECT WAS DECEASED AND THE PROXY RESPONDENT COULD NOT COMPLETE PART B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE. IF THE SUBJECT WAS ALIVE, THE RESPONDENT WAS ASKED ABOUT ANY CHANGES IN THE SUBJECT'S HEALTH DURING THE 12 MONTHS PRIOR TO THE MONTH BEFORE THE NURSING HOME ADMISSION. IF THE SUBJECT WAS DECEASED, THE PROXY WAS ASKED ABOUT ANY CHANGES IN THE SUBJECT'S HEALTH DURING TO THE MONTH BEFORE THE 12 MONTHS PRIOR TO THE MONTH

Q.B96 WAS NOT ASKED IF THE SUBJECT'S MOST CURRENT LIVING ARRANGEMENT WAS A NURSING HOME (COL 285-286 IS CODED 2) AND THE SUBJECT HAS CONTINUOUSLY LIVED IN A NURSING HOME SINCE THE 1986 FOLLOWUP INTERVIEW (COL 343-344 IS CODED 1)

PART B: MEDICAL CONDITIONS

Ques No .	Variable Name	Column Number(s)	Counts	Variable De	escription and Codes
В9ЭС, В <b>9</b> ЭІ	SUBDIENH	897-898		DID SUBJECT DEN NURSING HOME	DIE IN HOSPITAL OR ?
			9526	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			3	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			329	1	YES
			139	2	NO

INAPPLICABLE: COL 12-13=1

THIS VARIABLE ALSO CONTAINS THE RESPONSE TO Q.B931. Q.B931 WAS ASKED ONLY IF THE PROXY RESPONDENT FOR A DECEASED SUBJECT COULD NOT FULLY COMPLETE PART B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE.

INFORMATION ON THE HOSPITAL OR NURSING HOME STAY WAS RECORDED ON THE HOSPITAL OR HEALTH CARE FACILITY (HHCF) CHART WHEN THE PROXY RESPONDENT REPORTED—THAT THE SUBJECT HAD DIED IN A HOSPITAL OR NURSING HOME. A RECORD OF THIS STAY, THOUGH, WILL NOT BE FOUND ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE IF THE SUBJECT HAD NEVER BEEN ADMITTED TO THE HEALTH CARE FACILITY (E.G., SUBJECT WAS DEAD ON ARRIVAL OR SUBJECT WAS TREATED IN AN EMERGENCY ROOM). A RECORD OF A SUBJECT'S DEATH IN A HEALTH CARE FACILITY WILL BE STORED ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE IF AND ONLY IF THE SUBJECT HAD BEEN ADMITTED TO THE FACILITY. REGARDLESS OF WHETHER OR NOT THE STAY WAS OVERNIGHT.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descrip	tion and Codes
В93D, В93J	DTHCAUSE	899-901		WHAT WAS CAUSE OF	SUBJECT'S DEATH?
<u></u>			9526	-1 II	NAPPLICABLE
			0	-7 RI	EFUSED
			38	-8 DO	ON'T KNOW
			5	-9 N	DT ASCERTAINED
			94	1 HI	EART ATTACK
			39	2 0	THER HEART CONDITION
			29	3 S.	TROKE, SMALL STROKE
			7	4 D	IABETES
			0	5 H.	IGH BLOOD PRESSURE
			109	6 C	ANCER
			5	7 K	IDNEY CONDITION
			18	•	NEUMONIA OR FLU
			8	9 01	LD AGE
			120	10 0	THER

INAPPLICABLE: COL 12-13=1

THIS VARIABLE ALSO CONTAINS THE RESPONSE TO Q.B93J. Q.B93J WAS ASKED ONLY IF THE PROXY RESPONDENT FOR A DECEASED SUBJECT COULD NOT FULLY COMPLETE PART B (MEDICAL CONDITIONS) OF THE QUESTIONNAIRE.

B93F	SUBJCOND	902-903		DID DOCTOR SAY DEATH?	THAT WAS CAUSE OF
			9702	- 1	INAPPLICABLE
			0	-7	REFUSED
			11	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			273	1	YES
			11	2	NΩ

INAPPLICABLE: (COL 12-13=1) OR (COL 899-901=9,10,-7,-8,-9) OR (COL 899-901=1-8 AND COL 547-548=2) OR (COL 899-901=1-8 AND COL 717-718=2) OR (COL 899-901=1-8 AND COL 791-792=2)

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
C1	STAYBED .	904-905		DOES SUBJECT HAY	/E TO STAY IN BED MOST
			472 0 16 113 183 9214	-9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 12-13=3	3	
		ONS ON FUNC T WAS ALIVE		MITATION WERE ASK	KED ONLY IF THE
	GRLNGTHB	(906-909)		HOW LONG HAS SUE IN BED?	BJECT HAD TO STAY
C2	LNGTHBED	906-907		NUMBER OF MONTHS	S OR YEARS
			9815	-1	INAPPLICABLE
			0	-7	REFUSED
			16	_	DON'T KNOW
			0	-9	NOT ASCERTAINED
					NUMBER OF MONTHS OR YEARS
			23	95	LESS THAN ONE MONTH
	INAPPL	.ICABLE: (C	OL 904-90	05=2,-7,-8,-9) OR	(COL 12-13=3)
C2	C2UNIT	908-909		TIME PERIOD RESE	PONDED IN
			9854	-1	INAPPLICABLE
			0	-9	NOT ASCERTAINED
			46		MONTHS
			98	2	YEARS
	INAPPL	.ICABLE: CO	L 906-907	/=-1,95,-7,-8,-9	

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
СЭ	USELIMBS	910-911		DOES SUBJECT HAVE PROBLEM THAT PREVENTS USE OF LIMB(S)?	
			472 O 16 111 567 8832	- 1 INAPPLICABLE - 7 REFUSED - 8 DON'T KNOW - 9 NOT ASCERTAINED 1 YES 2 NO	
	INAPPL	ICABLE: CO	L 12-13=3	3	
C4A	PARALMB	912-913		IS PROBLEM DUE TO PARALYSIS?	
			9431 O 13 O 56 498	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO	
	INAPPL	ICABLE: (C	OL 910-91	11=2,-7,-8,-9) OR (COL 12-13=3)	
C4B	AMPUTLMB	914-915		IS PROBLEM DUE TO AMPUTATION?	
			9431 0 4 0 23 540	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO	
	INAPPL	ICABLE: (C	DL 910-91	11=2,-7,-8,-9) OR (COL 12-13=3)	
C4C	ARTHLMB	916-917		IS PROBLEM DUE TO SEVERE ARTHITIS	<u>:?</u>
	TNASS	JOADUS. (CO	9431 0 17 0 231 319	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO	
	INAPPL	TCABLE: (CI	75 910-91	11=2,-7,-8,-9) OR (COL 12-13=3)	

146

Ques No.	Variable Name	Column Number(s)	Counts	Var 1 a	ble Description and Codes
C4D	OTHLMB	918-919		IS PROB	LEM DUE TO SOME OTHER REASON?
			9431	- 1	INAPPLICABLE
			0	-7	REFUSED
			13	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			339	1	YES
			215	2	NO
	INAPPI	_ICABLE: (C	OL 910-91	1=2,-7,-	8,-9) OR (COL 12-13=3)
C4D	LIMBOTH1	920-921		OTHER R	EASON FOR PROBLEM

# C4D LIMBOTH1 920-921 OTHER REASON FOR PROBLEM

9659	- 1	INAPPLICABLE
0	-7	REFUSED
0	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
49	1	STROKE
25	2	BROKEN BONE
47	3	NEUROLOGIC DISEASE
70	4	OTHER MUSCULOSKELETAL DISEASE
19	5	GENERAL DEBILITY, WEAKNESS
19	6	CIRCULATION PROBLEMS
29	7	FALL, INJURY, ACCIDENT
81	91	OTHER PROBLEM

INAPPLICABLE: COL 918-919--1,2,-7,-8,-9

922-946 BLANK

					. O ONO ! TONAL EIN
Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	cription and Codes
C5A	PARARUL	947-948		WHICH LIMBS ARE RIGHT HAND/ARM?	PARALYZED?
			9942 0 0 0 25 31	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 912-91:	3=-1,2,-7,-8,-9	
С5В	PARALUL	949-950		WHICH LIMBS ARE LEFT HAND/ARM?	PARALYZED?
			9942 0 0 0 24 32	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPLI	CABLE: COL	. 912-913	9=-1,2,-7,-8,-9	
C5C	PARARLL	951-952		WHICH LIMBS ARE RIGHT FOOT/LEG?	PARALYZED?
			9942 0 1 0 29 26	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPLI	CABLE: COL	912-913	=-1,2,-7,-8,-9	

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
C5D	PARALLL	953-954		WHICH LIMBS ARE LEFT FOOT/LEG?	PARALYZED?
			9942 0 1 0 31 24	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	912-913	=-1,2,-7,-8,-9	
CGA	AMPUTRUL	955-956		WHICH LIMBS HAVE RIGHT HAND/ARM?	BEEN AMPUTATED?
		_	9975 0 0 0 1 22	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COU		5=-1,2,-7,-8,-9	
CGB	AMPUTLUL	957-958		WHICH LIMBS HAVE LEFT HAND/ARM?	BEEN AMPUTATED?
			9975 0 0 0 1 22	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 914-915=-1,2,-7,-8,-9

Ques No.	Variable Name		Counts	Variable Descr	iption and Codes
cec	AMPUTRLL	959-960		WHICH LIMBS HAVE RIGHT FOOT/LEG?	BEEN AMPUTATED?
			Ō	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	914-915	=-1,2,-7,-8,-9	
CGD	AMPUTLLL	961-962		WHICH LIMBS HAVE LEFT FOOT/LEG?	BEEN AMPUTATED?
			_	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	. 914-915	≃-1,2,-7,-8,-9	
C7A	OTLMBRUL	963-964		WHICH LIMBS ARE ARTHRITIS OR OTH RIGHT HAND/ARM?	
			9483 0 3 0 235 277	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: (COL 918-919--1.2,-7,-8,-9 AND COL 916-917--1,2,-7,-8,-9)

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
С7В	OTLMBLUL	965-966		WHICH LIMBS ARE ARTHRITIS OR OTH LEFT HAND/ARM?	
			9483 0 3 0 210 302	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
		.ICABLE: CO 6-917=-1,2,		9=-1,2,-7,-8,-9 AN	ND
C7C	OTLMBRLL	967-968		WHICH LIMBS ARE ARTHRITIS OR OTH RIGHT FOOT/LEG?	
			9483	-1	INAPPLICABLE
			О	-7	REFUSED
			6	-8	DON'T KNOW
			0	-9 ,	NOT ASCERTAINED
			299	1	YES
			210	2	NO
		ICABLE: (C		19=-1,2,-7,-8,-9 A	AND
C7D	OTLMBLLL	969-970		WHICH LIMBS ARE ARTHRITIS OR OTH LEFT FOOT/LEG?	
			9483	-1	INAPPLICABLE
			0	-7	REFUSED
			5	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			285	1	YES
			225	2	NO
				_	
	INAPPL	ICABLE: (C	OL 918-91	19=-1.2789 A	AND

INAPPLICABLE: (COL 918-919--1,2,-7,-8,-9 AND COL 916-917--1,2,-7,-8,-9)

Ques No.	Variable Name 	Column Number(s)	Counts	Varı 	able Description and Codes
	LIM_CONT	971-972		SUBJEC	T'S LIMB USE STATUS
			472 0 0 0 9316 84 126	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED USE OF AT LEAST ONE LOWER LIMB NO USE OF ANY LIMBS NO USE OF LOWER LIMBS

INAPPLICABLE: COL 12-13=3

THIS VARIABLE WAS CREATED TO SUMMARIZE A SUBJECT'S LIMB USE CAPACITY BASED ON THE RESPONSES TO Q.C3-C7D (COL 910-970). THIS VARIABLE ALSO DETERMINED WHETHER Q.E1 CODED IN COL 1275-1276 WAS ASKED. ONLY SUBJECTS WITH THE USE OF AT LEAST ONE LOWER LIMB WERE ASKED Q.E1.

CBA	USEEQUIP	973-974			USE SPECIAL EQUIPMENT TO BATHE, WALK, DRESS, OR
			3173	- 1	INAPPLICABLE
			О	-7	REFUSED
			5	-8	DON'T KNOW
			95	-9	NOT ASCERTAINED
			167	1	YES
			6558	2	NO

INAPPLICABLE: (COL 12-13=1 AND COL 166-167=1) OR (COL 12-13=1 AND COL 166-167=2 AND COL 904-905=1) OR (COL 12-13=3)

THE RESPONSES TO Q.C8BA-H ARE CODED ALONG WITH THE RESPONSES TO Q.C9A-H IN COL 975-990.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
C9A	SPBATH	975-976		DOES SUBJECT US	E SPECIAL DEVICES IN
	INAPPL	ICABLE: (CC	7130 0 6 19 444 2399	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO (COL 12-13=3)
С9В	CANE	977-978		DOES SUBJECT US	E A CANE?
	 TNAPPI		7130 0 3 19 580 2266	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
			)L 9/3-9/		
C9C	ARTLIMBS	979-980	7130 0 0 19 26 2823	DOES SUBJECT USE -1 -7 -8 -9 1	INAPPLICIAL LIMB(S)?  INAPPLICABLE  REFUSED  DON'T KNOW  NOT ASCERTAINED  YES  NO
	INAPPL	ICABLE: (CC	DL 973-97	4=2,-7,-8,-9 ) OF	R (COL 12-13=3)
C9D	WALKER	981-982		DOES SUBJECT USE	WALKER OR CRUTCHES?
			7130 0 0 19 265 2584	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (CC	L 973-97	4=2,-7,-8,-9) OR	(COL 12-13=3)

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desci	ription and Codes
C9E	WHEELCHR	983-984		DOES SUBJECT USE	A WHEELCHAIR?
			7130	~1	INAPPLICABLE
			0	-7	REFUSED
			2	-8	DON'T KNOW
			19	-9	NOT ASCERTAINED
			244	1	YES
			2603	2	NO
	INAPPL	ICABLE: (COL	973-97	74=2,-7,-8,-9) OR	(COL 12-13=3)
C9F	DEVICES	985-986		DOES SUBJECT USE	DEVICES FOR DRESSING?
			7130	- 1	INAPPLICABLE
			0	-7	REFUSED
			5	-8	DON'T KNOW
			19	-9	NOT ASCERTAINED
			39	1	YES
			2805	2	NO
	INAPPL	ICABLE: (COL	973-97	4=2,-7,-8,-9) OR	(COL 12-13=3)
C9G	SPCHAIR	987-988			SPECIAL OR BUILT UP
				CHAIR OR TOILET?	_
			7130	-1	INAPPLICABLE
			0	-7	REFUSED
			5	-8	DON'T KNOW
			19	-9	NOT ASCERTAINED
			157	1	YES
			2687	2	NO
	INAPPL	ICABLE: (COL	973-97	4=2,-7,-8,-9) OR	(COL 12-13=3)
СЭН	EATDEV	989-990		DOES SUBJECT USE DEVICES?	SPECIAL EATING
				_	
			7130	-1	INAPPLICABLE
			0	~7	REFUSED
			2 19	-8 -9	DON'T KNOW
			23	-9 1	NOT ASCERTAINED YES
			2824	2	NO NO
				_	

INAPPLICABLE: (COL 973-974=2,-7,-8,-9) OR (COL 12-13=3)

PART C: FUNCTIONAL LIMITATION

Ques No	Variable Name	Column Number(s)	Counts	Variable	Description and Codes
<b></b>					
	CFREQ	991-992		ACTIVITIES	QUESTIONS DETERMINATOR
			472	<b>- 1</b>	INAPPLICABLE
			84	1	ASK NO ACTIVITY QUESTIONS
			158	2	ASK SPECIFIED ACTIVITY QUESTIONS
			97	3	ASK SPECIFIED ACTIVITY QUESTIONS
			2407	4	ASK ALL ACTIVITY QUESTIONS
			2055	5	ASK ALL ACTIVITY QUESTIONS
			4612	6	ASK SPECIFIED ACTIVITY QUESTIONS
			92	7	ASK NO ACTIVITY QUESTIONS
			21	8	ASK NO ACTIVITY QUESTIONS

INAPPLICABLE: COL 12-13=3

THIS VARIABLE DETERMINED WHICH OF THE ACTIVITY QUESTIONS THE RESPONDENT WAS ASKED. IF THE SUBJECT CAN NOT USE ANY OF HIS OR HER LIMBS (COL 971-972 IS CODED 2). THIS VARIABLE IS CODED 1 AND THE RESPONDENT WAS NOT ASKED QUESTIONS C10 THROUGH C32. IF THE SUBJECT IS BEDRIDDEN (COL 904-905 IS CODED 1), THIS VARIABLE IS CODED 2 AND THE RESPONDENT WAS ASKED QUESTIONS C14,C15,C16,C23, AND C27 ONLY. IF THE SUBJECT CAN NOT USE BOTH LOWER LIMBS (COL 971-972 IS CODED 3) AND THE SUBJECT IS NOT BEDRIDDEN (COL 904-905 IS NOT CODED 1), THIS VARIABLE IS CODED 3 AND THE RESPONDENT WAS ASKED QUESTIONS C10.C12-C16, C2O.C22-C24, AND C26-C28 ONLY. IF THE SUBJECT WAS 55 YEARS OF AGE OR OLDER AT THE TIME OF THE NHANES I EXAM (1971-75) AND IS NOT BEDRIDDEN (COL 904-905 IS NOT CODED 1) AND CAN USE AT LEAST ONE LOWER LIMB (COL 971-972 IS CODED 1), THIS VARI-ABLE IS CODED 4 AND THE RESPONDENT WAS ASKED QUESTIONS C10 THROUGH C32. IF THE SUBJECT WAS LESS THAN 55 YEARS OF AGE AT THE TIME OF THE NHANES I EXAM AND IS NOT BEDRIDDEN (COL 904-905 IS NOT CODED 1) AND CAN USE AT LEAST ONE LOWER LIMB (COL 971-972 IS CODED 1) AND EITHER USES AT LEAST ONE TYPE OF SPECIAL EQUIPMENT (AT LEAST ONE OF THE VARIABLES CODED IN COL 975-990 IS CODED 1) OR HAS ARTHRITIS (COL 551-552 IS CODED 1), THIS VARIABLE IS CODED 5 AND THE RESPONDENT WAS ASKED QUESTIONS C10-C32. IF THE SUBJECT WAS LESS THAN 55 YEARS OF AGE AT THE TIME OF THE NHANES I EXAM AND CAN USE AT LEAST ONE LOWER LIMB (COL 971-972 IS CODED 1), AND DOES NOT HAVE ARTHRITIS COL (551-552 IS NOT CODED 1), AND DOES NOT USE ANY TYPE OF SPECIAL EQUIPMENT (NO CODE OF 1 IN COL 975-990) THIS VARIABLE IS CODED 6 AND THE RESPONDENT WAS ASKED QUESTIONS C17,C19,C21,C24,C25, AND C29-C32.

NO ACTIVITY QUESTIONS WERE ASKED IF THE SUBJECT WAS DECEASED (COL 991-992 IS CODED -1) OR IF THE 1987 INTERVIEW WAS CONDUCTED BY MAIL (COL 991-992 IS CODED 7) OR IF THE SUBJECT PARTIALLY COMPLETED THE INTERVIEW (COL 991-992 IS CODED 8) AND THE BREAK-OFF OCCURRED BEFORE THE BEGINNING OF SECTION C.

No.	Name	Number(s)	Counts	Variable Description and Codes
Ques	Variable	Column		

THE INTERVIEWERS WERE GIVEN THE OPTION OF USING A CODE OF 5 (INAPPROPRIATE ACTIVITY) FOR ACTIVITY QUESTIONS IN COLUMN A OF THE SUBJECT QUESTIONNAIRE. THIS CODE WAS USED IF THE INTERVIEWERS FELT THAT A PARTICULAR QUESTION WOULD BE UPSETTING TO THE RESPONDENT DUE TO PHYSICAL CONDITION OF THE SUBJECT, I.E. THE RESPONDENT HAD INDICATED THAT THE SUBJECT COULD NOT DO THE ACTIVITY.

C10A	C 10A	993-994	DOE	DOES SUBJECT HAVE DIFFICULTY			
			DRE	SSING SELF?			
		5439	- 1	INAPPLICABLE			
		0	-7	REFUSED			
		10	-8	DON'T KNOW			
		9	-9	NOT ASCERTAINED			
		411	1	YES (DIFFICULTY)			
		4036	2	NO DIFFICULTY			
		54	3	NEVER DOES WITHOUT HELP			
		34	4	NEVER DOES ACTIVITY			
		5	5	INAPPROPRIATE ACTIVITY			

INAPPLICABLE: COL 991-992=-1,1,2,6,7,8

C10B	CIOB	995-996	<u>IF SUB</u>	JECT HAS DIFFICULTY,	HOW MUCH
			DIFFIC	JLTY DOING ACTIVITY?	
		_			
		9587	- 1	INAPPLICAE	BLE
		C	-7	REFUSED	
		5	-8	DON'T KNOW	1
		C	-9	NOT ASCERT	「AINED
		280	1	SOME DIFF	CULTY
		75	2	MUCH DIFF	CULTY
		5 1	3	UNABLE TO	DO

INAPPLICABLE: COL 993-994=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
C 10C	C10C	997-998		DOES SUBJECT HAVE HELP FROM ANOTHER PERSON?	
			9818	-1 INAPPLICABLE	
			0	-7 REFUSED	
			Ō	-8 DON'T KNOW	
			0	-9 NOT ASCERTAINED	
			139	1 YES	
			41	2 NO	
0.400			L 993-99	94=-1,1,2,4,5,-7,-8,-9 AND COL 995-996=-1,	1,-7,-8,-9)
C 10D	C 10D	999-1000		DOES SUBJECT HAVE HELP FROM MECHANICAL AID?	
			9818	~1 INAPPLICABLE	
			0	-7 REFUSED	
			0	-8 DON'T KNOW	
			0	-9 NOT ASCERTAINED	
			13	1 YES	
			167	2 NO	
	INAP	PLICABLE: COL	997-998	B=-1	
C10E	C10E	1001-1002		WITH HELP, HOW MUCH DIFFICULTY DOING ACTIVITY?	
			9852	-1 INAPPLICABLE	
			0	-7 REFUSED	
			2	-8 DON'T KNOW	
			ō	-9 NOT ASCERTAINED	
			35	1 NO DIFFICULTY	
			59	2 SOME DIFFICULTY	
			27	3 MUCH DIFFICULTY	
			23	4 UNABLE TO DO	
	INAP	PLICABLE: (COI	_ 997-99	98=-1,2,-7,-89 AND COL 999-1000=-1,2,-7,	-8,-9)

Ques No.	Varia Name	able	Column Number(s)	Counts	Variable	e Description and Codes
C11A	C11A		1003-1004		DOES SUBJE	ECT HAVE DIFFICULTY STANDING RMLESS STRAIGHT CHAIR?
				5536	- 1	INAPPLICABLE
				0	-7	REFUSED
				9	-8	DON'T KNOW
				8	-9	NOT ASCERTAINED
				550	1	YES (DIFFICULTY)
				3825	2	NO DIFFICULTY
				43	3	NEVER DOES WITHOUT HELP
				23	4	NEVER DOES ACTIVITY
				4	5	INAPPROPRIATE ACTIVITY
C11B	B C11B 1005-1006		IF SUBJECT HAS DIFFICULTY, HOW MUCH DIFFICULTY DOING ACTIVITY?			
				9448	- 1	INAPPLICABLE
				0	-7	REFUSED
				3	-8	DON'T KNOW
				0	-9	NOT ASCERTAINED
				434	1	SOME DIFFICULTY
				74	2	MUCH DIFFICULTY
				39	3	UNABLE TO DO
		INAPPL	ICABLE: CO	L 1003-10	004=-1,2-5,-	7,-8,-9
C11C	C11C		1007-1008		DOES SUBJE PERSON?	CT HAVE HELP FROM ANOTHER
				9842	- 1	INAPPLICABLE
				Ö	-7	REFUSED
				1	-8	DON'T KNOW
				0	-9	NOT ASCERTAINED
				82	1	YES
				73	2	NO
		INAPPL	CABLE: (C	_	_	NO 4,5,-7,-8,-9 AND COL 1005-1006=-1,1,-7,

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descrip	otion and Codes
C11D	C11D	1009-1010		DOES SUBJECT HAVE	HELP FROM MECHANICAL
			9842 0 0 0 76 80	-7 R -8 D -9 N 1 Y 2 N	NAPPLICABLE REFUSED RON'T KNOW ROT ASCERTAINED RES ROOT
	INAPPL	ICABLE: CO	L 1007-10	IOB = - 1	
C11E	C11E	1011-1012		WITH HELP, HOW MUC	CH DIFFICULTY DOING
	INAPPL	ICABLE: (C	9877 O 2 O 18 74 18 9	-7 R -8 D -9 N 1 N 2 S 3 M 4	NAPPLICABLE REFUSED RON'T KNOW ROT ASCERTAINED RO DIFFICULTY ROME DIFFICULTY RUCH DIFFICULTY RABLE TO DO  AND COL 1009-1010=-1,2,-7,-8,-9)
C 12A	C12A	1013-1014		DOES SUBJECT HAVE INTO AND OUT OF BE	DIFFICULTY GETTING D?
			5439 O 11 9 328 4139 55 14 3	-7 R -8 D -9 N 1 Y 2 N 3 N 4 N 5 I	NAPPLICABLE REFUSED RON'T KNOW ROT ASCERTAINED RES (DIFFICULTY) RO DIFFICULTY REVER DOES WITHOUT HELP REVER DOES ACTIVITY NAPPROPRIATE ACTIVITY

INAPPLICABLE: COL 991-992=-1,1,2,6,7,8

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
C 12B	C12B	1015-1016		IF SUBJECT HAS D	DIFFICULTY, HOW MUCH G ACTIVITY?
	INAPPL	ICABLE: CO	50 20	2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED SOME DIFFICULTY MUCH DIFFICULTY UNABLE TO DO
C12C	C12C	1017-1018		DOES SUBJECT HAV	'E HELP FROM ANOTHER
			-	-7 -8	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
			DL 1013-1		7,-8,-9 AND COL 1015-1016=-1,1,-7,-8,-9)
C12D	C12D	1019-1020	9873 O 1 O 36 88	DOES SUBJECT HAV AID?  -1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 1017-1018=-1

160

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
C12E	C12E	1021-1022		WITH HELP, HOW MUCH DIFFICULTY DOING
			9890	-1 INAPPLICABLE
			9690	-1 INAPPLICABLE -7 REFUSED
			1	-8 DON'T KNOW
			Ö	-9 NOT ASCERTAINED
			12	1 NO DIFFICULTY
			54	2 SOME DIFFICULTY
			26	3 MUCH DIFFICULTY
			15	4 UNABLE TO DO
	INA	PPLICABLE: (COL	_ 1017-	1018=-1,2,-7,-8,-9 AND COL 1019-1020=-1,2,-7,-8,-9
AE13	C13A	1023-1024		DOES SUBJECT HAVE DIFFICULTY PREPARING MEALS?
			5439	-1 INAPPLICABLE
			0	-7 REFUSED
			6	-8 DON'T KNOW
			10	-9 NOT ASCERTAINED
			197	
			4037	2 NO DIFFICULTY
			28	3 NEVER DOES WITHOUT HELP
			264	4 NEVER DOES ACTIVITY
			17	5 INAPPROPRIATE ACTIVITY
	INA	PPLICABLE: COL	991-99	92=-1,1,2,6,7,8
C 13B	C13B	1025-1026		IF SUBJECT HAS DIFFICULTY, HOW MUCH DIFFICULTY DOING ACTIVITY?
				DITTION DOING MAILTIN.
			9801	-1 INAPPLICABLE
			0	-7 REFUSED
			1	-8 DON'T KNOW
			Ó	-9 NOT ASCERTAINED
			112	1 SOME DIFFICULTY
			49	2 MUCH DIFFICULTY
			35	3 UNABLE TO DO
	INA	PPLICABLE: COL	1023-1	024=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No .	Variable Name	Column Number(s) Counts	Variable Desc	ription and Codes
C 13C	C13C	1027-1028	DOES SUBJECT HAY PERSON?	VE HELP FROM ANOTHER
	INAPPL	9886 0 0 0 92 20 .ICABLE: (COL 1023	-9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO 7,-8,-9 AND COL 1025-1026=-1,1,-7,-8,-9)
C14A	C14A	1029-1030	DOES SUBJECT HAV	VE DIFFICULTY CUTTING
	INAPPL	5281 0 14 9 241 4273 56 112 12 ICABLE: COL 991-98	-8 -9 1 2 3 4 5	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES (DIFFICULTY) NO DIFFICULTY NEVER DOES WITHOUT HELP NEVER DOES ACTIVITY INAPPROPRIATE ACTIVITY
C14B	C14B	1031-1032	IF SUBJECT HAS D	DIFFICULTY, HOW MUCH G ACTIVITY?
		9757 O 1 O 157 33 50	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED SOME DIFFICULTY MUCH DIFFICULTY UNABLE TO DO

INAPPLICABLE: COL 1029-1030=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s) Co	ounts	Variable Descr	ription and Codes
C14C	C14C	1033-1034		DOES SUBJECT HAV PERSON?	'E HELP FROM ANOTHER
			9859	- 1	INAPPLICABLE
			0	-7	REFUSED
			2	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			124	1	YES
			13	2	NO
	INAPPL	ICABLE: (COL	1029-1	030=-1,1,2,4,5,-7	,-8,-9 AND COL 1031-1032=-1,1,-7,-8,-9)
C15A	C15A	1035-1036		DOES SUBJECT HAV	'E DIFFICULTY LIFTING
				FULL CUP OR GLAS	S TO MOUTH?
			5281 0 11 9 191 4472 15 14 5	-1 -7 -8 -9 1 2 3 4	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES (DIFFICULTY) NO DIFFICULTY NEVER DOES WITHOUT HELP NEVER DOES ACTIVITY INAPPROPRIATE ACTIVITY
	INAPPL	ICABLE: COL 9	991-992	=-1,1,6,7,8	
C15B	C15B	1037-1038		IF SUBJECT HAS D	IFFICULTY, HOW MUCH ACTIVITY?
			9807 0 2 0 152 24 13	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED SOME DIFFICULTY MUCH DIFFICULTY UNABLE TO DO

INAPPLICABLE: COL 1035-1036=-1,2-5,-7,-8,-9

Ques No.	Variable Name	Column Number(s) Co	ounts	Variable Descr	iption and Codes
C15C	C15C	1039-1040		DOES SUBJECT HAV PERSON?	E HELP FROM ANOTHER
			9946	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			ō	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			34	1	YES
			18	2	NO NO
			1035-1		,-8,-9 AND COL 1037-1038=-1,1,-7,-8,-9)
C16A	C16A	1041-1042			E DIFFICULTY OPENING
				A NEW MILK CARTO	<u>N?</u>
			5004	4	TNADOL TOARLE
			5281 0	-1 -7	TNAPPLICABLE REFUSED
			22	-8	DON'T KNOW
			11	-9	NOT ASCERTAINED
			405	1	YES (DIFFICULTY)
			4085	2	NO DIFFICULTY
			29	3	NEVER DOES WITHOUT HELP
			152	4	NEVER DOES ACTIVITY
			13	5	INAPPROPRIATE ACTIVITY
	INAPPL	ICABLE: COL 9	91-992	=-1,1,6,7,8	
C16B	C16B	1043-1044		IF SUBJECT HAS D	IFFICULTY, HOW MUCH ACTIVITY?
			9593	- 1	INAPPLICABLE
			0	-7	REFUSED
			3	-8	DON'T KNOW
			Ö	-9	NOT ASCERTAINED
			296	1	SOME DIFFICULTY
			57	2	MUCH DIFFICULTY
			49	3	UNABLE TO DO

INAPPLICABLE: COL 1041-1042=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Varial Name	Number(s)	Counts	Variable	Description and Codes
C16C	C16C	1045-1046		DOES SUBJECT	CT HAVE HELP FROM ANOTHER
			9863	-1	INAPPLICABLE
			0	-7	REFUSED
			2	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			118	1	YES
			15	2	NO
C17A	C17A	1047-1048	JL 1041~	DOES SUBJE	4,5,-7,-8,-9 AND COL 1043-1044=-1,1,-7,-8,-9)  CT HAVE DIFFICULTY WALKING 2-3 BLOCKS)?
			924	-1	INAPPLICABLE
			0	-7	REFUSED
			19	- <b>8</b>	DON'T KNOW
			7	-9	NOT ASCERTAINED
			808	1	YES (DIFFICULTY)
			7780	2	NO DIFFICULTY
			69	3	NEVER DOES WITHOUT HELP
			370	4	NEVER DOES ACTIVITY
			21	5	INAPPROPRIATE ACTIVITY
C17B	C17B	INAPPLICABLE: COL	L 991-992	IF SUBJECT	HAS DIFFICULTY, HOW MUCH
				DILLICOFIA	DOING ACTIVITY?
			9190	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			10	- <b>8</b>	DON'T KNOW
			Ō	-9	NOT ASCERTAINED
			449	1	SOME DIFFICULTY
			155	2	MUCH DIFFICULTY
			194	3	UNABLE TO DO

INAPPLICABLE: COL 1047-1048=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name 	Column Number(s) Counts	S Variable Description and Codes
C17C	C17C	1051-1052	DOES SUBJECT HAVE HELP FROM ANOTHER PERSON?
	INAPPL	9580 C 8 2 156 252 .ICABLE: (COL 1047	D -7 REFUSED B -8 DON'T KNOW 2 -9 NOT ASCERTAINED G 1 YES
C17D	C17D	1053-1054	DOES SUBJECT HAVE HELP FROM MECHANICAL AID?
		958C 11 168 238	D -7 REFUSED 1 -8 DON'T KNOW 1 -9 NOT ASCERTAINED 3 1 SOME DIFFICULTY 3 2 MUCH DIFFICULTY
	INAPPL	ICABLE: COL 1051-	-1052=-1
C17E	C17E	1055-1056 9747 0 2 0 45 105 48 51	7 REFUSED 2 -8 DON'T KNOW 5 -9 NOT ASCERTAINED 5 1 NO DIFFICULTY 6 2 SOME DIFFICULTY 8 3 MUCH DIFFICULTY

INAPPLICABLE: (COL 1051-1052=-1,2,-7,-8,-9 AND COL 1053-1054=-1,2,-7,-8,-9)

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s) Counts	Variable Description a	nd Codes 
C18A	C18A	1057-105B	DOES SUBJECT HAVE DIFFIC FROM ONE ROOM TO ANOTHER	ULTY WALKING ?
		9153	-1 INAPPLI	CABLE
		0	-7 REFUSED	
		3	-8 DON'T K	
		78	-9 NOT ASC	ERTAINED
		120		FFICULTY)
		540	2 NO DIFF	ICULTY
		59	3 NEVER D	OES WITHOUT HELP
		37		OES ACTIVITY
		8	5 INAPPRO	PRIATE ACTIVITY
C18B		1059-1060	1048=-1,2) OR (COL 1049-10 IF SUBJECT HAS DIFFICULT DIFFICULTY DOING ACTIVIT	Y, HOW MUCH
		9878	-1 INAPPLI	CABLE
	_		-7 REFUSED	
		1	-8 DON'T K	
		0	-9 NOT ASC	ERTAINED
		73		FFICULTY
		26	2 MUCH DI	FFICULTY
		20	3 UNABLE	TO DO
C18C		PLICABLE: COL 1057-1	DOES SUBJECT HAVE HELP F	ROM ANOTHER
			PERSON?	
		9893 O 2 O 47 56	-1 INAPPLIA -7 REFUSED -8 DON'T K -9 NOT ASC 1 YES 2 NO	
	INAP	PLICABLE: (COL 1057-	1058=-1,1,2,4,5,-7,-8,-9 A	ND COL 1059-1060=-1,1,-7,-8,-9)

PART C. FUNCTIONAL LIMITATION

Ques No	Variable Name	Column Number(s) Counts	Variable Description and Codes
C1BD	C18D	1063-1064	DOES SUBJECT HAVE HELP FROM MECHANICAL AID?
	INAPP	9893 6 2 70 70 33 LICABLE: COL 1061-	-7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	210011	21048222	1002
C18E	C18E	1065-1066	WITH HELP, HOW MUCH DIFFICULTY DOING ACTIVITY?
		9907 C C 25 40 15	-7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 NO DIFFICULTY 2 SOME DIFFICULTY 3 MUCH DIFFICULTY
	INAPP	LICABLE: (COL 1061	-1062=-1,2,-7,-8,-9 AND COL 1063-1064=-1,2,-7,-8,-9)
C 19A	C19A	1067-1068	DOES SUBJECT HAVE DIFFICULTY WALKING UP AND DOWN AT LEAST TWO STEPS?
	The DO	924 6 5 6 550 8337 85 74 15	-7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES (DIFFICULTY) 2 NO DIFFICULTY 3 NEVER DOES WITHOUT HELP 4 NEVER DOES ACTIVITY 5 INAPPROPRIATE ACTIVITY
	INAPP	LICABLE: COL 991-9	92=-1,1,2,3,7,8

PART C: FUNCTIONAL LIMITATION

Ques No 	Variable Name	Column Number(s) Count	S Variable Description and Codes
C19B	C19B	1069-1070	IF SUBJECT HAS DIFFICULTY, HOW MUCH DIFFICULTY DOING ACTIVITY?
	INAPPL	379 119 50	D -7 REFUSED DON'T KNOW D -9 NOT ASCERTAINED D 1 SOME DIFFICULTY D 2 MUCH DIFFICULTY
C19C	C19C	1071-1072	
	INAPPL	ICABLE: (COL 106	7-1068=-1,1,2,4,5,-7,-8,-9 AND COL 1069-1070=-1,1,-7,-8,-9)
C 19D	C 19D	1073-1074	DOES SUBJECT HAVE HELP FROM MECHANICAL AID?
		(	O -7 REFUSED B -8 DON'T KNOW O -9 NOT ASCERTAINED 4 1 YES

INAPPLICABLE: COL 1071-1072=-1

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
C19E	C19E	1075-1076		WITH HELP, HOW MUCH DIFFICULTY DOING ACTIVITY?
			9820 0 2 0 43 82 41	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 NO DIFFICULTY 2 SOME DIFFICULTY 3 MUCH DIFFICULTY 4 UNABLE TO DO
	INA	PPLICABLE: (COL	1071-	1072=-1,2,-7,-8,-9 AND COL 1073-1074=-1,2,-7,-8,-9)
C20A	C20A	1077-1078		DOES SUBJECT HAVE DIFFICULTY GETTING IN AND OUT OF BATHTUB?
	ANI	PPLICABLE: COL	14	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES (DIFFICULTY) 2 NO DIFFICULTY 3 NEVER DOES WITHOUT HELP 4 NEVER DOES ACTIVITY 5 INAPPROPRIATE ACTIVITY
C20B	C2OB	1079-1080		IF SUBJECT HAS DIFFICULTY, HOW MUCH DIFFICULTY DOING ACTIVITY?
			9445 0 6 0 335 122 90	SOME DIFFICULTY MUCH DIFFICULTY UNABLE TO DO
	INA	PPLICABLE: COL	1077-10	1078=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s) Counts	Variable Description and Codes
C20C	C20C	1081-1082	DOES SUBJECT HAVE HELP FROM ANOTHER PERSON?
	TANA DE S	9654 0 3 2 196 143	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
			1078=-1,1,2,4,5,-7,-8,-9 AND COL 1079-1080=-1,1,-7,-8,-9)
C20D	C2OD	1083-1084	DOES SUBJECT HAVE HELP FROM MECHANICAL AID?
		9654 0 10 0 139 195	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPI	LICABLE: COL 1081-1	082=-1
C20E.	C20E	1085-1086 9730 1 5 0 61	WITH HELP, HOW MUCH DIFFICULTY DOING ACTIVITY?  -1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 NO DIFFICULTY
	,	112 69 20	2 SOME DIFFICULTY 3 MUCH DIFFICULTY 4 UNABLE TO DO

INAPPLICABLE: (COL 1081-1082=-1,2,-7,-8,-9 AND COL 1083-1084=-1,2,-7,-8,-9)

Ques No.	Varial Name	Number(	s) Counts	Variable Des	cription and Codes			
C21A	C21A	1087-10	88	DOES SUBJECT H.	AVE DIFFICULTY WASHING LE BODY?			
			827	-1	INAPPLICABLE			
			0	- <del>7</del>	REFUSED			
			11	-8	DON'T KNOW			
			5	-9	NOT ASCERTAINED			
			305	1	YES (DIFFICULTY)			
			8702	2	NO DIFFICULTY			
			98	3	NEVER DOES WITHOUT HELP			
			45	4	NEVER DOES ACTIVITY			
			5	5	INAPPROPRIATE ACTIVITY			
	INAPPLICABLE: COL 991-992=-1,1,2,7,8							
C21B	C21B	1089-109	90	IF SUBJECT HAS	DIFFICULTY, HOW MUCH			
				DIFFICULTY DOING ACTIVITY?				
			0.700		THADDL TOARL F			
			9693	- 1 - 7	INAPPLICABLE REFUSED			
			0	- 7 - 8	DON'T KNOW			
			0	-9	NOT ASCERTAINED			
			210	1	SOME DIFFICULTY			
			67	2	MUCH DIFFICULTY			
			28	3	UNABLE TO DO			
				•				
INAPPLICABLE: COL 1087-1088=-1,2-5,-7,-8,-9								
C21C	C21C	1091-10	92	DOES SUBJECT H	AVE HELP FROM ANOTHER			
			9805	-1	INAPPLICABLE			
			0	-7	REFUSED			
			Ö	-8	DON'T KNOW			
			ŏ	-9	NOT ASCERTAINED			
			164	1	YES			
			29	2	NO			
		INAPPLICABLE: (COL 1087-1088=-1,1,2,4,5,-7,-8,-9 AND COL 1089-1090=-1,1,-7,-8,-9)						

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s) Cou	unts	Variable Description and Codes			
C22A	C22A	1093-1094		DOES SUBJECT HAV	E DIFFICULTY GETTING		
				ON AND OFF TOILE			
		,	5439	-1	INAPPLICABLE		
			0	-7	REFUSED		
			10	-8	DON'T KNOW		
			11	-9	NOT ASCERTAINED		
			244	1	YES (DIFFICULTY)		
		4	4201	2	NO DIFFICULTY		
			76	3	NEVER DOES WITHOUT HELP		
			12		NEVER DOES ACTIVITY		
			5	5	INAPPROPRIATE ACTIVITY		
C22B	INAPPLICABLE: COL 991-992=-1,1,2,6,7,8  C22B C22B 1095-1096 IF SUBJECT HAS DIFFICULTY, HOW MUCH						
6220	0220	1055 1050		<u>IF SUBJECT HAS DIFFICULTY, HOW MUCH</u> DIFFICULTY DOING ACTIVITY?			
				DITTIONET DOING	NOTETAL		
		!	9754	- 1	INAPPLICABLE		
	<del></del> -		. 0	-7	REFUSED		
			2	-8	DON'T KNOW		
			0	-9	NOT ASCERTAINED		
			176		SOME DIFFICULTY		
			40		MUCH DIFFICULTY		
			26	3	UNABLE TO DO		
	INAPP	LICABLE: COL 10	093-10	94=-1,2-5,-7,-8,-	9		
C22C	C22C C22C 1097-1098		DOES SUBJECT HAVE HELP FROM ANOTHER PERSON?				
		!	9856	-1	INAPPLICABLE		
		•	0	- <del>7</del>	REFUSED		
			1	-8	DON'T KNOW		
			Ö	-9	NOT ASCERTAINED		
			87	1	YES		
			54	2	NO		
	•						
	INAPPLICABLE: (COL 1093-1094=-1,1,2,4,5,-7,-8,-9 AND COL 1095-1096=-1,1,-7,-8,-9						

Ques No.	Variable Name 		Counts	Variable Descr	iption and Codes
C22D	C22D	1099-1100		DOES SUBJECT HAVE	E HELP FROM MECHANICAL
			9856 0 6 0 67 69	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	1097-10	98=-1	
C22E	C22E	1101-1102		WITH HELP, HOW MU	UCH DIFFICULTY DOING
			9877 O 2 O 17 54 35 13	-1 -7 -8 -9 1 2 3	
	INAPPI	_ICABLE: (CO	L 1097-	1098=-1,2,-7,-8,-9	AND COL 1099-1100=-1,2,-7,-8,-9)
C23A	C23A 1103-1104		DOES SUBJECT HAVE HAIR?	E DIFFICULTY COMBING	
			5281 0 10 10 251 4306 43 80 17	-1 -7 -8 -9 1 2 3 4	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES (DIFFICULTY) NO DIFFICULTY NEVER DOES WITHOUT HELP NEVER DOES ACTIVITY INAPPROPRIATE ACTIVITY

PART C: FUNCTIONAL LIMITATION

Ques No .	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes		
		<del>-</del>			· 		
COOR	C23B	1105-1106		TE SUBJECT HAS (	TEETCHITY HOW MIICH		
C23B	C23D	1103 1100		IF SUBJECT HAS DIFFICULTY, HOW MUCH DIFFICULTY DOING ACTIVITY?			
					<del></del>		
			9747	-1	INAPPLICABLE		
			0	-7	REFUSED		
			2	-8	DON'T KNOW		
			0	-9	NOT ASCERTAINED		
			186	1	SOME DIFFICULTY		
			39	2	MUCH DIFFICULTY		
			24	3	UNABLE TO DO		
	*****			101-105 7 0	•		
	INAPPL	TCABLE: CO	L 1103-1	104=-1,2-5,-7,-8,	-9		
C23C	CORC	1107-1108		DOES SUBJECT HAY	VE HELP FROM ANOTHER		
0200	0200	1101 1100		PERSON?			
				<u>- 21100111</u>			
			9892	- 1	INAPPLICABLE		
			0	<b>-7</b>	REFUSED		
			0	-8	DON'T KNO₩		
			0	-9	NOT ASCERTAINED		
			89	1	YES		
			17	2	NO		
INAPPLICABLE: (COL 1103-1104=-1,1,2,4,5,-7,-8,-9 AND COL 1105-1106=-1,1,-7,-8,-9)							
C244	C24A	1109-1110		DOES SUBJECT HAY	VE DIFFICULTY REACHING		
024A	024A	1105 1110		UP AND GETTING DOWN 5 POUND OBJECT?			
				<u> </u>	<u> </u>		
			827	-1	INAPPLICABLE		
			0	-7	REFUSED		
			30	-8	DON'T KNOW		
			6	-9	NOT ASCERTAINED		
			603	1	YES (DIFFICULTY)		
			8205	2	ND DIFFICULTY		
			32	3	NEVER DOES WITHOUT HELP		
			278	4	NEVER DOES ACTIVITY		
			17	5	INAPPROPRIATE ACTIVITY		

INAPPLICABLE: COL 991-992=-1,1,2,7,8

PART C: FUNCTIONAL LIMITATION

Ques No .	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes		
C24B	C24B	1111-1112		IF SUBJECT HAS DIFFICULTY, HOW MUCH DIFFICULTY DOING ACTIVITY?			
			9395	-1	INAPPLICABLE		
			0	- <del>7</del>	REFUSED		
			2	-8	DON'T KNOW		
			0	-9	NOT ASCERTAINED		
			388	1	SOME DIFFICULTY		
			96	2	MUCH DIFFICULTY		
			117	3	UNABLE TO DO		
C24C		ICABLE: COL	_ 1109-11	DOES SUBJECT HAY PERSON?	-9 <u>/E HELP FROM ANOTHER</u>		
				PERSON!			
			9753	-1	INAPPLICABLE		
		•	0	-7	REFUSED		
			1	-8	DON'T KNOW		
			0	-9	NOT ASCERTAINED		
			177	1	YES		
			67	2	NO		
INAPPLICABLE: (COL 1109-1110=-1,1,2,4,5,-7,-8,-9 AND COL 1111-1112=-1,1,-7,-8,-9)							
C24D	C24D	1115-1116		DOES SUBJECT HAV	VE HELP FROM MECHANICAL		
			9753	-1	INAPPLICABLE		
			9733	-7	REFUSED		
			4	- <b>8</b>	DON'T KNOW		
			ö	-9	NOT ASCERTAINED		
			23	1	YES		
			218	2	NO		

INAPPLICABLE: COL 1113-1114=-1

#### PART C: FUNCTIONAL LIMITATION

Ques No . 	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
C24E	C24E	1117-1118		WITH HELP, HOW M	MUCH DIFFICULTY DOING
	INAPPL	_ICABLE: (C	9811 O 10 O 46 45 18 68	-1 -7 -8 -9 1 2 3 4	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NO DIFFICULTY SOME DIFFICULTY MUCH DIFFICULTY UNABLE TO DO  AND COL 1115-1116=-1,2,-7,-8,-9)
C25A	C25A	1119-1120		DOES SUBJECT HAY	VE DIFFICULTY BENDING G UP CLOTHING?
	INAPPL	.ICABLE: CO	924 O 12 5 715 8247 17 73 5	-1 -7 -8 -9 1 2 3 4 5	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES (DIFFICULTY) NO DIFFICULTY NEVER DOES WITHOUT HELP NEVER DOES ACTIVITY INAPPROPRIATE ACTIVITY
C25B	C25B	1121-1122	9283 0 2 0	DIFFICULTY DOING -1 -7 -8 -9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED
			527 143 43	1 2 3	SOME DIFFICULTY MUCH DIFFICULTY UNABLE TO DO

INAPPLICABLE: COL 1119-1120--1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name 	Column Number(s) C	ounts	Variable Descript	ion and Codes
C25C	C25C	1123-1124		DOES SUBJECT HAVE H PERSON?	HELP FROM ANOTHER
			9795 O 2 O 116 85	-7 RE	
	INAPP	_ICABLE: (COL	1119-	120=-1,1,2,4,5,-7,-8	,-9 AND COL 1121-1122=-1,1,-7,-8,-9)
C25D	C25D	1125-1126		DOES SUBJECT HAVE H	ELP FROM MECHANICAL
			9795 O O O 30 173	-7 RE	
	INAPPI	LICABLE: COL	1123-11	24=-1	
C25E	C <b>25</b> E	1127-1128		WITH HELP, HOW MUCH	DIFFICULTY DOING
			9865 0 3 0 32 47 25 26	-7 RE -8 DO -9 NO 1 NO 2 SO 3 MU	APPLICABLE FUSED N'T KNOW T ASCERTAINED DIFFICULTY ME DIFFICULTY CH DIFFICULTY ABLE TO DO

INAPPLICABLE: (COL 1123-1124--1,2,-7,-8,-9 AND COL 1125-1126--1,2,-7,-8,-9)

# PART C: FUNCTIONAL LIMITATION

Ques No.	Varia Name		olumn umber(s)	Counts	Variable Desc	ription and Codes
C26A C26A		1129-1130			DOES SUBJECT HA	VE DIFFICULTY OPENING
					JARS PREVIOUSLY	OPENED?
				5439	-1	INAPPLICABLE
				0	-7	REFUSED
				14	- B	DON'T KNOW
				11	-9	NOT ASCERTAINED
				315	1	YES (DIFFICULTY)
				4105	2	NO DIFFICULTY
				26	3	NEVER DOES WITHOUT HELP
				79	4	NEVER DOES ACTIVITY
				9	5	INAPPROPRIATE ACTIVITY
		INAPPLICA	ABLE: COL	. 991-992	2=-1,1,2,6,7,8	•
C26B	C26B	1 1	131-1132		TE SUBJECT HAS	<u>DIFFICULTY, HOW MUCH</u>
	0200	• •	101 1102		DIFFICULTY DOIN	G ACTIVITY?
					<u> </u>	<u> </u>
				9683	<b>– 1</b>	INAPPLICABLE
				0	<b>-7</b>	REFUSED
				1	-8	DON'T KNOW
				0	-9	NOT ASCERTAINED
				235	1	SOME DIFFICULTY
				46	2	MUCH DIFFICULTY
				33	3	UNABLE TO DO
		INAPPLICA	BLE: COL	. 1129-1	130=-1,2-5,-7,-8,	-9
C26C	C26C	11	33-1134		DOES SUBJECT HAT	VE HELP FROM ANOTHER
					PERSON?	
				9893	-1	INAPPLICABLE
				0	-7	REFUSED
				0	-8	DON'T KNOW
				0	-9	NOT ASCERTAINED
				79	1	YES
				26	2	NO
			<b>-</b> /			
		INAPPLICA	BLE: (CO	IL 1129-1	1130=-1,1,2,4,5,~	78,-9 AND COL 1131-1132=-1,1,-7,-8,-9)

# PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name 	Column Number(s) Counts	Variable Descr	iption and Codes
C26D	C26D	1135-1136	DOES SUBJECT HAV	E HELP FROM MECHANICAL
	INAPPL	9893 0 2 0 20 83 .ICABLE: COL 1133-1	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
C2 <b>6</b> E	C26E	1137-113B	WITH HELP, HOW M ACTIVITY?	UCH DIFFICULTY DOING
		9908 0 1 0 20 23 13 33	-1 -7 -8 -9 1 2 3	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NO DIFFICULTY SOME DIFFICULTY MUCH DIFFICULTY UNABLE TO DO
				AND COL 1135-1136=-1,2,-7,-8,-9)
C27A	C27A	1139-1140	PEN OR PENCIL TO	E DIFFICULTY USING WRITE WITH?
		5281 0 10 10 468 4066 25 129 9	-1 -7 -8 -9 1 2 3 4	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES (DIFFICULTY) NO DIFFICULTY NEVER DOES WITHOUT HELP NEVER DOES ACTIVITY INAPPROPRIATE ACTIVITY

INAPPLICABLE: COL 991-992=-1,1,6,7,8

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name 	Column Number(s) Co	unts	Variable Descr	iption and Codes	
C27B	C27B	1141-1142		IF SUBJECT HAS D	IFFICULTY, HOW MUCH	
			9530	-1	INAPPLICABLE	
			0	-7	REFUSED	
			3	-8	DON'T KNOW	
			0	-9	NOT ASCERTAINED	
			311	1	SOME DIFFICULTY	
			101	2	MUCH DIFFICULTY	
			53	3	UNABLE TO DO	
	INAP	PLICABLE: COL 1	139-11	40=-1,2-5,-7,-8,-	9	
C27C	C27C	1143-1144		DOES SUBJECT HAV PERSON?	<u>E HELP FROM ANOTHER</u>	
			9819	<b>- 1</b>	INAPPLICABLE	
			0	-7	REFUSED	
			1	-8	DON'T KNOW	
			0	-9	NOT ASCERTAINED	
			122	1	YES	
			56	2	NO	
	INAP	PLICABLE: (COL	1139-1	140=-1,1,2,4,5,-7	,-8,-9 AND COL 1141-1142=-1,1,-7,-8,-9)	
C28A	C28A	1145-1146		DOES SUBJECT HAVE DIFFICULTY GETTING IN AND OUT OF A CAR?		
			5439	- 1	INAPPLICABLE	
			0	-7	REFUSED	
			7	-8	DON'T KNOW	
			12	-9	NOT ASCERTAINED	
			652	1	YES (DIFFICULTY)	
			3741	2	NO DIFFICULTY	
			101	3	NEVER DOES WITHOUT HELP	
			42	4	NEVER DOES ACTIVITY	
			4	5	INAPPROPRIATE ACTIVITY	

INAPPLICABLE: COL 991-992=-1,1,2,6,7,8

#### PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name 	Column Number(s) Counts	Variable Description and Codes
C28B	C28B	1147-1148	IF SUBJECT HAS DIFFICULTY, HOW MUCH DIFFICULTY DOING ACTIVITY?
	INAPPL	9346 O 6 O 502 111 33 LICABLE: COL 1145-1	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 SOME DIFFICULTY 2 MUCH DIFFICULTY 3 UNABLE TO DO
C28C	C28C	1149-1150 9753 1	DOES SUBJECT HAVE HELP FROM ANOTHER PERSON?  -1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW
		0 203 40	-9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: (COL 1145-	-1146=-1,1,2,4,5,-7,-8,-9 AND COL 1147-1148=-1,1,-7,-8,-9)
C28D	C28D	1151-1152	DOES SUBJECT HAVE HELP FROM MECHANICAL AID?
		9753 1 2 O 81 161	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO

INAPPLICABLE: COL 1149-1150=-1

PART C: FUNCTIONAL LIMITATION

Ques No 	Variable Name 	Column Number(s) Coun	its	Variable Description and Codes
C28E	C28E	1153-1154		WITH HELP, HOW MUCH DIFFICULTY DOING ACTIVITY?
	INAPI	1	81 0 1 0 25 06 71 14	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 NO DIFFICULTY 2 SOME DIFFICULTY 3 MUCH DIFFICULTY 4 UNABLE TO DO
C29A	C29A	1155-1156		DOES SUBJECT HAVE DIFFICULTY RUNNING ERRANDS AND SHOPPING?
	INAP	4 81 1	324 1 4 5 164 116 136 330 18	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES (DIFFICULTY) 2 NO DIFFICULTY 3 NEVER DOES WITHOUT HELP 4 NEVER DOES ACTIVITY 5 INAPPROPRIATE ACTIVITY
C29B	C29B	1157-1158		IF SUBJECT HAS DIFFICULTY, HOW MUCH DIFFICULTY DOING ACTIVITY?
			534 0 6 0 291 96 71	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED

INAPPLICABLE: COL 1155-1156=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s) Counts	Variable Descr	ription and Codes			
C29C	C29C	1159-1160	DOES SUBJECT HAV	E HELP FROM ANOTHER			
		9695	-1	INAPPLICABLE			
	•	0	-7	REFUSED			
		1	-8	DON'T KNOW			
		0	-9	NOT ASCERTAINED			
		263	1	YES			
		39	2	NO			
	INAPPL	LICABLE: (COL 1155	-1156=-1,1,2,4,5,-7	7,-8,-9 AND COL 1157-1158=-1,1,-7,-8,-9)			
C3OA	C3OA	1161-1162	DOES SUBJECT HAV	/E DIFFICULTY DOING			
		924	-1	INAPPLICABLE			
		0		REFUSED			
		6	-8	DON'T KNOW			
		5		NOT ASCERTAINED			
		286	1	YES (DIFFICULTY)			
		8452		NO DIFFICULTY			
		29	3	NEVER DOES WITHOUT HELP			
		281	4	NEVER DOES ACTIVITY			
		15	5	INAPPROPRIATE ACTIVITY			
	INAPPLICABLE: COL 991-992=-1,1,2,3,7,8						
СЗОВ	СЗОВ	1163-1164	IF SUBJECT HAS DIFFICULTY DOING	DIFFICULTY, HOW MUCH B ACTIVITY?			
		9712	- 1	INAPPLICABLE			
		9712		REFUSED			
		1	•	DON'T KNOW			
		0		NOT ASCERTAINED			
		197		SOME DIFFICULTY			
		46	· ·	MUCH DIFFICULTY			
		42		UNABLE TO DO			

INAPPLICABLE: COL 1161-1162=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name		Var	iable Description and Codes
СЗОС	C3OC	1165-1166	DOES S	SUBJECT HAVE HELP FROM ANOTHER N?
		9881	- 1	INAPPLICABLE
		0	-7	REFUSED
		1	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		95	1	YES
		21	2	NO
C314	IN C31A	1167-1168		.1,2,4,5,-7,-8,-9 AND COL 1163-1164=-1,1,-7,-8,-9)  SUBJECT HAVE DIFFICULTY LIFTING
COIA	COTA	1107 1105	AND C	ARRYING A FULL BAG OF GROCERIES?
			AIND C	ARRITING A TOLL BAG OF GROCERIES!
		924	- 1	INAPPLICABLE
		0	- <del>7</del>	REFUSED
		26	-8	DON'T KNOW
		5	-9	NOT ASCERTAINED
-		762	1	YES (DIFFICULTY)
		7733	2	NO DIFFICULTY
		84	3	NEVER DOES WITHOUT HELP
		448	4	NEVER DOES ACTIVITY
		16	5	INAPPROPRIATE ACTIVITY
C24B	IN C31B	MAPPLICABLE: COL 991-99:		
CJIB	CSIB	1165-1170		BJECT HAS DIFFICULTY, HOW MUCH CULTY DOING ACTIVITY?
		9236	- 1	INAPPLICABLE
		0	-7	REFUSED
		4	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		500	1	SOME DIFFICULTY
		132	2	MUCH DIFFICULTY
		126	3	UNABLE TO DO

INAPPLICABLE: COL 1167-1168=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name	Column Number(s) Cour	nts	Variable Description and Codes	
C31C	C31C	1171-1172		DOES SUBJECT HAVE PERSON?	E HELP FROM ANOTHER
			556 0 0 0 0 286 56	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (COL 11	67-1	168=-1,1,2,4,5,-7	89 AND COL 1169-1170=-1.178,-9)
C32A	C32A	1173-1174		DOES SUBJECT HAVE HEAVY CHORES?	DIFFICULTY DOING
	INAPPL	8 72 9	024 0 13 5 036 223 62 011 24	3 4 5	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES (DIFFICULTY) NO DIFFICULTY NEVER DOES WITHOUT HELP NEVER DOES ACTIVITY INAPPROPRIATE ACTIVITY
C32B	С32В	1175-1176		IF SUBJECT HAS DI	FFICULTY, HOW MUCH ACTIVITY?
		4	62 0 10 0 99 53 74	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED SOME DIFFICULTY MUCH DIFFICULTY UNABLE TO DO

INAPPLICABLE: COL 1173-1174=-1,2-5,-7,-8,-9

PART C: FUNCTIONAL LIMITATION

Ques No.	Variable Name		s Variable De	escription and Codes				
C32C	C32C	1177-1178	DOES SUBJECT PERSON?	HAVE HELP FROM ANOTHER				
		960	9 -1	INAPPLICABLE				
		<del>-</del>	0 -7	REFUSED				
			3 -8	DON'T KNOW				
			0 -9	NOT ASCERTAINED				
		319	5 1	YES				
		7	1 2	NO				
		LICABLE: (COL 117:		5,-7,-8,-9 AND COL 1175-1176=-1,1,-7,-8,-9) N FROM NURSING HOME ANSWER				
		999	5 <del>-</del> 1	INAPPLICABLE				
			0 -7	REFUSED				
			0 -8	DON'T KNOW				
		•	0 -9	NOT ASCERTAINED				
-			21 ·	YES				
			1 2	NO				
	INAPPLICABLE: (COL 22-23=1,3,4,6) OR (COL 22-23=2,5 AND NURSING HOME PROXY FOR SECTION C NOT NEEDED)							

BLANK

1181-1222

PART D: SMOKING AND ALCOHOLIC BEVERAGES

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
DO	PRXSMDRD	1223-1224		CAN PROXY ANSWER SUBJECT'S SMOKIN HABITS?	R QUESTIONS ABOUT NG AND DRINKING
			9964	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			33	1	YES
			1	2	NO

INAPPLICABLE: COL 193-194--1,1-11,91,92

Q.DO WAS ASKED ONLY IF THE PROXY WAS NOT RELATED TO THE DECEASED SUBJECT.

D1	SMOKE 100	1225-1226			CT EVER SMOKE AT LEAST 100 S IN LIFETIME?
			5107	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			25	-8	DON'T KNOW
			56	-9	NOT ASCERTAINED
			466	1	YES
			4344	2	NO

INAPPLICABLE: (COL 116-117=2,3) OR (COL 116-117=-1,1 AND COL 1223-1224=2)

PART D: SMOKING AND ALCOHOLIC BEVERAGES

Ques No.	Variable Name 	Column Number(s)	Counts	Variable D	escription and Codes
D2	SMOKENOW	1227-1228		DOES SUBJECT	SMOKE CIGARETTES NOW?
			9532	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			2	-8	DON'T KNOW
			0	-9 .	NOT ASCERTAINED
			194	1	YES
			270	2	NO

INAPPLICABLE: COL 1225-1226--1,2,-7,-8,-9
IF THE SUBJECT WAS ALIVE, THE RESPONDENT WAS ASKED IF THE
SUBJECT CURRENTLY SMOKES. IF THE SUBJECT WAS DECEASED, THE
PROXY WAS ASKED IF THE SUBJECT SMOKED CIGARETTES DURING THE
YEAR PRIOR TO HIS OR HER DEATH.

Q.D2 WAS ASKED OF THE RESPONDENT IF THE SUBJECT REPORTED NEVER SMOKED CIGARETTES IN A PERVIOUS INTERVIEW OR IF THE SUBJECT HAD NOT BEEN PREVIOUSLY INTERVIEWED. OTHERWISE, THE RESPONDENT WAS ASKED Q.D8.

DЗ	SMKPERDY	1229-1231		HOW MANY C	IGARETTES PER DAY DOES DKE NOW?
			9804	- 1	INAPPLICABLE
			0	-7	REFUSED
			5	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			178	2-60	NUMBER OF CIGARETTES
			11	995	LESS THAN ONE A DAY

INAPPLICABLE: COL 1227-1228=-1,2,-7,-8,-9

IF THE SUBJECT WAS ALIVE, THE RESPONDENT WAS ASKED HOW MANY CIGARETTES THE SUBJECT CURRENTLY SMOKES. IF THE SUBJECT WAS DECEASED, THE PROXY WAS ASKED HOW MANY CIGARETTES THE SUBJECT SMOKED DURING THE YEAR PRIOR TO HIS OR HER DEATH.

PART D: SMOKING AND ALCOHOLIC BEVERAGES

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
D4	YRSSMOKE	1232-1233		HOW MANY YEARS H	AS SUBJECT SMOKED
	INAF	PPLICABLE: COU	9804 0 16 0 178 0	-1 -7 -8 -9 1-70 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF YEARS SMOKED CIGARETTES LESS THAN ONE YEAR
	GRMONTHS	(1234-1237)		WHEN DID SUBJECT CIGARETTES?	STOP SMOKING
D5	MONTHSTP	1234-1235		MONTH WHEN STOPP	<u>ED</u>
	INAP	PLICABLE: COL	9728 0 167 1 16 11 5 8 4 10 10 7 7 10 7	-1 -7 -8 -9 01 02 03 04 05 06 07 08 09 10 11 12 228=-1,1,-7,-8,-9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED JANUARY FEBRUARY MARCH APRIL MAY JUNE JULY AUGUST SEPTEMBER OCTOBER NOVEMBER DECEMBER
D5	YEARSTOP	1236-1237	9728 0 34 1 235	YEAR WHEN STOPPE -1 -7 -8 -9 25-87	D INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEAR STOPPED SMOKING (1925-1987)

INAPPLICABLE: COL 1227-1228=-1,1,-7,-8,-9

PART D: SMOKING AND ALCOHOLIC BEVERAGES

	Variable Name 		Counts	Variable Descr	ription and Codes
D6	NUMBSMOK	1238-1240			TES PER DAY DID HEN SUBJECT SMOKED?
			9728 0 32 2 226 10	-7 -8 -9 1-80	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF CIGARETTES LESS THAN ONE A DAY
	INAPPL	ICABLE: CO	L 1227-12	228=-1,1,-7,-8,-9	
D7	DIDSMOKE	1241-1242		FOR HOW MANY YEA	
		-	9728 0 39 2 222	-7 -8 -9 1-60	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEARS SMOKED CIGARETTES LESS THAN ONE YEAR
	INAPPL	.ICABLE: CO	L 1227-12	228=-1,1,-7,-8,-9	

D8	CSMKNOW	1243-1244		DOES	SUBJECT	SMOKE CIGARETTES NOW?
			4892	- 1		INAPPLICABLE

4892	- 1	INAPPLICABLE
0	-7	REFUSED
1	-8	DON'T KNOW
69	-9	NOT ASCERTAINED
2061	1	YES
2975	2	NO

INAPPLICABLE: (COL 116-117=-1,1) OR (COL 116-117=2,3 AND COL 1223-1224=2)

Q.D8 WAS ASKED OF THE RESPONDENT IF SUBJECT REPORTED BEING A CURRENT OR FORMER SMOKER ON A PREVIOUS INTERVIEW. OTHERWISE, THE RESPONDENT WAS WAS ASKED Q.D2.

PART D: SMOKING AND ALCOHOLIC BEVERAGES

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	iption and Codes
D9	CSMKPRDY	1245-1247		HOW MANY CIGARET	TES A DAY DOES SUBJECT
			7937 0 43 0 1980 38	-1 -7 -8 -9 1-80 995	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF CIGARETTES LESS THAN ONE A DAY
	INAPPL	ICABLE: COL	L 1243-12	44=-1,2,-7,-8,-9	
	GRNCSMKM (	1248-1251)		WHEN DID SUBJECT CIGARETTES?	LAST STOP SMOKING
D10	NCSMKMO	1248-1249		MONTH WHEN STOPP	<u>ED</u>
			7374 0 1251 2 189 101 95 108 87 115 97 93 103 91 90 110 92	-1 -7 -8 -9 01 02 03 04 05 06 07 08 09 10 11 12 96	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED JANUARY FEBRUARY MARCH APRIL MAY JUNE JULY AUGUST SEPTEMBER OCTOBER NOVEMBER DECEMBER DISCREPANCY

IF THE SUBJECT WAS CODED AS BEING A CURRENT OR FORMER SMOKER IN THE PREVIOUS INTERVIEW BUT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY. THE SUBJECT WAS THEN ASKED Q.D11.

INAPPLICABLE: (COL 1243-1244=-1,1,-7,-8,-9) OR (COL 22-23=2,3,5,6 AND COL 1243-1244=2)

## PART D: SMOKING AND ALCOHOLIC BEVERAGES

Ques No.	Variable Name		Counts	Variable D	escription and Codes
D10	NCSMKYR	1250-1251		YEAR WHEN ST	OPPED
			7466 0 120 1 2411	-1 -7 -8 -9 23-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEAR STOPPED SMOKING (1923-1987)
		_ICABLE: (COL 243-1244=2) OF			8,-9) OR (COL 22-23=2,3,5,6
D11	DRINKYR	1252-1253			HAD AT LEAST 1 DRINK OF OR LIQUOR IN PAST YEAR?
			1 0 26 131 5868 3972	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	ICABLE: COL	1223-12	224=2	
	IF TH	SUBJECT WAS	ALIVE,	THE RESPONDEN	T WAS ASKED IF THE

IF THE SUBJECT WAS ALIVE, THE RESPONDENT WAS ASKED IF THE SUBJECT HAD HAD AT LEAST 1 DRINK OF BEER, WINE, OR LIQUOR DURING THE PAST YEAR. IF THE SUBJECT WAS DECEASED, THE PROXY WAS ASKED IF THE SUBJECT HAD HAD AT LEAST 1 DRINK OF BEER, WINE, OR LIQUOR DURING THE YEAR PRIOR TO HIS OR HER DEATH.

GROFTNBE (1254-1260)

DURING THE PAST YEAR, HOW OFTEN DID SUBJECT DRINK BEER AND HOW MANY CANS WERE CONSUMED EACH DAY?

IF THE SUBJECT WAS ALIVE, THE RESPONDENT WAS ASKED ABOUT THE SUBJECT'S BEER CONSUMPTION DURING THE PAST YEAR. IF THE SUBJECT WAS DECEASED, THE PROXY WAS ASKED ABOUT THE SUBJECT'S BEER CONSUMPTION DURING THE YEAR PRIOR TO HIS OR HER DEATH.

PART D: SMOKING AND ALCOHOLIC BEVERAGES

ΥR

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desci	ription and Codes
D12	OFTNBEER	1254-1255		ON AVERAGE HOW O	DFTEN SUBJECT DRINKS
	INAPPI	LICABLE: COL	4130 0 124 0 1929 2121 806 888	-1 -7 -8 -9 0 1-30 94 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NONE NUMBER OF DAYS A WEEK OR MONTH MORE THAN 3 BUT LESS THAN 12 TIMES A NO MORE THAN 3 TIMES A YEAR
D12	WKMOBEER	1256-1257		TIME PERIOD RESE	PONDED IN
			7877 0 0 0 0 1419 702	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED WEEK MONTH
	INAPPI	LICABLE: COL	1254-12	255=-1,0,94,95,-7	, -8 , -9
D13	NUMBBEER	1258-1260			DRANK BEER, HOW MANY R GLASSES DID SUBJECT
			6059 1 67 1 3730 140	-1 -7 -8 -9 1-48 995	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF CANS LESS THAN ONE DRINK
	INAPPL	ICABLE: COL	1254-12	55=-1,0,-7,-9	

## PART D: SMOKING AND ALCOHOLIC BEVERAGES

Ques No.	Variable Name	Column Number(s) Counts	Variable Desc	ription and Codes
	GROFTNWI	(1261-1267)	DURING THE PAST	YEAR, HOW OFTEN DID
			SUBJECT DRINK W	INE AND HOW MANY
			GLASSES WERE CO	NSUMED EACH DAY?
	IF TH	E SUBJECT WAS ALIVE	, THE RESPONDENT WA	AS ASKED
		THE SUBJECT'S WINE		
		IF THE SUBJECT WAS		
		THE SUBJECT'S WINE TO HIS OR HER DEATH		G THE YEAR
	TRIOR	TO THE OR THEN DEATH	11	
D14	OFTNUTNE	1061-1060	ON AVERAGE LIGHT	OSTSM SUBJECT DOTAGE
D 14	OFTNWINE	1261-1262	WINE	<u>OFTEN SUBJECT DRINKS</u>
			MINE	
		4130	<b>- 1</b>	INAPPLICABLE
		1	<b>-7</b>	REFUSED
		99	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		1769 1790		NONE
		1103	1-30 94	NUMBER OF DAYS A WEEK OR MONTH
		1106	95	MORE THAN 3 BUT LESS THAN 12 TIMES A YR NO MORE THAN 3 TIMES A YEAR
	INAPPI	LICABLE: COL 1252-	1253=-1.2789	
D.4.4				
D14	WKMOWINE	1263-1264	TIME PERIOD RESE	PONDED IN
		8208	<del>-</del> 1	INAPPLICABLE
		0	-7	REFUSED
		2	-8	DON'T KNOW
		1 968	-9	NOT ASCERTAINED
		819	1 2	WEEK MONTH
	INAPPI	LICABLE: COL 1261-1	1262=-1.0.94.957.	
D15	NUMBWINE	1265-1267		DRANK WINE, HOW MANY
			GLASSES DID SUB	JECT DRINK?
		5900	<b>-1</b>	INAPPLICABLE
		0	-7	REFUSED
		48	-8	DON'T KNOW
		1	-9	NOT ASCERTAINED
		3887	1-35	NUMBER OF GLASSES
		162	995	LESS THAN ONE DRINK
	INAPPL	_ICABLE: COL 1261-1	262=-1,0,-7,-9	

PART D: SMOKING AND ALCOHOLIC BEVERAGES

Ques No.	Variable Name	Column Number(s) C	Counts	Variable Desc	ription and Codes
	GROFTNLI	(1268-1274)		SUBJECT DRINK H	YEAR, HOW OFTEN DID ARD LIQUOR AND HOW
				MANY SHOTS WERE	CONSUMED EACH DAY?
	THE YEAR ABOU	SUBJECT'S HARD . IF THE SUBJEC	LIQUOR T WAS I	THE RESPONDENT WA CONSUMPTION DURIN DECEASED, THE PROM MPTION OF HARD LIGHT HER DEATH.	NG THE PAST XY WAS ASKED
D 16	OFTNLIQ	1268-1269		ON AVERAGE HOW (	OFTEN SUBJECT DRINKS
			4130	~ 1	INAPPLICABLE
			1	-7	REFUSED
			125	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			2042	0	NONE
			1884	1-30	NUMBER OF DAYS A WEEK OR MONTH
			903	94	MORE THAN 3 BUT LESS THAN 12 TIMES A YR
			913	95	NO MORE THAN 3 TIMES A YEAR
	INAP	PLICABLE: COL	1252-1	253=-1,2,-7,-8,-9	
D16	WKMOLIQ	1270-1271		TIME PERIOD RESE	PONDED IN
			B114	- 1	INAPPLICABLE
			0	- <b>7</b>	REFUSED
			2	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			1181	1	WEEK
			701	2	MONTH
	INAP	PLICABLE: COL	1268-12	269=-1,0,94,95,-7	,-8,-9
D 17	NUMBSHOT	1272-1274			DRANK LIQUOR, HOW
				MANY DRINKS DID	SUBJECT DRINK?
			6173	- 1	INAPPLICABLE
			0	-7	REFUSED
			76	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			3720	1-32	NUMBER OF DRINKS
			29	995	LESS THAN ONE DRINK
	INAP	PLICABLE: COL	1268-12	269=-1,0,-7,-9	

PART E: EXERCISE AND WEIGHT

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
E 1	EXERPROG	1275-1276		DOES SUBJECT EXE	RCISE OR PLAY SPORTS
			849 0 24 127 3199 5799	1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	COL 10	_ICABLE: (CC D57-1058=4) ( 71-972=2,3) (	OR (COL 1	2-13=1 AND COL 90	5=1) OR (COL 12-13=1 AND 04-905=2,-7,-8,-9 AND
	GRE2NUM (	(1277-1280)		FOR HOW MANY MON SUBJECT EXERCISE REGULARLY?	NTHS OR YEARS HAS ED OR PLAYED SPORTS
E2	E2NUM	1277-1278		NUMBER OF MONTHS	S OR YEARS
			6799 0 211 2 2963 23	-7 -8	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MONTHS OR YEARS LESS THAN ONE MONTH
	INAPP	LICABLE: C	OL 1275-1	1276=-1,2,-7,-8,-9	•
E2	E2UNIT	1279-1280		TIME PERIOD RESI	PONDED IN
			7035 0 1 0 433 2529	1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MONTH YEAR
	INAPP	LICABLE: CO	L 1277-12	278=-1,95,-7,-8,-9	Э

## PART E: EXERCISE AND WEIGHT

Ques No . 	Variable Name	Column Number(s)	Counts	Variable	Description and Codes
	GRE3NUM	(1281-1284)			OES SUBJECT PARTICIPATE IN ICAL EXERCISE OR SPORTS?
E3	E3NUM	1281-1282		NUMBER OF T	IMES
			3244 0 98 96 3638 2578 344	1-31	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NEVER NUMBER OF TIMES LESS THAN ONCE PER MONTH
		PLICABLE: (CC 12-13=1 AND C			75-1276=-1 AND COL 166-167=2) OR L 12-13=3)
E3	E3UNIT	1283-1284		TIME PERIOD	RESPONDED IN
			_	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED WEEK MONTH
	INAP	PLICABLE: COL	. 1281-12	82=-1,0,95,-	7,-8,-9
E4	SPORTTIM	1285-1286	7420 0 14 7 212 558 608 307 872	IN ACTIVE S	T EXERCISES OR PARTICIPATES PORT, ABOUT HOW MANY S SUBJECT SPEND EACH TIME?  INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED LESS THAN 15 MINUTES 15 BUT LESS THAN 30 30 BUT LESS THAN 45 45 BUT LESS THAN 60 60 OR MORE

INAPPLICABLE: COL 1281-1282=-1,0,95,-7,-8,-9

PART E: EXERCISE AND WEIGHT

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	GRE5NUM	(1287-1290)		HOW DETEN DOES SUBJECT PARTICIPATE IN IN LIGHT PHYSICAL ACTIVITY?
E5	E5NUM	1287-1288		NUMBER OF TIMES
			182	O NEVER 1-49 NUMBER OF TIMES 95 LESS THAN ONCE PER MONTH
	INAPI	PLICABLE: CO	L 1275-12	276=-1
E5	E5UNIT	1289-1290		TIME PERIOD RESPONDED IN
_	TAIADE	DI TOARI E	0 6768 462	1 WEEK 2 MONTH
	INAP	PLICABLE: CU	L 1287-12	288=-1,0,95,-7,-8,-9
E6	ACTVTIM	1291-1292	2768 O 149 10 622 1427 1421	WHEN SUBJECT EXERCISES OR PARTICIPATES IN LIGHT PHYSICAL ACTIVITY, ABOUT HOW MANY MINUTES ARE SPENT EACH TIME?  -1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 LESS THAN 15 MINUTES 2 15 BUT LESS THAN 30 3 30 BUT LESS THAN 45
			568 3033	4 45 BUT LESS THAN GO 5 GO DR MORE
	INAPP	PLICABLE: CO	L 1287-12	288=-1,0,95,-7,-8,-9

PART E: EXERCISE AND WEIGHT

NOT ASCERTAINED

WEIGHT (IN POUNDS)

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	ription and Codes
E7	WHTCOMPR	1293-1294		HOW DOES SUBJECTO WEIGHT 12 MO	T'S WEIGHT NOW COMPARE NTHS AGO?
			472	- 1	INAPPLICABLE
			0	-7	REFUSED
			54	-8	DON'T KNOW
			117	-9	NOT ASCERTAINED
			1136	1	SUBJECT WEIGHS AT LEAST 10 POUNDS MORE
			1642	2	SUBJECT WEIGHS AT LEAST 10 POUNDS LESS
			6577	3	SUBJECT WEIGHS ABOUT THE SAME
	INAPPL	ICABLE: CO	_ 12-13=3		
E8	WEIGHNOW	1295-1297		HOW MUCH DOES S	UBJECT WEIGH NOW?
			472	- 1	1NAPPLICABLE
			23	- <del>7</del>	REFUSED
			110	-8	DON'T KNOW

INAPPLICABLE: COL 12-13=3

117 -9

9276 65-472

PART E: EXERCISE AND WEIGHT

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
	GRSDIMEN	(1298-1310)		ADDITIONAL QUESTIONS ON SUBJECT'S WEIGHT

Q.E9 THROUGH Q.E13 REGARDING THE SUBJECT'S WEIGHT WERE ASKED ONLY IF THE SUBJECT WAS ALIVE AND WAS NOT PREVIOUSLY INTERVIEWED. IN ADDITION, Q.E9 AND Q.E10 WERE NOT ASKED IF THE SUBJECT WAS UNABLE TO PARTICIPATE IN THE INTERVIEW (COL 12-13=2).

E9	SDIMENSN	1298-1299		WERE YOU SKI YEARS OLD?	NNY OR HEAVY WHEN 12-13
			9504	-1	INAPPLICABLE
			0 4	-7 -8	REFUSED DON'T KNOW
			21 146	-9 1	NOT ASCERTAINED SKINNY
			91 162	2 3	SOMEWHAT SLENDER AVERAGE
			67 3	4 5	CHUBBY VERY HEAVY

INAPPLICABLE: (COL 8-9=2 AND COL 22-23=2,5) OR (COL 8-9=1,3 AND COL 12-13=1) OR (COL 12-13=3)

E 10	SHEIGHT	1300-1301		WERE YOU TALL O	DR SHORT WHEN 12-13
				YEARS OLD?	
			9504	- 1	INAPPLICABLE
			3304	- 1	INAPPLICABLE
			0	-7	REFUSED
			3	-8	DON'T KNOW
			21	-9	NOT ASCERTAINED
			26	1	VERY TALL
			79	2	SOMEWHAT TALLER THAN AVERAGE
			267	3	ABOUT AVERAGE
			75	4	SOMEWHAT SHORTER THAN AVERAGE
		•	23	5	VERY SHORT

INAPPLICABLE: (COL 8-9=2 AND COL 22-23=2,5) OR (COL 8-9=1,3 AND COL 12-13=1) OR (COL 12-13=3)

PART E: EXERCISE AND WEIGHT

Ques No.	Variable Name	Column Number(s) Cour	nts 	Variable Desc	ription and Codes
E 1 1	SWGHT25	1302-1304		WHAT WAS SUBJECTAGE 25?	T'S USUAL WEIGHT AT
	INAPPL	4	185 0 24 22 167	-7 -8 -9 85-390	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED WEIGHT AT AGE 25 (IN POUNDS) 3) OR (COL 12-13=3)
E 12	S <b>W</b> GHT40				'S USUAL WEIGHT AT
	INAPPL AND CO	З ICABLE: (COL 12	58 0 22 35 83 -13= 20-2	-1 -7 -8 -9 90-275	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED WEIGHT AT AGE 40 (IN POUNDS) OR (COL 12-13=1 13-3)
E13	SWGHT65	1308-1310		WHAT WAS SUBJECT	'S USUAL WEIGHT AT
	INAPPL	ICABLE: (COL 12-	0 1 5 30	-7 -8 -9 110-222	INAPPLICABLE REFUSED ON'T KNOW NOT ASCERTAINED WEIGHT AT AGE 65 (IN POUNDS) ) OR (COL 12-13=1
	AND COI	L 8-9=2 AND COL :	20-21	1<66) OR (COL 12-	13=3)

PART F: VISION AND HEARING

Ques No.	Variable Name	Column Number(s)	Counts	Variable De	escription and Codes
F 1	WREYEGLS	1311-1312		DOES SUBJECT CONTACT LENSE	WEAR EYEGLASSES OR S?
	INAPPL	ICABLE: COL	472 0 7 117 7562 185 228 1400 27	1 2 3 4 5	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED EYEGLASSES CONTACT LENSES BOTH NEITHER SUBJECT IS BLIND
F2		1313-1314		CAN SUBJECT S	EE WELL ENOUGH TO RIEND ACROSS STREET?
	INAPPL	ICABLE: (CO	8876 440	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
F3	SEEPRINT	1315-1316		CAN SUBJECT S RECOGNIZE LET NEWSPAPER PRI	EE WELL ENOUGH TO TERS IN ORDINARY NT?
			499 0 61 119 8769 550	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (CO	L 1311-1	312=5) OR (COL	12-13=3)

## PART F: VISION AND HEARING

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
F4	HEARAID	1317-1318		HAS SUBJECT EVER	WORN A HEARING AID?
	INAPPL	ICABLE: COL	472 0 2 117 530 8877	1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
F5	HEARNORM	1319-1320			R A PERSON TALKING IN ROM ACROSS THE ROOM?
			1119 0 73 0 8273 533		INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (CO	L 1317-1	318=1,-9) OR (COL	. 12-13=3)
F6	WOHRGAID	1321-1322			IG AID, CAN SUBJECT I NORMAL VOICE FROM
			9468 0 12 1 270 247	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (CO	L 1317-1	318=2,-7,-8,-9) 0	R (COL 12-13≃3)

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes	
GO	PRXPGMD	1323-1324		CAN PROXY ANSWER QUESTIONS ABOUT SUBJECT'S PREGNANCY AND MENSTRUAL HISTORY?	
			9979 O O O 8 11	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO	

INAPPLICABLE: (COL 12-13=1) OR (COL 12-13=3 AND COL 10-11=1) OR (COL 12-13=3 AND COL 10-11=2 AND COL 193-194=1-11,91,92)

Q.GO WAS ASKED ONLY IF THE PROXY WAS NOT RELATED TO THE DECEASED FEMALE SUBJECT.

G1 EVERP	REG 1325-	1326
----------	-----------	------

# HAS SUBJECT EVER BEEN PREGNANT?

9499	- 1	INAPPLICABLE
0	-7	REFUSED
1	-8	DON'T KNOW
11	-9	NOT ASCERTAINED
333	1	YES
154	2	NO

INAPPLICABLE: (COL 10-11=1) DR (COL 12-13=1 AND COL 10-11=2 AND COL 164-165>44) OR (COL 12-13=1 AND COL 10-11=2 AND COL 120-121=1 AND COL 122-123=1 AND COL 164-165<45) OR (COL 12-13=1 AND COL 10-11=2 AND COL 122-123=2 AND COL 164-165<45) OR (COL 12-13=3 AND COL 10-11=2 AND COL 8-9=1,3) OR (COL 12-13=3 AND COL 10-11=2 AND COL 1323-1324=2)

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s) Coun	ts 	Variable Desc	ription and Codes
G2	PREGNOW1	1327-1328		IS SUBJECT PREGN	NANT NOW?
		988	89 0 0 1 4	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	(COL Q.G2 IN TH INTER SUBJE FOLLO	12-13=1 AND COL 13 WAS ASKED OF SUBJE 1982-84 FOLLOWUF VIEWED IN THE 1982 CTS WHO HAD REPORT WUP INTERVIEW. BO IFY THE TOTAL NUME	325-1 ECTS P INT 2-84 TED A	WHO HAD NOT REPO FERVIEW OR SUBJECT FOLLOWUP, Q.G5 W A PREGNANCY IN TH QUESTIONS SHOULD	CTS WHO WERE NOT WAS AKED ONLY OF HE 1982-84 BE USED TO
G3	FRSTBRTH	1329-1330		AGE WHEN SUBJECT	T'S FIRST CHILD BORN
	INAPP	966 31 LICABLE: COL 1325	0 7 1 9	-1 -7 -8 -9 0 14-40 26=-1,2,-7,-8,-9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED SUBJECT HAD NO BIRTHS AGE AT FIRST BIRTH (IN YEARS)
G4		1331-1332			GNANT SINCE PREVIOUS
		6	0 1 69 53	- 1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	COL 1 COL 1	64-165>44) OR (COL	- 12- 12-1	-13=1 AND COL 10- 13=1 AND COL 10-1	=1 AND COL 10-11=2 AND -11=2 AND COL 164-165<45 AND 11=2 AND COL 1325-1326=1,2,-7,-8,-9)

# PART G: PREGNANCY AND MENSTRUAL HISTORY

				TAKE G. FRE	GNANCE AND MENSIRUAL HISTURY
Ques No . 	Variable Name	Column Number(s)	Counts	Variable De	escription and Codes
G5	PREGNOW2	1333-1334		IS SUBJECT PE	REGNANT NOW?
			9945	- 1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			1	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			4	1	YES
			48	2	NO
	PLEASE		TE FOR TH	332≃-1,2,-7,-8, HE VARIABLE IN	
G6	LASTBRTH	1335-1336		AGE WHEN SUB	JECT'S LAST CHILD BORN
			9621	- <u>1</u>	INAPPLICABLE
			0	-7	REFUSED
			12	-8	DON'T KNOW
			1	=	NOT ASCERTAINED
			1 338	•	SUBJECT HAD NO BIRTHS
			25	17-45 95	AGE AT LAST BIRTH (IN YEARS)
			25	95	SUBJECT HAD ONLY ONE CHILDBIRTH
	AND CO (COL 1 COL 12	L 164-165>44 2-13=1 AND (	4) OR (CO COL 1331-	)L 1325-1326=2, ·1332=278	13=1 AND COL 10-11=2 -78,-9) DR (COL 1329-1330=0) OR 9) DR (COL 12-13=1 AND DL 12-13=3 AND COL 10-11=2 AND
G7	LIVEBRTH	1337-1338		HOW MANY LIVE	BIRTHS HAS SUBJECT HAD?
			9622	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			2	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			7	0	SUBJECT HAD NO LIVE BIRTHS
			367	1-12	NUMBER OF LIVE BIRTHS
					<del></del>

INAPPLICABLE: (COL 1335-1336=-1,0)

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
G8	MISCARAG	1339-1340		HAS SUBJECT EVE	ER HAD A MISCARRIAGE?
	COL 16 COL 13	54-165>44) OI 131-1332=2,-	R (COL 13 78,-9)	325-1326=2,-7,-8, OR (COL 12-13=1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO  3=1 AND COL 10-11=2 AND9) OR (COL 12-13=1 AND AND COL 122-123=2 AND D-11=2 AND COL 1325-1326=-1)
G9	NUMMISS	1341-1342		HOW MANY MISCAR	RRIAGES HAS SUBJECT HAD?
	INAPPL	ICABLE: COL	9864 0 1 0 133	-1 -7 -8 -9 1-6 840=-1,2,-7,-8,-9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MISCARRIAGES
G10	HAVEWOMB	1343-1344		DOES SUBJECT HA	NVE_A_UTERUS?
			5172 1 75 19 4033 648 50	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO DISCREPANCY
	COL 12 OR (CO	2-123=2) OR	(COL 10- ID COL 22	11=2 AND COL 22- 2-23=1,4 AND COL	=2 AND COL 22-23=1.4 AND 23=1.4 AND COL 1327-1328=1) 1333-1334=1) OR (COL 12-13=3 AND
				HAVING A REPORT	OF NO INTACT UTERUS

IN THE 1982-84 FOLLOWUP INTERVIEW BUT THE PROXY RESPONDENT REPORTS SUBJECT AS HAVING AN INTACT UTERUS THEN A CODE OF 96

FLAGS THE DISCREPANCY.

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Varıable	Description and Codes
G11	AGEREMVD	1345-1346		AGE WHEN UT	ERUS WAS REMOVED
			7821 1 120	- 1 -7 -8	INAPPLICABLE REFUSED DON'T KNOW
			4 2032 20	-9 12-85 96	NOT ASCERTAINED AGE UTERUS REMOVED (IN YEARS) DISCREPANCY
	INAPP	LICABLE: (C	OL 10-11:	=1) OR (COL 1	343-1344=1,96,-7,-8,-9 AND

INAPPLICABLE: (COL 10-11=1) OR (COL 1343-1344=1,96,-7,-8,-9 AND COL 10-11=2) OR (COL 1327-1328=1) OR (COL 1333-1334=1) OR (COL 12-13=3 AND COL 10-11=2 AND COL 1323-1324=2)

IF A SUBJECT WAS CODED AS HAVING A REPORT OF NO INTACT UTERUS IN THE 1982-84 FOLLOWUP INTERVIEW BUT THE PROXY RESPONDENT REPORTS SUBJECT UTERUS INTACT THEN A CODE OF 96 FLAGS THE DISCREPANCY.

G12	BOTHOVRY	1347-1348		DOES SU	BJECT HAVE	BOTH OVARIES?
			4857	- 1		INAPPLICABLE
			2	-7		REFUSED
			167	-8	i	DON'T KNOW
			24	-9	i	NOT ASCERTAINED
			4506	1		YES

402 2 NO 40 96 DISCREPANCY

INAPPLICABLE: (COL 10-11=1) OR (COL 10-11=2 AND COL 124-125=2,3 AND COL 22-23=1,4) OR (COL 12-13=3 AND COL 10-11=2 AND COL 1323-1324=2)

IF THE SUBJECT WAS CODED AS HAVING ONLY ONE OR NO OVARIES IN THE 1982-84 FOLLOWUP INTERVIEW BUT THE RESPONDENT REPORTS BOTH OVARIES INTACT THEN A CODE OF 96 FLAGS THE DISCREPANCY.

PART G. PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
G13	ONEOVRY	1349-1350		DOES SUBJECT HAY	/E ONE OVARY?
			9098 0 54 0 507 339	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: (COL 10-11=1) OR (COL 1327-1328=1 AND COL 1347-1348=2 AND COL 10-11=2) OR (COL 1333-1334=1 AND COL 1347-1348=2 AND COL 10-11=2) OR (COL 1347-1348=1,96,-7,-8,-9) OR (COL 12-13=1 AND COL 124-125=3) OR (COL 12-13=3 AND COL 10-11=2 AND COL 1323-1324=2)

# G14 REMVOVRY 1351-1352 AGE WHEN LAST OVARY REMOVED

8378	- 1	INAPPLICABLE
0	-7	REFUSED
131	-8	DON'T KNOW
8	-9	NOT ASCERTAINED
1445	12-85	AGE OVARY REMOVED (IN YEARS)
36	96	DISCREPANCY

INAPPLICABLE: (COL 10-11=1) OR (COL 10-11=2 AND COL 1347-1348=1,96,-7,-8,-9) OR (COL 12-13=3 AND COL 10-11=2 AND COL 1347-1348=-1) OR (COL 12-13=3 AND COL 10-11=2 AND COL 1349-1350=-8)

IF A SUBJECT WAS CODED AS HAVING A REPORT OF HAVING NO OVARIES IN THE 1982-84 FOLLOWUP INTERVIEW BUT THE PROXY RESPONDENT REPORTS BOTH OVARIES INTACT, A CODE OF 96 FLAGS THE DISCREPANCY.

#### PART G. PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	ription and Codes
G15	HAVPERD	1353-1354		IS SUBJECT STIL	L HAVING PERIODS?
			8041	<b>-1</b>	INAPPLICABLE
			2	-7	REFUSED
			11	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			1498	1	YES
			445	2	NO

INAPPLICABLE: (COL 10-11=1) OR (COL 12-13=1 AND COL 10-11=2 AND COL 166-167=1) OR (COL 12-13=1 AND COL 10-11=2 AND COL 166-167=2 AND COL 126-127=2) OR (COL 12-13=1 AND COL 10-11=2 AND COL 166-167=2 AND COL 126-127--3,1 AND COL 1343-1344-2) OR (COL 12-13-1 AND COL 10-11-2 AND COL 166-167=2 AND COL 126-127=-3.1 AND COL 1343-1344=1 AND COL 1349-1350=2) OR (COL 12-13=1 AND COL 10-11=2 AND COL 166-167=2 AND COL 126-127=-3.1 AND COL 1327-1328-1) OR (COL 12-13-1 AND COL 10-11-2 AND COL 166-167-2 AND COL 126-127=-3,1 AND COL 1333-1334=1) OR (COL 12-13=3 AND COL 10-11=2)

# G15A AGEPERD 1355-1356 AGE WHEN SUBJECT HAD LAST PERIOD

9553	-1	INAPPLICABLE
0	-7	REFUSED
13	-8	DON'T KNO₩
1	-9	NOT ASCERTAINED
430	15-59	AGE LAST PERIOD (IN YEARS)
1	95	SUBJECT NEVER HAD PERIODS

INAPPLICABLE: COL 1353-1354=-1,1,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s) Cou	ints	Variable Descr	ription and Codes
G16	PERDREG	1357-1358		ARE SUBJECT'S PE	RIODS REGULAR OR
	TNADDI	1	0 0 3 0 1174 321	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED PERIODS REGULAR PERIODS IRREGULAR
			100 10		
G17	CHNGLIFE	1359-1360			AR BECAUSE SUBJECT IS HE CHANGE OF LIFE OR REASON?
	***************************************		0 17 0 250 54	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED CHANGE OF LIFE OTHER REASON
G18	HORMONE	1361-1362	57-13	58=-1,1,-7,-8,-9  IS SUBJECT CURRE PILLS FOR REASON MENOPAUSE?	ENTLY TAKING HORMONE IS RELATED TO
			789 0 5 2 382 819 1	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO DON'T KNOW TYPE OF PILL
	COL 12 COL 13	28-129=1,2 AND C 333-1334=1) OR (	OL 13 COL 1	27-1328=1) OR (CO	0=-3,3) OR (COL 12-13=1 AND DL 12-13=1 AND COL 128-129=1,2 AND 08-129=1,2 AND COL 1357-1358=1) OR 0=3)

Q.G18-G208 (COL 1361-1382) WERE ASKED OF SUBJECTS WHO HAD REPORTED USING HORMONE PILLS IN A PREVIOUS INTERVIEW. Q.G21-G228 (COL 1383-1402) WERE ASKED OF SUBJECTS WHO HAS REPORTED NEVER USING HORMONE PILLS OR OF SUBJECTS WHO HAD NOT BEEN PREVIOUSLY INTERVIEWED. BOTH SETS OF QUESTIONS SHOULD BE ASKED TO IDENTIFY SUBJECTS USING HORMONE PILLS.

#### PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name		Counts		Description and Codes			
G19	AGEHPILL	1363-1364		AGE SUBJECT	LAST TOOK HORMONE PILLS			
			9891 0 12 4 71 20	-8 -9 31-86	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED AGE LAST TOOK PILL (IN YEARS) DISCREPANCY-NEVER TOOK PILLS			
		INAPPLICABLE: (COL 1361-1362=-1,1,3,-8) OR (COL 1361-1362=2,-7,-9 AND COL 128-129=2)						
	IF A SUBJECT WAS CODED AS HAVING EVER TAKEN HORMONE PILLS IN THE 1982-84 FOLLOWUP OR THE 1986 FOLLOWUP, BUT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY.							
	GRG20UNI	(1365-1373)			LONGEST PERIOD OF TIME ITINUOUSLY TOOK HORMONE			
G20A	G2OUNITA	1365-1366		TIME PERIOD	RESPONDED IN			
			8809 0 135 12 16 170 616 42 198	- 1 - 7 - 8 - 9 1 2 3 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEARS AND MONTHS MONTHS YEARS LESS THAN ONE MONTH DISCREPANCY-NEVER TOOK PILLS			

INAPPLICABLE: (COL 1361-1362=-1) OR (COL 1363-1364=96)

IF SUBJECT WAS CODED AS A FORMER HORMONE PILL USER IN THE 1982-84 FOLLOWUP OR THE 1986 FOLLOWUP, BUT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY.

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes	
G20A	HPIL1MOL	1367-1368		NUMBER OF MONTHS HORMONE PILLS	CONTINUOUSLY TOOK	
			9812 0 0 0 186	-1 -7 -8 -9 1-11	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MONTHS	
INAPPLICABLE: COL 1365-13661,3,95,96,-7,-8,-9						
G2OA	HPIL1YRL	1369-1370		NUMBER OF YEARS HORMONE PILLS	CONTINUOUSLY TOOK	
			9366 O O O 632	-1 -7 -8 -9 1-50	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF YEARS	
	INAPPL	ICABLE: CC	DL 1365-13	366=-1,2,95,96,~7,	-8,-9	
G20A	G2OATOT	1371-1373		TOTAL NUMBER OF	MONTHS CONTINUOUSLY	
	•	70.00.5		1-600	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED TOTAL NUMBER OF MONTHS	
	INAPPL	TCABLE: (C	UL 1365-	1366=-1,95,96,-7,-	o, <i>o,</i>	

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description	
	GRG20	(1374-1382)		HOW MANY YEARS OR MONTH ACTUALLY USE HORMONE PI	
G20B	G2OUNI TB	1374-1375		TIME PERIOD RESPONDED I	<u>N</u>
	INAPI	PLICABLE: CO	9007 0 132 13 29 145 650 22	1 MONTHS 2 MONTHS 3 YEARS 95 LESS T	D KNOW CERTAINED AND YEARS
G20B	HPIL1MOT	1376-1377		NUMBER OF MONTHS TOOK H	ORMONE PILLS
			9B24 O O O 174	-7 REFUSE -8 DON'T I -9 NOT AS	D
	INAP	PLICABLE: CO	L 1374-13	75=-1,3,95,-7,-8,-9	
G20B	HPIL1YRT	1378-1379		NUMBER OF YEARS TOOK HO	RMONE PILLS
			9319 0 0 0 679		ס
	INAP	PLICABLE: CO	L 1374-13	75=-1,2,95,-7,-8,-9	
G20B	G2OBTOT	1380-1382		TOTAL NUMBER OF MONTHS PILLS	TOOK HORMONE
	TNADE	PLICABLE: (C	9174 0 0 0 0 824		)
	TIANLI	LICABLE. (C	UL 13/4" I	3731,33,-7,-8,-8)	

215

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes			
G21	PILLCHNG	1383-1384		DID SUBJECT EV HORMONE PILLS TO MENOPAUSE?	ER TAKE FEMALE FOR REASONS RELATED			
			6202 1 85 19 588 3095 8	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO DON'T KNOW TYPE OF PILL			
	INAPPLICABLE: (COL 10-11=1) OR (COL 12-13=1 AND COL 1361-1362=1,2,3,-7,-8,-9) OR (COL 1357-1358=1 AND COL 20-21<55) OR (COL 1327-1328=1) OR (COL 1333-1334=1) OR (COL 12-13=3 AND COL 10-11=2 AN COL 8-9=1,3) OR (COL 12-13=3 AND COL 10-11=2 AND COL 8-9=2 AND COL 1323-1324=2)							
	PLEAS	SEE THE NO	TE FOR TH	HE VARIABLE IN C	OL 1361-1362.			
	GRG22UNI	(1385-1393)			NGEST TIME SUBJECT OOK HORMONE PILLS?			
G22A	G22UNITA	1385-1386		TIME PERIOD RE	SPONDED IN			
			9402 0 45 4 33 229 222 63	-1 -7 -8 -9 1 2 3 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MONTHS AND YEARS MONTHS YEARS LESS THAN ONE MONTH			
	INAPP	LICABLE: CO	L 1383-13	384=-1,2,-7,-8,-	9			
G22A	HPIL2MOL	1387-1388		MONTHS CONTINU	OUSLY TOOK HORMONE PILLS			
			9736 0 0 0 262	-1 -7 -8 -9 1-11	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MONTHS			

INAPPLICABLE: COL 1385-1386=-1,3,95,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

				TAKT C. TK	Editation and Historical Historic
Ques No.	Variable Name	Column Number(s)	Counts	Variable	Description and Codes
G22A	HPIL2YRL	1389-1390		YEARS CONTI	NUOUSLY TOOK HORMONE PILLS
			9743	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-	DON'T KNOW
		•		-9	NOT ASCERTAINED
			255	1-53	NUMBER OF YEARS
	INAP	PLICABLE: CO	L 1385-10	386≃-1,2,95,-	7,-8,-9
G22A	G22ATOT	1391-1393		TOTAL NUMBE TOOK HORMON	R OF MONTHS CONTINUOUSLY E PILLS
			9514	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	_	NOT ASCERTAINED
			484	1-636	TOTAL NUMBER OF MONTHS
<u></u> -	INAP	PLICABLE: (C	OL 1385-	1386=-1,95,-7	,-8,-9)
	GRG22UNB	(1394-1402)			ARS OR MONTHS HAS SUBJECT
				ACTUALLY US	ED HORMONE PILLS?
G22B	G22UNITB	1394-1395		<u>TIME PERIOD</u>	RESPONDED IN
			9402	- 1	INAPPLICABLE
			0	-7	REFUSED
			50	_	DON'T KNO₩
			2	_	NOT ASCERTAINED
			47	1	MONTHS AND YEARS
			208		MONTHS
			242 47	3 95	YEARS
			47	33	LESS THAN ONE MONTH
	<b>7</b>				

INAPPLICABLE: COL 1383-1384=-1,2,-7,-8,-9

PART G. PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
G22B	HPIL2MOT	1396-1397		NUMBER OF MONTHS USED HORMONE PILLS
			9743 0 0 0 0 255	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1-11 NUMBER OF MONTHS
	INAPPL	ICABLE: COL	L 1394-10	395=-1,3,95,-7,-8,-9
G22B	HPIL2YRT	1398-1399		NUMBER OF YEARS USED HORMONE PILLS
	TNAPPI	ICABLE: COL	9709 0 0 0 289	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1-53 NUMBER OF YEARS
	INALFE	TCABLE. COL	- 1394-13	95=-1,2,95,-7,-8,-9
G22B	G22BTOT	1400-1402		TOTAL NUMBER OF MONTHS USED HORMONE PILLS
			9501 0 0 0 0 497	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1-636 TOTAL NUMBER OF MONTHS
	INAPPL	ICABLE: (CO	L 1394-1	395=-1,95,-7,-8,-9)
G23	CURTAKHM	1403-1404		IS SUBJECT CURRENTLY TAKING HORMONE PILLS?
	INAPPL I	CABLE: (CD	9406 0 2 0 258 332 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO 3 DON'T KNOW TYPE OF PILL 384=-1,2,-7,-8,-9) OR (COL 12-13=3 AND
	COL 138	3-1384=1)	. 1909-1	3041,2,-7,-8,-9) UK (CUL 12-13-3 AND

218

## PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
G24	COLORPIL	1405-1406		WHAT IS COLOR O	F_HORMONE_PILL?
			9357	-1	INAPPLICABLE
			Ó	-7	REFUSED
			28	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			7 1	1	PURPLE/BLUE
			155	2	YELLOW/ORANGE
			144	3	WHITE
			189	4	MAROON/BROWN/RED
			54	5	GREEN
	OR (CC COL 14 (COL	DL 10-11=2 A 403-1404=2,- 1327-1328=1)	ND COL 13 7,-8,-9) OR (COL	383-1384=2,-7,-8, OR (COL 1357-1358 1333-1334=1) OR	=2 AND COL 1361-1362=2,-7,-8,-9) -9) OR (COL 10-11=2 AND 8=1 AND COL 20-21<55) OR (COL 12-13=3 AND COL 10-11=2 AND 0-11=2 AND COL 8-9=1,3)
	GRUNIT25	(1407-1410)		HOW LONG HAS SH	B IFOT BEEN TAKING TUTO
	GRUNT125 (	(1407-1410)		THIS SAME COLOR	BJECT BEEN TAKING THIS
				THIS SAME COLUR	FILL!
G25	UNIT25	1407-1408		TIME PERIOD RES	PONDED IN
			9357	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			26	-8	DON'T KNOW
			24	-9	NOT ASCERTAINED
			133	1	MONTHS
			443	2	YEARS
			15	95	LESS THAN ONE MONTH
	INAPPL	ICABLE: CO	L 1405-14	106=-1	
G25	LONGCOLR	1409-1410		NUMBER OF MONTHS	S OR YEARS
			9422	-1	INAPPLICABLE
			0	-7	REFUSED
			2	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			574	1-42	NUMBER OF MONTHS OR YEARS
	INAPPL	_ICABLE: CO	L 1407-14	108=-1,95,-7,-8,-9	Э

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
G26	PROVERA	1411-1412		HAS SUBJECT EVER TAKEN PROGESTIN (PROVERA)?
			9357 0 9 1 213 414 4	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO 3 DON'T KNOW TYPE OF PILL
	OR (CI COL 1/ (COL	OL 10-11=2 A 403-1404=2,- 1327-1328=1)	ND COL 13 7,-8,-9) OR (COL	=1) OR (COL 10-11=2 AND COL 1361-1362=2,-78,-9) 383-1384=2,-7,-8,-9) OR (COL 10-11=2 AND OR (COL 1357-1358=1 AND COL 20-21<55) OR 1333-1334=1) OR (COL 12-13=3 AND COL 10-11=2 AND 12-13=3 AND COL 10-11=2 AND COL 8-9=1,3)
G27	CURPROV	1413-1414	9781 0 0 0 159 58	IS SUBJECT CURRENTLY TAKING PROGESTIN (PROVERA)?  -1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2

INAPPLICABLE: COL 1411-1412=-1,2,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
	GRUNIT28	(1415-1418)		HOW LONG HAS SUE PROGESTIN (PROVE	BJECT BEEN TAKING RA)?
G28	UNIT28	1415-1416	9781 0 7 0 77 119	TIME PERIOD RESP	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MONTHS YEARS LESS THAN ONE MONTH

INAPPLICABLE: COL 1411-1412=-1,2,-7,-8,-9

## G28 LONGPIL2 1417-1418 NUMBER OF MONTHS OR YEARS

9802 -1 INAPPLICABLE
0 -7 REFUSED
0 -8 DON'T KNOW
0 -9 NOT ASCERTAINED
196 1-32 NUMBER OF MONTHS OR YEARS

INAPPLICABLE: COL 1415-1416=-1,95,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

No .	Name	Number(s)	Counts	Varıable	Description and Codes
G29	BRTHPILL	1419-1420		IS SUBJECT	CURRENTLY TAKING BIRTH
			9170	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNO₩
			0	-9	NOT ASCERTAINED
			16	1	YES
	•		812	2	NO

INAPPLICABLE: (COL 10-11=1) OR (COL 12-13=1 AND COL 10-11=2 AND COL 130-131=-3.3) OR (COL 12-13=1 AND COL 10-11=2 AND COL 130-131=1,2 AND COL 1357-1358=-1,2,-7,-8,-9 AND COL 1359-1360=-1,1,-7,-8,-9) OR (COL 12-13=3 AND COL 10-11=2)

Q.G29-G31B (COL 1419-1440) WERE ASKED OF SUBJECTS WHO HAD REPORTED USING BIRTH CONTROL PILLS IN THE 1982-84 FOLLOWUP. Q.G34-G36B (COL 1445-1466) WERE ASKED OF SUBJECTS WHO HAD REPORTED NEVER USING BIRTH CONTROL PILLS OR OF SUBJECTS WHO WERE NOT INTERVIEWED IN THE 1982-84 FOLLOWUP. BOTH SETS OF QUESTIONS SHOULD BE USED TO INDENTIFY SUBJECTS USING BIRTH CONTROL PILLS.

G30 AGELASTP 1421-1422

Ques Variable

Column

# AGE WHEN SUBJECT LAST TOOK BIRTH CONTROL PILLS

9964	<b>- 1</b>	INAPPLICABLE
0	-7	REFUSED
2	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
31	31-45	AGE LAST TOOK BIRTH CONTROL PILLS
1	96	DISCREPANCY

INAPPLICABLE: (COL 10-11=1) OR (COL 1419-1420=1) OR (COL 1419-1420=2,-7,-8,-9 AND COL 130-131=2) OR (COL 12-13=1 AND COL 10-11=2 AND COL 1419-1420=-1 AND COL 1327-1328=-1 AND COL 1333-1334=-1) OR (COL 1419-1420=-1 AND COL 1327-1328=2,-7,-8,-9) OR (COL 1419-1420=-1 AND COL 1333-1334=2,-7,-8,-9) OR (COL 1327-1328=1 AND COL 130-131=-3,2,3) OR (COL 1333-1334=1 AND COL 130-131=-3,2,3) OR (COL 12-13=3 AND COL 10-11=2)

IF A SUBJECT WAS CODED AS HAVING EVER TAKEN BIRTH CONTROL PILLS IN THE 1982-84 FOLLOWUP OR THE 1986 FOLLOWUP, BUT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY.

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name		Counts	Variable	e Description and Codes
	GRG31UNI	(1423-1431)			HE LONGEST PERIOD OF TIME DNTINUOUSLY TOOK BIRTH ILLS?
G31A	G31UNITA	1423-1424		ŢIME PERIO	OD RESPONDED IN
			9166 O	- 1 - 7	INAPPLICABLE REFUSED
			22	-8	DON'T KNOW
			5	-9	NOT ASCERTAINED
			40	1	MONTHS AND YEARS
			141	2	MONTHS
			575	3	YEARS
			21	95	LESS THAN ONE MONTH
			28	96	DISCREPANCY
		•			12-13=1 AND COL 130-131=-3,3) OR COL 1357-1358=-1.2 -7 -89 AND

(COL 12-13=1 AND COL 130-131=-3,3) OR (COL 12-13=1 AND COL 130-131=-3,3) OR (COL 12-13=1 AND COL 130-131=-1,2, -7,-8,-9 AND COL 1359-1360=-1,1,-7,-8,-9 AND COL 1359-1360=-1,1,-7,-8,-9 AND COL 1327-1328=-1,2,-7,-8,-9 AND COL 1333=1334=-1,2,-7,-8,-9) OR (COL 1421-1422=96) OR (COL 12-13=3 AND COL 10-11=2)

IF A SUBJECT WAS CODED AS A FORMER BIRTH CONTROL PILL USER IN THE 1982-84 FOLLOWUP OR THE 1986 FOLLOWUP, BUT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY.

G31A BPIL1MOL 1425-1426 NUMBER OF MONTHS CONTINUOUSLY TOOK BIRTH CONTROL PILLS

9817 -1 INAPPLICABLE
O -7 REFUSED
O -8 DON'T KNOW
O -9 NOT ASCERTAINED
181 1-11 NUMBER OF MONTHS

INAPPLICABLE: COL 1423-1424=-1,3,95,96,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

	Variable Name		Counts	Variable Desc	ription and Codes
G31A	BPIL1YRL	1427-1428		NUMBER OF YEARS BIRTH CONTROL P	CONTINUOUSLY TOOK ILLS
			9383	-1	INAPPLICABLE
			О	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			615	1-22	NUMBER OF YEARS
G31A		1429-1431	L 1423-14	724=-1,2,95,96,-7	
GOTA	GOTATOT	1429-1431		TOOK BIRTH CONT	MONTHS CONTINUOUSLY ROL PILLS
			9242	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			756	1-264	TOTAL NUMBER OF MONTHS
	INAPPL (COL 1	ICABLE: (C0 427-1428=-7	DL 1423-1 ,-8,-9)	424=-1,95,96,-7,-	-8,-9) OR

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	GRG31UNB	(1432-1440)		HOW MANY YEARS OR MONTHS HAS SUBJECT ACTUALLY USED BIRTH CONTROL PILLS?
G31B	G31UNITB	1432-1433		TIME PERIOD RESPONDED IN
	TNAPI	DI ICARI E · CO	9194 0 30 6 58 129 565 16	2 MONTHS 3 YEARS 95 LESS THAN ONE MONTH
	INAPI	PLICABLE: CO	L 1423-14	
G31B	BPIL1MOT	1434-1435		NUMBER OF MONTHS TOOK BIRTH CONTROL PILLS
	INAPI	— — —	0 187	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1-11 NUMBER OF MONTHS
G31B	BPIL1YRT	1436-1437		NUMBER OF YEARS TOOK BIRTH CONTROL
			9375 0 0 0 0 623	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1-22 NUMBER OF YEARS
	INAP	PLICABLE: CO	L 1432-14	433=-1,2,95,-7,-8,-9
G31B	G31BTOT	1438-1440		TOTAL NUMBER OF MONTHS TOOK BIRTH CONTROL PILLS
			9246 0 0 0 752	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1-264 TOTAL NUMBER OF MONTHS
	INAPI	PLICABLE: (C	DL 1432-	1433=-1,95,-7,-8,-9) OR (COL 1436-1437=-7,-8,-9)

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
G32	BRTHPIL2	1441-1442		DID SUBJECT EVE	R TAKE BIRTH CONTROL EASON?
			9345	- 1	INAPPLICABLE
			0	-7	REFUSED
			8	-8	DON'T KNOW
			3	-9 ·	NOT ASCERTAINED
			186	1	YES
			456	2	NO
	(COL 1 COL 13 COL 13 (COL 1	2-13=1 AND ( 027-1328=-1,2 057-1358=-1,2 02-13=3 AND (	COL 10-11 2,-7,-8,- 2,-7,-8,- COL 10-11	1=2 AND COL 130-1 -9 AND COL 1333-1 -9 AND COL 1359-1 1=2 AND COL 8-9=2	=2 AND COL 130-131=1,2) OR 31=3 AND COL 8-9=1,3 AND 334=-1,2,-7,-8,-9 AND 360=-1,1,-7,-8,-9) OR AND COL 1323-1324=2) OR 31=3 AND COL 8-9=1,3)
G33	AGEFRSTP	1443-1444		AGE WHEN SUBJECT CONTROL PILLS	T FIRST TOOK BIRTH
			9812	-1	INAPPLICABLE
			0	-7	REFUSED
			7	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			179	17-48	AGE FIRST TOOK PILLS (IN YEARS)
	INAPPL	ICABLE: COL	. 1441-14	42=-1,2,-7,-8,-9	
G34	CURPILL	1445-1446		IS SUBJECT CURR CONTROL PILLS?	ENTLY TAKING BIRTH
			9829	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			2	1	YES
			166	2	NO
	COL 13		R (COL 1	441-1442=1 AND CO	9) OR (COL 1441-1442=1 AND DL 1333-1334=1) OR (COL 12-13=1 AND

PLEASE SEE THE NOTE FOR THE VARIABLE IN COL 1421-1422.

226

PART G: PREGNANCY AND MENSTRUAL HISTORY

AGELSTP2				
	1447-1448		AGE SUBJEC	T LAST TOOK BIRTH CONTROL
		9814	- 1	INAPPLICABLE
		0	-7	REFUSED
		6	-8	DON'T KNOW
		5	-9	NOT ASCERTAINED AGE LAST TOOK PILLS (IN YEARS)
		173	19-51	AGE LAST TOOK PILLS (IN YEARS)
INAPF	PLICABLE: (C	OL 1441-1	1442=-1,2,-7	,-8,-9) OR (COL 1445-1446=1)
GRG36UNA	(1449-1457)			E LONGEST PERIOD OF TIME NTINUOUSLY TOOK BIRTH LLS?
G36UNITA	1449-1450		TIME PERIO	D_RESPONDED_IN
				INAPPLICABLE
		_		REFUSED
		12	-8	DON'T KNOW
				NOT ASCERTAINED
		47	1	MONTHS AND YEARS
				MONTHS YEARS
			_	LESS THAN ONE MONTH
INAPP	PLICABLE: CO	L 1441-14	142=-1,27,	
BPIL2MOL	1451-1452		NUMBER OF I	<u>MONTHS CONTINUOUSLY TOOK</u> ROL PILLS
		9944	- 1	INAPPLICABLE
				REFUSED
		0	-8	DON'T KNOW
		Õ	-9	NOT ASCERTAINED
		54	1-11	NUMBER OF MONTHS
G	GRG36UNA G36UNITA INAPP	GRG3GUNA (1449-1457) G3GUNITA 1449-1450 INAPPLICABLE: CO	O 6 5 173  INAPPLICABLE: (COL 1441-1668)  GRG3GUNA (1449-1457)  G3GUNITA 1449-1450  — 9812 — 0 12 1 7 47 118 1 INAPPLICABLE: COL 1441-14  GPIL2MOL 1451-1452  9944 0 0 0 0 0	O -7 6 -8 5 -9 173 19-51  INAPPLICABLE: (COL 1441-1442=-1,2,-7  GRG3GUNA (1449-1457)  WHAT IS TH SUBJECT CO CONTROL PI   396UNITA 1449-1450

INAPPLICABLE: COL 1449-1450=-1,3,95,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name		Counts	Variable Des	cription and Codes
G36A	BPIL2YRL	1453-1454		NUMBER OF YEAR BIRTH CONTROL	S CONTINUOUSLY TOOK PILLS
	INAPPL	ICABLE: CO		-1 -7 -8 -9 1-23	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF YEARS
G36A	G36ATOT	1455-1457		TOTAL NUMBER O	F MONTHS CONTINUOUSLY TROL PILLS
			0	-7 -8	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED TOTAL NUMBER OF MONTHS
	INAPPL	ICABLE: (C	DL 1449-1	1450=~1,95,-7,-8	,-9) OR (COL 1453-1454=-7,-8,-9)
	GRG36UNB (	1458-1466)			OR MONTHS HAS SUBJECT BIRTH CONTROL PILLS?
G36B	G36UNITB	1458-1459		TIME PERIOD RE	SPONDED IN
			1	-1 -7 -8 -9 1 2 3	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MONTHS AND YEARS MONTHS YEARS LESS THAN ONE MONTH
	TNAPPI	TCABLE: COL	1441-14	49=-1 9 -7 -8 -0	<b>5</b>

INAPPLICABLE: COL 1441-1442=-1,2,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name		Counts	Variable Descrip	ption and Codes				
G36B	BPIL2MOT	1460-1461		NUMBER OF MONTHS	TOOK BIRTH CONTROL				
			9941 0 0 0 57	-7 F -8 E -9 N	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MONTHS				
	INAPPLICABLE: COL 1458-1459=-1,3,95,-7,-8,-9								
G36B	BPIL2YRT	1462-1463		NUMBER OF YEARS TO PILLS	OOK BIRTH CONTROL				
			9866	-1	INAPPLICABLE				
			0		REFUSED				
			0	_	DON'T KNOW				
					NOT ASCERTAINED				
			132	1-23 N	NUMBER OF YEARS				
	INAPPL	ICABLE: CO	L 1458-14	159=-1,2,95,-7,-8,-9	9				
G36B	G36BTOT	1464-1466		TOTAL NUMBER OF MO	ONTHS TOOK BIRTH				
			9823	-1 ]	INAPPLICABLE				
			0	•	REFUSED				
			ŏ	•	OON'T KNOW				
			ō	<del>-</del>	NOT ASCERTAINED				
			175		TOTAL NUMBER OF MONTHS				
	INAPPLICABLE: (COL 1458-1459=-1,95,-7,-8,-9) OR (COL 1462-1463=-7,-8,-9)								

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
	GRG37UNI	(1467-1472)		HOW MANY YEARS OR MONTHS DID SUBJECT USE BIRTH CONTROL PILLS PRIOR TO AGE 25?
G37	G37UNIT	1467-1468		TIME PERIOD RESPONDED IN
			8786 0 46 5 54 146 703 12 246	-7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YEARS AND MONTHS 2 MONTH 3 YEARS 95 LESS THAN ONE MONTH
	COL (COL	10-11=2 AND C	OL 132-1: COL 132-	=1) OR (COL 12-13=1 AND 33=-3,2 AND COL 1441-1442=-1,2,-7,-8,-9) OR 133=-3,2 AND COL 1443-1444>24) OR 1=2)
	TO A DISC	GE 25 IN THE	1982-84   EPORT IN	A BIRTH CONTROL PILL USER PRIOR FOLLOWUP OR THE 1986 FOLLOWUP, BUT THE 1987 FOLLOWUP, A CODE OF 96
G37	BPIL25MO	1469-1470		NUMBER OF MONTHS TOOK BIRTH CONTROL PILLS PRIOR TO 25
			1	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1-11 NUMBER OF MONTHS
	INAP	PLICABLE: CO	L 1467-14	468=-1,3,95,96,-7,-8,-9
G37	BPIL25YR	1471-1472		NUMBER OF YEARS TOOK BIRTH CONTROL PILLS PRIOR TO 25
			9241 0 0 0 757	-7 REFUSED -8 DON'T NOW -9 NOT ASCERTAINED

INAPPLICABLE: COL 1467-1468=-1,2,95,96,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name 	Number(s)	Counts	Variable Description and Codes		
G38	BEFCHILD	1473-1474		DID SUBJECT USE BIRTH CONTROL PILLS BEFORE FIRST CHILD WAS BORN?		
			4 405 1637	1 YES 2 NO		
			44	96 DISCREPANCY		
 INAPPLICABLE: (COL 10-11=1) DR (COL 12-13=1 AND COL 10-11=2 AND COL 1441-1442=-1,2,-7,-8,-9 AND COL 130-131=-3,3) DR (COL 12-13=1 AND COL 10-11=2 AND COL 130-131=1,2 AND COL 118-119=2 AND COL 1337-1338=-1,0) DR (COL 12-13=1 AND COL 118-119=-3,2 AND COL 1441-1442=1 AND COL 1337-1338=-1,0) DR (COL 12-13=3 AND COL 10-11=2)  IF A SUBJECT WAS CODED AS A FORMER BIRTH CONTROL PILL USER IN THE 1982-84 FOLLOWUP, BUT DISCLAIMED THAT REPORT IN THE 1987 FOLLOWUP, A CODE OF 96 FLAGS THE DISCREPANCY.						
	GRG39UNI	(1475-1480)		HOW MANY YEARS OR MONTHS BEFORE FIRST CHILD WAS BORN DID SUBJECT USE BIRTH CONTROL PILLS?		
G39	G39UNIT	1475-1476	9593 O 8 2 34	TIME PERIOD RESPONDED IN  -1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 MONTHS AND YEARS		
			89 269	2 MONTHS 3 YEARS		
			3	95 LESS THAN ONE MONTH		

INAPPLICABLE: COL 1473-1474=-1,2,96,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name		Counts	Variable Descr	ription and Codes
G39	BPILBCMO	1477-1478		NUMBER OF MONTHS PILLS BEFORE FIR	S TOOK BIRTH CONTROL
			9875 0 0 0 123	-8 -9 1-11	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MONTHS
	INAPPL	ICABLE: CO	L 1475-14	76=-1,3,95,-7, <b>-</b> B,	-9
G39	BPILBCYR	1479-1480		NUMBER OF YEARS PILLS BEFORE FIR	TOOK BIRTH CONTROL
			9695 0 0 0 303	-1 -7 -8 -9 1-16	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF YEARS
	INAPPL	ICABLE: CO	L 1475-14	76=-1,2,95,-7,-8,	-9
G40	TUBETYD	1481-1482		HAS SUBJECT EVER BE STERILIZED (T	HAD AN OPERATION TO UBAL LIGATION)?
			3827 1 47 19 1075 5029	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL:	CABLE: (CO	DL 10-11=	1) OR (COL 10-11=	2 AND COL 1327-1328=1) OR

INAPPLICABLE: (COL 10-11=1) OR (COL 10-11=2 AND COL 1327-1328=1) OR (COL 10-11=2 AND COL 1333-1334=1) OR (COL 12-13=3 AND COL 10-11=2 AND COL 8-9=1,3) OR (COL 12-13=3 AND COL 10-11=2 AND COL 8-9=2 AND COL 1323-1324=2)

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name		Counts	Variable Descr	
G41	AGETUBTY	1483-1484		AGE WHEN SUBJECT PROCEDURE (TUBAL	HAD STERILIZATION LIGATION)
	INAPPL	.ICABLE: COL	25 1 1049		INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED AGE WHEN HAD TUBAL LIGATION
	2144112		1401 14	102- 1,2, 7, 0,-9	
G42	CALCIUM	1485-1486		HAS SUBJECT EVER CALCIUM PILLS OR ANTACIDS?	REGULARLY TAKEN CALCIUM RICH
			20	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	T111.001				
	INAPPL	ICABLE: (CO	L 10-11=	:1) OR (COL 12-13=	3 AND COL 10-11=2)
	GRG43UNI (	1487-1490)		HOW LONG DID SUB REGULARLY?	JECT TAKE CALCIUM
G43	UNIT43	1487-1488		TIME PERIOD RESP	ONDED IN
	TALADOL	ICARLE. COL	8048 0 66 1 460 1367 56	-1 -7 -8 -9 1 2 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED MONTHS YEARS LESS THAN ONE MONTH

INAPPLICABLE: COL 1485-1486=-1,2,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

				.,	MINO MENSINONE TILLION
Ques No.	Variable Name	Column Number(s)	Counts		Cription and Codes
G43	LONGCALC	1489-1490		NUMBER OF MONT	HS OR YEARS
	TNADDI	TCARLE: COL	1822	-7	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF MONTHS OR YEARS
	TIVALLE	TOABLE. COL	1407 14	1001,95,-7,-0,	-9
G44	PAPTEST	1491-1492		HAS SUBJECT EV	ER HAD PAP TEST?
			5471	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (CO	L 10-11=	:1) OR (COL 10-1	1=2 AND COL 12-13=3)
				1, 21 (222 10 1	1 2 AND GOL 12 13-3)
G45	LONGPAP	1493-1494		HOW LONG HAS I	T BEEN SINCE SUBJECT IN YEARS)?
			4527 1 267 14 3194 1995	-7 -8	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEARS SINCE PAP TEST LESS THAN ONE YEAR
	INAPPL	ICABLE: COL	1491-14	92=-1,2,-7,-8,-9	Э
G46	MANYPAP5	1495-1496		HOW MANY PAP TE IN LAST 5 YEARS	STS DID SUBJECT HAVE
	ΙΝΔΡΡΙ	[CARLE: (COL		-1 -7 -8 -9 1-60	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF PAP TESTS OR (COL 1493-1495-6-45)
	TIME FL.		. 1433 1		UK (CUL 1493-1495=6-45)

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No.	Variable Name		Counts	Variable Desc	ription and Codes
G47	BRSTEXAM	1497-1498		HAS SUBJECT EVE EXAM BY DOCTOR ( PROFESSIONAL?	
			3848 1 62 21 5377 689	-9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (C	OL 10-11=	1) OR (COL 10-11:	=2 AND COL 12-13=3)
G48	NUMBRST5	1499-1500		HOW MANY BREAST HAVE IN LAST 5	EXAMS DID SUBJECT (EARS?
			4621 0 198 16 5163	-1 -7 -8 -9 0-60	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF EXAMS
	INAPPL	ICABLE; COI	_ 1497-14	98=-1,2,-7,-8,-9	
G49	LONGBRST	1501-1502		HOW LONG SINCE SEXAM (IN YEARS)?	SUBJECT HAD BREAST
			4621 0 197 11 2579 2590	-1 -7 -8 -9 1-45	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEARS SINCE LAST BREAST EXAM LESS THAN ONE YEAR
	TNAPPLE	CARLE: COL	1/07-1/	001 2 -7 -0 -0	

INAPPLICABLE: COL 1497-1498=-1,2,-7,-8,-9

PART G: PREGNANCY AND MENSTRUAL HISTORY

Ques No .	Variable Name	Column Number(s) Co	ounts	Variable Descr	iption and Codes
<b>Ģ5</b> O	EXAMSELF	1503-1504		DOES SUBJECT KNOW BREASTS FOR LUMPS	W HOW TO EXAMINE OWN 5?
			3849 0 88 16 5315 730	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL 1	1497-149	∃8=~1,-7	
G5 1	EVEREXAM	1505-1506		HAS SUBJECT EVER	EXAMINED OWN BREASTS

4946 1 YES 336 2 NO

INAPPLICABLE: COL 1503-1504--1,2,-7,-8,-9

G52	OFTNEXAM	1507 - 1508		DID SUBJECT EXAMINE OWN N PAST YEAR?
		5052 1 270 7 4089 360	-1 -7 -8 -9 0-52 94	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF EXAMS PER YEAR MORE THAN ONCE/WK BUT LESS THAN EVERY DAY
		219	95	EVERY DAY OF YEAR (365)

INAPPLICABLE: COL 1505-1506=-1,2,-7,-8,-9

## PART G: PREGNANCY AND MENSTRUAL HISTORY

				TAKT G. TREGNAN	ICT AND MENSTROAL III 310K
Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
G53	MAMMO	1509-1510		HAS SUBJECT EVER	HAD A MAMMOGRAM?
				HAS SOBOLOT LVEN	TIAD A MANINGUIGHT
			3849 0	- 1 - 7	INAPPLICABLE REFUSED
			114 32	-9	DON'T KNOW NOT ASCERTAINED
			25 19 3484	1 2	YES NO
	INAPPL COL 14	ICABLE: (CC 97-1498=-7)	OL 10-11= OR (COL	1) OR (COL 12-13= 12-13=3 AND COL 1	1 AND COL 10-11=2 AND 0-11=2)
G54	NUMMAM05	1511-1512		HOW MANY TIMES H	
			7479 0		INAPPLICABLE
			-	-7 -8	REFUSED DON'T KNOW
				- <b>6</b> -9	NOT ASCERTAINED
			2461	_	NUMBER OF MAMMOGRAMS
	INAPPL	ICABLE: COL	. 1509-15	10=-1,2,-7,-8,-9	
G55	LASTMAMO	1513-1514		WHAT YEAR DID SU MAMMOGRAM?	BJECT HAVE LAST
			7479	-1	INAPPLICABLE
			0	-7	REFUSED
			135	-	DON'T KNOW
			5 2379	-9 60-87	NOT ASCERTAINED LAST MAMMOGRAM
			2313	00 01	LASI MAMMUGKAM
	INAPPL	ICABLE: COL	. 1509-15	10=-1,2,-7,-8,-9	

PART H: CLOSING STATEMENTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable	Description and Codes
H1	MEDICARE	1515-1516		IS SUBJECT	COVERED BY MEDICARE?
			6401 0 28 127 3243 199	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 20-21<65 OR (COL 12-13=3 AND AGE AT DEATH<65)

HHCF	1517-1518			STAYS LISTED ON HOSPITAL H CARE FACILITY (HHCF)
		2 0	-1 -9	INAPPLICABLE NOT ASCERTAINED
		4308	1	YES
		5688	2	NO

INAPPLICABLE: COL 22-23=4,5,6 AND RESPONDENT NEITHER COMPLETED PART B OF THE QUESTIONNAIRE NOR REPORTED ANY HOSPITAL OR NURSING HOME STAYS BEFORE BREAKING OFF THE INTERVIEW.

1519-1608 BLANK

PART H. CLOSING STATEMENTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable De	scription and Codes
	RELAPRX1	1609-1610		RELATIONSHIP SUBJECT	OF PROXY TO INCAPACITATED
			9368	- 1	INAPPLICABLE
			0	-7	REFUSED
			Ō	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			157	1	HUSBAND/WIFE (OR EQUIVALENT)
			6	2	FATHER/MOTHER (NATURAL, STEP, ADOPTIVE)
			0	3	FATHER/MOTHER (IN-LAW)
			259	5	SON/DAUGHTER (NATURAL, STEP, ADOPTIVE)
			30	6	SON/DAUGHTER (IN-LAW)
			16	7	GRANDCHILD
			31	8	BROTHER/SISTER (NATURAL, STEP, ADOPTIVE)
			14	9	BROTHER/SISTER (IN-LAW)
			3	10	AUNT/UNCLE/COUSIN
			34	11	NIECE/NEPHEW
			18	12	ROOMMATE/FRIEND/NEIGHBOR
			2	91	OTHER-SPECIFIED RELATIVE
			60	93	OTHER-SPECIFIED NON-RELATIVE

INAPPLICABLE: COL 22-23=1,3,4,6

1611-1738 BLANK

# PART H: CLOSING STATEMENTS

Ques No .	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
H14	SUBAST	1739-1740		DID SUBJECT REC	EIVE ASSISTANCE WITH
	INAPPI	ICABLE: COL	1102 1 0 114 151 8630	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
H14	NUMAST	1741-1742	- 22 20-,	NUMBER OF ASSIS	TANTS
	INAPPL	ICABLE: COL	9847 0 0 0 151 0	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED ONE ASSISTANT TWO ASSISTANTS
H14	AST1REL	1743-1744			ASSISTANT #1 TO
			9847 0 0 93 2 0 0 29 4 3 5 0 2 1 9 0	-1 -7 -8 -9 1 2 3 4 5 6 7 8 9 10 11 12 91	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED HUSBAND/WIFE (OR EQUIVALENT) FATHER/MOTHER (NATURAL, STEP, ADOPTIVE) FATHER/MOTHER (IN-LAW) GRANDPARENT SON/DAUGHTER (NATURAL, STEP, ADOPTIVE) SON/DAUGHTER (IN-LAW) GRANDCHILD BROTHER/SISTER (NATURAL, STEP, ADOPTIVE) BROTHER/SISTER (IN-LAW) AUNT/UNCLE/COUSIN NIECE/NEPHEW ROOMMATE/FRIEND/NEIGHBOR OTHER-SPECIFIED RELATIVE
	INAPPL]	CABLE: COL	1741-17	42=-1,-7,-8,-9	
		1745-1928		BLANK	

## PART I: CHARACTERISTICS OF RESPONDENT

				TART I. CHARA	ACIEKTATICA OF KESPONDENI
Ques No.	Variable Name	Column Number(s) Coun	nts	Variable Descr	ription and Codes
			· <b>-</b> -		
I 1	PRIMAST	1929-1930		WHO WAS THE PRIM	MARY RESPONDENT?
		98	147	-1	INADDI ICADI C
		33	0	-9	INAPPLICABLE NOT ASCERTAINED
			79	1	SUBJECT WAS PRIMARY RESPONDENT
			72	2	ASSISTANT #1 WAS PRIMARY RESPONDEN
			0	3	UNCERTAIN
	TNADO	N TOADLE			
	INAPI	PLICABLE: COL 173	9-17	40=-1,2,-7,-8,-9	
	THIS	VARIABLE IS BASED	ON .	THE PERSONAL ASSE	ESSMENT OF
	THE 1	NTERVIEWER AND IS	CODI	ED ONLY IF SUBJEC	CT REQUIRED
	ASSIS	STANCE TO COMPLETE	THE	INTERVIEW.	
	GRKHEAR	(1931-2070)		REASONS FOR HELP	FROM ASSISTANT OR
				PROXY	TROM ASSISTANT OR
	THE	ADTABLES IN SOL			
	IHE V	ARIABLES IN COL 1	931-2	2070 CODE THE REA	SONS WHY A
	DESPO	VING SUBJECT NEED	ED HE	ELP FROM AN ASSIS	STANT OR PROXY
	112310	TIDENT.			
I2A	KHEAR	1931-1932		<u>HEARING IS REASO</u>	
				ASSISTANT OR PRO	<u>XY</u>
		92	17	-1	INAPPLICABLE
				-9	NOT ASCERTAINED
		32	29	1	YES
		44	47	2	NO
	TNADD	LICARIE. (COL DO	00-4	1 4 MD 001 4500	
	(COL	12-13=3)	-23=1	1,4 AND COL 1739-	1740=2,-7,-8,-9) OR
	(002	12 10 0)			
[2B	KSPEECH	1933-1934		SPEECH IS REASON	FOR HELP FROM
				ASSISTANT OR PRO	<u>XY</u>
		92	17	-1	INAPPLICABLE
		02		-9	NOT ASCERTAINED
		e		1	YES
			07		NO
	_	_			
	INAPP	LICABLE: (COL 22-	-23=1	,4 AND COL 1739-	1740≈2,-7,-8,-9) OR
	( COL	12-13=3)			

Ques No.	Variable Name		Counts	Variable Descript	ion and Codes
12C	KLANGU	1935-1936		LANGUAGE IS REASON	FOR HELP FROM
				ASSISTANT OR PROXY	
			9217 5 35 741		-
	INAPPL (COL 1	ICABLE: (COI 2-13=3)	_ 22-23=	1,4 AND COL 1739-174	O=2,-7,-8,-9) OR
I 2D	KMEMRY	1937-1938		MEMORY, SENILITY IS FROM ASSISTANT OR P	REASON FOR HELP
			9217 5 287 489		
		ICABLE: (COL 2-13=3)	. 22-23=	1,4 AND COL 1739-174	O=2,-7,-8,-9) OR
I2E	KINSTIT	1939-1940		INSTITUTIONALIZATIO HELP FROM ASSISTANT	
			9217 4 143 634		=
	INAPPL: (COL 1:	ICABLE: (COL 2-13=3)	22-23=	1.4 AND COL 1739-174	D=2,-7,-8,-9) OR
I2F	KALZH	1941-1942		ALZHEIMER'S DISEASE HELP FROM ASSISTANT	IS REASON FOR OR PROXY
			9217 5 46 730		=
	INAPPLI (COL 12	CABLE: (COL -13=3)	22-23=1	1,4 AND COL 1739-1740	D=2,-7,-8,-9) OR

PART I: CHARACTERISTICS OF RESPONDENT

	Variable Name	Column Number(s)	Counts	Variable Description and Codes
I2G	KOTHMENT	1943-1944	9217 5 41 735	OTHER MENTAL CONDITION IS REASON FOR HELP FROM ASSISTANT OR PROXY  -1 INAPPLICABLE -9 NOT ASCERTAINED 1 YES 2 NO
		ICABLE: (CC 2-13=3)	OL 22-23=	1,4 AND COL 1739-1740=2,-7,-8,-9) OR
		1945-1974		BLANK
I2H	КОТНРНҮ	1975-1976		OTHER PHYSICAL ILLNESS IS REASON FOR HELP FROM ASSISTANT OR PROXY
			9217 4 133 644	-1 INAPPLICABLE -9 NOT ASCERTAINED 1 YES 2 NO
		ICABLE: (CC 2-13=3)	OL 22-23=	1,4 AND COL.1739-1740-2,-7,-8,-9) OR
		1977-2006		BLANK

## PART I: CHARACTERISTICS OF RESPONDENT

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	
I2I	KOTHHEAL	2007-2008			I PROBLEM IS REASON SISTANT OR PROXY
			9217 5 35 741	-1 -9 1 2	INAPPLICABLE NOT ASCERTAINED YES NO
		.ICABLE: (CO 2-13=3)	L 22-23=	1,4 AND COL 1739-	1740=2,-7,-8,-9) OR
		2009-2038		BLANK	
I2J	KOTHER	2039-2040		OTHER REASON FOR	HELP FROM ASSISTANT
			9217 0 0 5 111 665	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
		ICABLE: (CO 2-13=3)	L 22-23=	1,4 AND COL 1739-	1740=2,-7,-8,-9) OR
		2041-2070		BLANK	
13	INFOSATS	2071-2072			FEEL INFORMATION FROM WAS SATISFACTORY?
			0 128 9752 118	-1 -9 1 2	INAPPLICABLE NOT ASCERTAINED YES NO
		2073-2267		BLANK	

PART I: CHARACTERISTICS OF RESPONDENT

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
15	SUBAWARE	2268-2269		AWARENESS LEVEL THE INTERVIEW	OF SUBJECT DURING
			1102 117 7711 787 223 47 11	-1 -9 1 2 3 4 5	INAPPLICABLE NOT ASCERTAINED VERY ALERT ALERT SOMEWHAT ALERT CONFUSED VERY CONFUSED

INAPPLICABLE: COL 22-23=2,3,5,6

THE INTERVIEWER EVALUATED THE AWARENESS LEVEL ONLY OF A SUBJECT WHO PARTICIPATED IN THE INTERVIEW.

NCHS ASSIGNED THE VALUE LABELS TO CODES 2, 3, 4. THESE CODES WERE NOT LABELED ON THE QUESTIONNAIRE AND REPRESENT ONLY THE GRADATIONS BETWEEN VERY ALERT AND VERY CONFUSED.

IGA	QHELDATT	2270-2271		DID QUESTION?	NNAIRE HOLD RESPONDENT'S
			0 129 9753 42 74	-1 -9 1 2 3	INAPPLICABLE NOT ASCERTAINED YES NO UNCERTAIN
16B	QUPSTDEP	2272-2273		DID QUESTION RESPONDENT?	NNAIRE UPSET OR DEPRESS
			0 129 88 9695 86	-1 -9 1 2 3	INAPPLICABLE NOT ASCERTAINED YES NO UNCERTAIN
16C	QBORING	2274-2275		DID QUESTIO	NNAIRE BORE RESPONDENT?
			0 129 117 9617 135	-1 -9 1 2 3	INAPPLICABLE NOT ASCERTAINED YES NO UNCERTAIN

## PART I: CHARACTERISTICS OF RESPONDENT

	Variable Name 		Counts	Variable Description and Codes	
I7A	RCAPABLE	2276-2277		WAS RESPONDENT INTELLECTUALLY CAPABLE OF ANSWERING QUESTIONS?	
			0 129 9787 14 68	-1 -9 1 2 3	INAPPLICABLE NOT ASCERTAINED YES NO UNCERTAIN
I7B	RACCURTE	2278-2279		WERE RESPONDENT'S	S ANSWERS REASONABLY
			0 129 9632 42 195	-1 -9 1 2 3	INAPPLICABLE NOT ASCERTAINED YES NO UNCERTAIN
17C	RUNDESST	2280-2281		DID RESPONDENT UI QUESTIONS?	NDERSTAND THE
			0 129 9718 27 124	-1 -9 1 2 3	INAPPLICABLE NOT ASCERTAINED YES NO UNCERTAIN

# PART I: CHARACTERISTICS OF RESPONDENT

	Ques No.		Column Number(s)	Counts	Variable Descr	iption and Codes
	18	BADSECT	2282-2283		PROBLEMATIC SECT	ICULARLY UPSETTING OR ION FOR RESPONDENT?
				9770 0	-1 -9	INAPPLICABLE NOT ASCERTAINED
				_		YES
				137	2	NO
		INAPPL COL 22	ICABLE: (C0 76-2277=1,3	OL 2272-2 ,-9 AND C	273=2,3,-9 AND CO OL 2278-2279=1,3,	L 2274-2275=2,3,-9 AND -9 AND COL 2280-2281=1,3,-9)
			2284-2378		BLANK	
	19	RHRDHRNG	2379-2380		WAS RESPONDENT H	ARD OF HEARING?
<u></u>	——			0 125 505 9368	-1 -9 1 2	INAPPLICABLE NOT ASCERTAINED YES NO
	I 10	QINTSPAN	2381-2382		WAS THE INTERVIE SPANISH FOR RESP	<u>W_CONDUCTED_IN</u> ONDENT?
				0 82 9916		INAPPLICABLE YES NO
			2383-3035		BLANK	

PART B: CANCER REPORTS

Ques Variable Column
No. Name Number(s) Counts Variable Description and Codes
GRCANC (3036-3335)

TYPES OF CANCERS REPORTED FOR SUBJECT
BY RESPONDENT

THIS SECTION OF THE INTERVIEW FILE CONTAINS DATA COLLECTED ON EACH DIFFERENT TYPE OF CANCER REPORTED FOR THE SUBJECT IN RESPONSE TO Q.B50 OR Q.B51. VARIABLES IN THIS SECTION INCLUDE THE TYPE OF CANCER THE SUBJECT HAD (Q.B53), THE YEAR IT WAS FIRST DIAGNOSED BY A DOCTOR (Q.B54), AND WHETHER OR NOT THE SUBJECT WAS HOSPITALIZED FOR THE CANCER (Q.B55). SINCE NO MORE THAN SIX CANCERS WERE REPORTED FOR ANY ONE SUBJECT, THERE ARE SIX SECTORS RESERVED IN COL 3036-3335 TO STORE THE INFORMATION COLLECTED ON THE CANCERS. EACH OF THE SIX SECTORS CONTAINS THE SAME SETS OF VARIABLES. THE TOTAL NUMBER OF CANCERS REPORTED FOR THE SUBJECT IS CODED IN COL 789-790. IF THE SUBJECT DID NOT HAVE ANY CANCER REPORTS, THE VARIABLE IN COL 789-790 AND COL 3036-3335 CONTAIN CODES OF -1 (INAPPLICABLE). THE TYPES OF CANCER IN COL 3036-3335 ARE LISTED IN THE ORDER THEY WERE REPORTED AND NOT NECESSARILY IN CHRONOLOGICAL ORDER.

3036-3040 BLANK

CANCNUM 3041-3042 CANCER REPORT #1

9274 -1 INAPPLICABLE
O -9 NOT ASCERTAINED
724 1 1ST TYPE OF CANCER REPORTED

INAPPLICABLE: COL 789-790=-1

PART B: CANCER REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
B53	CANCRLOC	3043-3044		WHERE WAS CANCER	#1/WHAT TYPE WAS IT?
			9274	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			11	-8	DON'T KNOW
			Ö	-9	NOT ASCERTAINED
			41	1	LUNG
			44	2	COLON (RECTUM, ANUS, INTESTINES)
			54	3	BREAST
			56	4	SKIN (MELANOMA)
			110	5	SKIN (NON-MELANOMA)
			211	6	SKIN (DON'T KNOW)
			25	7	UTERUS
			24	8	PROSTATE
			11	9	STOMACH
			4	10	LEUKEMIA
			12	11	BLADDER
			6	12	KIDNEY
			11	13	BONE
			6	14	BLOOD (LYMPHOMAS, MULTIPLE MYELOMA)
			10	15	LIVER
			6	16	PANCREAS
			4	17	BRAIN
			8	18	THROAT
			6	19	CERVIX
			1	20	LARYNX
			20	21	NECK AND HEAD
			1	22	SPINE
			0	23	POSSIBLE METASTATIC
			0	24	OTHER GI
			14	25	FEMALE GENITAL
			28	91	OTHER CANCER

INAPPLICABLE: COL 789-790=-1

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE

					PART B: CANCER REPURIS
Ques No.	Variable Name	Column Number(s)	Counts	, ,	ription and Codes
		3045-3074		BLANK	
	I CD9CANC	3075-3077		ICD-9-CM CODE F	OR CANCER #1
			9274 0 0 702 1 21	-1 -7 -9 140-210 232 998	INAPPLICABLE REFUSED NOT ASCERTAINED ICD-9-CM CANCER CODE ICD-9-CM CANCER CODE DON'T KNOW CANCER SITE
	INAPP	LICABLE: COL	. 789-790	D=-1	
B53	ANYCANC	3078-3079		DID SUBJECT HAV	E ANY OTHER TYPE OF CANCER #1?
			9274 0 5 0 79 640	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	LICABLE: COL	789-790	)=-1	
B54	TOLDCANC	3080-3081		WHAT YEAR WAS SU ABOUT CANCER #11	UBJECT_FIRST_TOLD ?
			9384 0 45 1 568	- 1 - 7 - 8 - 9 28 - 8 7	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YR FIRST TOLD ABOUT CANCER (1928-1987)

INAPPLICABLE: (COL 789-790=-1) OR (COL 3043-3044=5)

Ques	Variable	Column		
No.	Name	Number(s)	Counts	Variable Description and Codes
	CANCFL	3082-3083		CANCER #1 YEAR IS BEFORE THE PREVIOUS
				INTERVIEW YEAR
			9884	-1 INAPPLICABLE
			0	-9 NOT ASCERTAINED
			114	1 DISCREPANCY
	TALADE	DITCABLE. (C		- 4 4) 00 (00) 0000 0004  4 7 0

INAPPLICABLE: (COL 98-99=-1,1) OR (COL 3080-3081=-1,-7,-8, -9) OR (COL 98-99=2 AND COL 3080-3081>=COL 172-173)

THIS FLAG INDICATES THAT CANCER #1 WAS NOT REPORTED FOR THE SUBJECT IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B54 FOR CANCER #1 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

B55	B55_HOSP	3084-3085		WAS SUBJECT HO CANCER #1?	DSPITALIZED FOR
			9274	<b>-1</b>	INAPPLICABLE
			0	-7	REFUSED
			4	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			259	1	YES
			461	2	NO

INAPPLICABLE: COL 789-790=-1

PLEASE CONSULT THE QUESTIONNAIRE REGARDING THE SKIP PATTERNS FOR THE CANCER QUESTIONS. DEPENDING ON THE RESPONSE TO Q.B50, EITHER Q.B55 OR Q.B52 (CODED IN COL 787-788) WAS ASKED IN ORDER TO ASCERTAIN WHETHER OR NOT THE SUBJECT HAD HAD ANY OVERNIGHT HOSPITAL STAYS FOR CANCER. IF CANCER WAS REPORTED IN RESPONSE TO Q.B51, ANY OVERNIGHT HOSPITAL STAYS WERE REPORTED THROUGH Q.B55.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
		3086-3090		BLANK
	CANCNUM	3091-3092		CANCER REPORT #2
			9919 0 79	-1 INAPPLICABLE -9 NOT ASCERTAINED 2 2ND TYPE OF CANCER REPORTED

INAPPLICABLE: COL 789-790=-1,1

PART B: CANCER REPORTS

Ques No 	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
853	CANCRLOC	3093-3094		WHERE WAS CANCER	#2/WHAT TYPE WAS IT?
			9919	-1	INAPPLICABLE
			0	-7	REFUSED
			Ō	-8	DON'T KNOW
			Ō	-9	NOT ASCERTAINED
			3	1	LUNG
			6	2	COLON (RECTUM, ANUS, INTESTINES)
			2	3	BREAST
			2	4	SKIN (MELANOMA)
			5	5	SKIN (NON-MELANOMA)
			17	6	SKIN (DON'T KNOW)
			1	7	UTERUS
			3	8	PROSTATE
			2	9	STOMACH
			0	10	LEUKEMIA
			0	11	BLADDER
			1	12	KIDNEY
_			7	13	BONE
			1	<del>-14</del>	BLOOD (LYMPHOMAS, MULTIPLE MYELOMA)
			6	15	LIVER
			1	16	PANCREAS
			5	17	BRAIN
			0	18	THROAT
			1	19	CERVIX
			О	20	LARYNX
			6	21	NECK AND HEAD
			2	22	SPINE
			0	23	POSSIBLE METASTATIC
			0	24	OTHER GI
			2	25	FEMALE GENITAL
			6	91	OTHER CANCER

INAPPLICABLE: COL 789-790=-1,1

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

3095-3124 BLANK

					PART B: CANCER REPORTS
Ques No.	Variable Name		Counts	Variable Desc	ription and Codes
	ICD9CANC	3125-3127		ICD-9-CM CODE FO	OR CANCER #2
			9919	- 1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			ō	-9	NOT ASCERTAINED
			78	140-210	ICD-9-CM CANCER CODE
			1	998	DON'T KNOW CANCER SITE
	INAPP	LICABLE: CO	L 789-790	O=-1,1	
B53	ANYCANC	3128-3129		DID SUBJECT HAVE CANCER BESIDES	E ANY OTHER TYPE OF CANCERS #1-#2?
			9919	-1	INAPPLICABLE
			0	-7	REFUSED
			1	- <b>8</b>	DON'T KNOW
			0	-9	NOT ASCERTAINED
			14	1	YES
			64	2	NO
	INAPP	LICABLE: CO	L 789-790	D=-1,1	
B54	TOLDCANC	3130-3131		WHAT YEAR WAS SU ABOUT CANCER #2	UBJECT FIRST TOLD ?
			9924	-1	INAPPLICABLE
			0	-7	REFUSED
			6	- <b>8</b>	DON'T KNOW
			Ō	-9	NOT ASCERTAINED
			68	28-87	YR FIRST TOLD ABOUT CANCER (1928-1987)

INAPPLICABLE: (COL 789-790=-1,1) OR (COL 3093-3094=5)

Ques No .	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
	CANCFL	3132-3133		CANCER #2 YEAR I	IS BEFORE PREVIOUS
			9992 O 6	-1 -9 1	INAPPLICABLE NOT ASCERTAINED DISCREPANCY

INAPPLICABLE: (COL 98-99=-1,1) OR (COL 3130-3131=-1,-7,-8, -9) OR (COL 98-99=2 AND COL 3130-3131>=COL172-173)

THIS FLAG INDICATES THAT CANCER #2 WAS NOT REPORTED FOR THE SUBJECT IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B54 FOR CANCER #2 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

B55	B55_HOSP	3134-3135		WAS SUBJECT CANCER #2?	HOSPITALIZED FOR
			9919	- 1	INAPPLICABLE
			0	-7	REFUSED
			1	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			42	1	YES
			36	2	NΩ

INAPPLICABLE: COL 789-790=-1,1

PLEASE CONSULT THE QUESTIONNAIRE REGARDING THE SKIP PATTERNS FOR THE CANCER QUESTIONS. DEPENDING ON THE RESPONSE TO Q.B50, EITHER Q.B55 OR Q.B52 (CODED IN COL 787-788) WAS ASKED IN ORDER TO ASCERTAIN WHETHER OR NOT THE SUBJECT HAD HAD ANY OVERNIGHT HOSPITAL STAYS FOR CANCER. IF CANCER WAS REPORTED IN RESPONSE TO Q.B51, ANY OVERNIGHT HOSPITAL STAYS WERE REPORTED THROUGH Q.B55.

Ques No .	Variable Name 	Column Number(s)	Counts Variable Description and Codes	
	STANDAO	3136-3140		BLANK
	CANCNUM	3141-3142		CANCER REPORT #3
			9984	-1 INAPPLICABLE
			0 14	-9 NOT ASCERTAINED 3 3RD TYPE OF CANCER REPORTED

INAPPLICABLE: COL 789-790=-1,1,2

PART B: CANCER REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	ription and Codes
В53	CANCRLOC	3143-3144		WHERE WAS CANCE	R #3/WHAT TYPE WAS IT?
			9984	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	LUNG
			0	2	COLON (RECTUM, ANUS, INTESTINES)
			1	3	BREAST
			0	4	SKIN (MELANOMA)
			1	5	SKIN (NON-MELANOMA)
			2	6	SKIN (DON'T KNOW)
			0	7	UTERUS
			0	8	PROSTATE
			0	9	STOMACH
			0	10	LEUKEMIA
			0	11	BLADDER
			0	12	KIDNEY
			1	13	BONE
			0	14	BLOOD (LYMPHOMAS, MULTIPLE MYELOMA)
			2	15	LIVER
			0	16	PANCREAS
			1	17	BRAIN
			0	18	THROAT
			0	19	CERVIX
			0	20	LARYNX
			2	21	NECK AND HEAD
			0	22	SPINE
			0	23	POSSIBLE METASTATIC
			0	24	OTHER GI
			0	25	FEMALE GENITAL
			4	91	OTHER CANCER

INAPPLICABLE: COL 789-790=-1,1,2

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

3145-3174 BLANK

					PART B: CANCER REPORTS
Ques No. 	Variable Name 	Column Number(s)	Counts		ription and Codes
	ICD9CANC	3175-3177		ICD-9-CM CODE F	OR CANCER #3
			9984 O O 14 O		INAPPLICABLE REFUSED NOT ASCERTAINED ICD-9-CM CANCER CODE DON'T KNOW CANCER SITE
	INAPP	LICABLE: CO	L 789-790	D=-1,1,2	
B53	ANYCANC	3178-3179		DID SUBJECT HAV CANCER BESIDES	E ANY OTHER TYPE OF CANCERS #1-#3?
			9984 0 0 0 4 10	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPP	LICABLE: COL	<b>78</b> 9-790	)=-1,1,2	
B54	TOLDCANC	3180-3181		WHAT YEAR WAS SI CANCER #3?	UBJECT FIRST TOLD ABOUT
			9985 0 1 0 12	-1 -7 -8 -9 28-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YR FIRST TOLD ABOUT CANCER (1928-1987)

12 28-87 INAPPLICABLE: (COL 789-790=-1,1,2) OR (COL 3143-3144=5)

PART B: CANCER REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes	
	CANCFL	3182-3183		CANCER #3 YEAR IS BEFORE PREVIOUS INTERVIEW YEAR	
			9998 O O	-1 INAPPLICABLE -9 NOT ASCERTAINED 1 DISCREPANCY	

INAPPLICABLE: (COL 98-99=-1,1) OR (COL 3180-3181=-1,-7,-8, -9) OR (COL 98-99=2 AND COL 3180-3181>=COL 172-173)

THIS FLAG INDICATES THAT CANCER #3 WAS NOT REPORTED FOR THE SUBJECT IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B54 FOR CANCER #3 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

B55	B55_HOSP	3184-3185		WAS SUBJECT A	HOSPITALIZED FOR
			9984	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			8	1	YES
			6	2	NO

INAPPLICABLE: COL 789-790=-1,1,2

PLEASE CONSULT THE QUESTIONNAIRE REGARDING THE SKIP PATTERNS FOR THE CANCER QUESTIONS. DEPENDING ON THE RESPONSE TO Q.B5O, EITHER Q.B55 OR Q.B52 (CODED IN COL 787-788) WAS ASKED IN ORDER TO ASCERTAIN WHETHER OR NOT THE SUBJECT HAD HAD ANY OVERNIGHT HOSPITAL STAYS FOR CANCER. IF CANCER WAS REPORTED IN RESPONSE TO Q.B51, ANY OVERNIGHT HOSPITAL STAYS WERE REPORTED THROUGH Q.B55.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes		
		3186-3190		BLANK		
	CANCNUM	3191-3192		CANCER REPORT #4		
			9994 0 4	- 1 - 9 4	INAPPLICABLE NOT ASCERTAINED 4TH TYPE OF CANCER REPORTED	

INAPPLICABLE: COL 789-790=-1,1,2,3

PART B: CANCER REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
B53	CANCRLOC	3193-3194		WHERE WAS CANCER	R #4/WHAT_TYPE WAS IT?
			9994	-1	INAPPLICABLE
			0	-7	REFUSED
			Ō	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	LUNG
			0	2	COLON (RECTUM, ANUS, INTESTINES)
			0	3	BREAST
			0	4	SKIN (MELANOMA)
			0	5	SKIN (NON-MELANOMA)
			1	6	SKIN (DON'T KNOW)
			0	7	UTERUS
			0	8	PROSTATE
			0	9	STOMACH
			0	10	LEUKEMIA
			0	11	BLADDER
			0	12	KIDNEY
			0	13	BONE
			0	14	BLOOD (LYMPHOMAS, MULTIPLE MYELOMA)
			0	15	LIVER
			0	16	PANCREAS
			0	17	BRAIN
			0	18	THROAT
			0	19	CERVIX
			0	20	LARYNX
			0	21	NECK AND HEAD
			1	22	SPINE
			0	23	POSSIBLE METASTATIC
			0	24	OTHER GI
			O	25	FEMALE GENITAL
			2	91	OTHER CANCER

INAPPLICABLE: COL 789-790=-1,1,2,3

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

3195-3224

BLANK

# DADT B. CANCED DEPORTS

					PART B: CANCER REPORTS
Ques No.	Variable Name	Column Number(s)	Counts	Variable Do	escription and Codes
	ICD9CANC	3225-3227		ICD-9-CM CODE	FOR CANCER #4
			9994	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-9	NOT ASCERTAINED
			4	140-210	ICD-9-CM CANCER CODE
			0	998	DON'T KNOW CANCER SITE
	INAPF	PLICABLE: COL	789-790	0=-1.1.2.3	
				, , ,	
B53	ANYCANC	3228-3229		DID SUBJECT H	HAVE ANY OTHER TYPE OF
					ES CANCERS #1-#4?
			9994	-1	INAPPLICABLE
			0	-7	REFUSED
			ő	-8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			1	1	YES
			3	2	NO
	TNIAPE	PLICABLE: COL	789-790	n=-1 1 2 3	
	INALL	LIGABLE: OUI	- 700 700	7,1,2,0	
B54	TOLDCANC	3230-3231		WHAT YEAR WAS	S SUBJECT FIRST TOLD
	102504.10	0200 020.		ABOUT CANCER	
			9994	- 1	INAPPLICABLE
			0	-7	REFUSED
			Ö	-8	DON'T KNOW
			Ö	-9	NOT ASCERTAINED
			4	28-87	YR FIRST TOLD ABOUT CANCER (1928-1987)

INAPPLICABLE: (COL 789-790=-1,1,2,3,) OR (COL 3193-3194=5)

PART B: CANCER REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	CANCFL	3232-3233		CANCER #4 YEAR IS BEFORE PREVIOUS INTERVIEW YEAR
			9998 O O	-1 INAPPLICABLE -9 NOT ASCERTAINED 1 DISCREPANCY

INAPPLICABLE: (COL 98-99=-1,1) OR (COL 3230-3231=-1,-7,-8, -9) OR (COL 98-99=2 AND COL 3230-3231>=COL 172-173)

THIS FLAG INDICATES THAT CANCER #4 WAS NOT REPORTED FOR THE SUBJECT IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B54 FOR CANCER #4 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

B55	B55_HOSP	3234-3235		WAS SUBJECT CANCER #4?	HOSPITALIZED FOR
			9994	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			2	1	YES
			2	2	NO

INAPPLICABLE: COL 789-790=-1,1,2,3

PLEASE CONSULT THE QUESTIONNAIRE REGARDING THE SKIP PATTERNS FOR THE CANCER QUESTIONS. DEPENDING ON THE RESPONSE TO Q.B5O, EITHER Q.B55 OR Q.B52 (CODED IN COL 787-788) WAS ASKED IN ORDER TO ASCERTAIN WHETHER OR NOT THE SUBJECT HAD HAD ANY OVERNIGHT HOSPITAL STAYS FOR CANCER. IF CANCER WAS REPORTED IN RESPONSE TO Q.B51, ANY OVERNIGHT HOSPITAL STAYS WERE REPORTED THROUGH Q.B55.

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes		
		3236-3240		BLANK		
	CANCNUM	3241-3242		CANCER REPORT #5		
			9997 O 1	-1 INAPPLICABLE -9 NOT ASCERTAINED 5 5TH TYPE OF CANCER REPORTED		

INAPPLICABLE: COL 789-790=-1,1,2,3,4

PART B: CANCER REPORTS

Ques No.	Variable Name 	Column Number(s) Counts	Variable Descr	ription and Codes
B53	CANCRLOC	3243-3244	WHERE WAS CANCER	#5/WHAT TYPE WAS IT?
		9997	-1	INAPPLICABLE
		0	-7	REFUSED
		0	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		0	1	LUNG
		0	2	COLON (RECTUM, ANUS, INTESTINES)
		0	3	BREAST
		0	4	SKIN (MELANOMA)
		0	5	SKIN (NON-MELANOMA)
		1	6	SKIN (DON'T KNOW)
		0	7	UTERUS
		0	8	PROSTATE
		0	9	STOMACH
		0	10	LEUKEMIA
		0	11	BLADDER
		0	12	KIDNEY
		0	13	BONE
		0	14	BLOOD (LYMPHOMAS, MULTIPLE MYELOMA)
		0	15	LIVER
		0	16	PANCREAS
		0	17	BRAIN
		0	18	THROAT ,
		0	19	CERVIX
		0	20	LARYNX
		0	21	NECK AND HEAD
		0	22	SPINE
		0	23	POSSIBLE METASTATIC
		0	24	OTHER GI
		0	25	FEMALE GENITAL
		0	91	OTHER CANCER

INAPPLICABLE: COL 789-790=-1,1,2,3,4

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

3245-3274

BLANK

					PART B: CANCER REPORTS
Ques No.	Variable Name		Counts	Variable Desc	ription and Codes
	ICD9CANC	3275-3277		ICD-9-CM CODE F	OR CANCER #5
	ΤΝΔΡΡ	LICABLE: COI	9997 0 0 1 0	-1 -7 -9 140-210 998	INAPPLICABLE REFUSED NOT ASCERTAINED ICD-9-CM CANCER CODE DON'T KNOW CANCER SITE
B53		3278-3279	- 763 730	, ,	E ANY OTHER TYPE OF
800	ANTOANG	3270 3273		CANCER BESIDES	
			9997 0 0 0 1	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPP	LICABLE: COL	789-790	)=-1,1,2,3,4	
B54	TOLDCANC	3280-3281		WHAT YEAR WAS S CANCER #5?	UBJECT FIRST TOLD_ABOUT
			9997 0 1 0 0	-1 -7 -8 -9 28-87	INAPPLICABLE REFUSED DDN'T KNOW NOT ASCERTAINED YR FIRST TOLD ABOUT CANCER (1928-1987)

INAPPLICABLE: (COL 789-790=-1,1,2,3,4) OR (COL 3243-3244=5)

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
	CANCFL	3282-3283		CANCER #5 YEAR INTERVIEW YEAR	IS BEFORE PREVIOUS
			9998 O	-1 -9	INAPPLICABLE NOT ASCERTAINED
			0	1	DISCREPANCY
	INAPF	PLICABLE: (C	OL 98-99=	-1,1) OR (COL 32	80-3281=-1,-7,-8,

INAPPLICABLE: (COL 98-99=-1,1) OR (COL 3280-3281=-1,-7,-8, -9) OR (COL 98-99=2 AND COL 3280-3281>=COL 172-173)

THIS FLAG INDICATES THAT CANCER #5 WAS NOT REPORTED FOR THE SUBJECT IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B54 FOR CANCER #5 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

855	R22_H02b	3284-3285		WAS SUBJECT F CANCER #5?	HOSPITALIZED FOR
			9997	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			1	2	NO

INAPPLICABLE: COL 789-790=-1,1,2,3,4

PLEASE CONSULT THE QUESTIONNAIRE REGARDING THE SKIP PATTERNS FOR THE CANCER QUESTIONS. DEPENDING ON THE RESPONSE TO Q.B50, EITHER Q.B55 OR Q.B52 (CODED IN COL 787-788) WAS ASKED IN ORDER TO ASCERTAIN WHETHER OR NOT THE SUBJECT HAD HAD ANY OVERNIGHT HOSPITAL STAYS FOR CANCER. IF CANCER WAS REPORTED IN RESPONSE TO Q.B51, ANY OVERNIGHT HOSPITAL STAYS WERE REPORTED THROUGH Q.B55.

Ques No . 	Variable Name 	Column Number(s)	Counts	ounts Variable Description and Codes	
		3286-3290		BLANK	
	CANCNUM	3291-3292		CANCER REPORT #6	
			9997 O 1	-1 -9 6	INAPPLICABLE NOT ASCERTAINED 6TH TYPE OF CANCER REPORTED

INAPPLICABLE: COL 789-790=-1,1,2,3,4,5

PART B: CANCER REPORTS

Ques No.	Variable Name	00.14	Counts	Variable Descr	iption and Codes
B53	CANCRLOC	3293-3294		WHERE WAS CANCER	#6/WHAT TYPE WAS IT?
			9997	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			ŏ	- <b>a</b>	DON'T KNOW
			ō	-9	NOT ASCERTAINED
			ō	1	LUNG
			Ō	2	COLON (RECTUM, ANUS, INTESTINES)
			Ō	3	BREAST
			0	4	SKIN (MELANOMA)
			0	5	SKIN (NON-MELANOMA)
			1	6	SKIN (DON'T KNOW)
			0	7	UTERUS
			0	8	PROSTATE
			0	9	STOMACH
			0	10	LEUKEMIA
			0	11	BLADDER
			0	12	KIDNEY
			0	13	BONE
			0	14	BLOOD (LYMPHOMAS, MULTIPLE MYELOMA)
			0	15	LIVER
			0	16	PANCREAS
			0	17	BRAIN
			0	18	THROAT
			0	19	CERVIX
			0	20	LARYNX
			0	21	NECK AND HEAD
			0	22	SPINE
			0	23	POSSIBLE METASTATIC
			0	24	OTHER GI
			0	25	FEMALE GENITAL
			0	91	OTHER CANCER

INAPPLICABLE: COL 789-790=-1,1,2,3,4,5

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

3295-3324 BLANK

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
	ICD9CANC	3325-3327		ICD-9-CM CODE F	OR CANCER #6
			9997	-1	INAPPLICABLE
			0	-7	REFUSED
			Ö	-9	NOT ASCERTAINED
			1	140-210	ICD-9-CM CANCER CODE
			Ö	998	DON'T KNOW CANCER SITE
	INAPPI	_ICABLE: CO	L 789-790	)=-1,1,2,3,4,5	
B53	ANYCANC	3328-3329		DID SUBJECT HAV CANCER BESIDES	E ANY OTHER TYPE OF CANCERS #1-#6?
			9997	-1	INAPPLICABLE
			0	-7	REFUSED
			Ö	-8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			ŏ	1	YES
			1	2	NO
	INAPPL	ICABLE: CO	L 789-790	)=-1	
B54	TOLDCANC	3330-3331		WHAT YEAR WAS S ABOUT CANCER #6	<u>UBJECT FIRST TOLD</u> ?
			9997	-1	INAPPLICABLE
			0	-7	REFUSED
			1	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	28-87	YR FIRST TOLD ABOUT CANCER (1928-1987)
	TNAPPI	.ICABLE: (C	OL 789-79	90=-1.1.2.3.4.5)	OR (COL 3293-3294=5)

INAPPLICABLE: (COL 789-790=-1,1,2,3,4,5) OR (COL 3293-3294=5)

Ques No .	Variable Name	Column Number(s)	Counts	Varia	ble Description and Codes
	CANCFL	3332-3333			#6 YEAR IS BEFORE THE PREVIOUS EW YEAR
			9998	-1	INAPPLICABLE
			0	-9	NOT ASCERTAINED
			0	1	DISCREPANCY
	. INAP	PLICABLE: (C	OL 98-99:	:-1,1) OR	(COL 3330-3331=-1,-7,-8,

INAPPLICABLE: (COL 98-99=-1,1) OR (COL 3330-3331=-1,-7,-8, -9) OR (COL 98-99=2 AND COL 3330-3331>=COL 172-173)

THIS FLAG INDICATES THAT CANCER #6 WAS NOT REPORTED FOR THE SUBJECT IN THE PREVIOUS INTERVIEW BUT THE YEAR REPORTED IN Q.B54 FOR CANCER #6 WAS PRIOR TO THE PREVIOUS INTERVIEW YEAR.

B55	B55_HOSP	3334-3335		WAS SUBJECT CANCER #6?	HOSPITALIZED FOR
			9997	- <b>1</b>	INAPPLICABLE
	-		0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			1	2	NO

INAPPLICABLE: COL 789-790=-1, 1, 2, 3, 4, 5

PLEASE CONSULT THE QUESTIONNAIRE REGARDING THE SKIP PATTERNS FOR THE CANCER QUESTIONS. DEPENDING ON THE RESPONSE TO Q.B5O, EITHER Q.B55 OR Q.B52 (CODED IN COL 787-788) WAS ASKED IN ORDER TO ASCERTAIN WHETHER OR NOT THE SUBJECT HAD HAD ANY OVERNIGHT HOSPITAL STAYS FOR CANCER. IF CANCER WAS REPORTED IN RESPONSE TO Q.B51, ANY OVERNIGHT HOSPITAL STAYS WERE REPORTED THROUGH Q.B55.

#### PART B: NON-HOSP FACILITY STAY REPORTS

Ques Variable Column

No. Name Number(s) Counts Variable Description and Codes

GRREST (3336-5069) NON-HOSPITAL FACILITY ADMISSIONS
REPORTED FOR SUBJECT BY RESPONDENT

THIS SECTION OF THE INTERVIEW FILE CONTAINS DATA COLLECTED ON EACH NON-HOSPITAL FACILITY ADMISSION REPORTED FOR THE SUBJECT IN RESPONSE TO Q.B86. THE PURPOSE OF Q.B86 WAS TO COLLECT DATA ON ANY NON-HOSPITAL FACILITY STAYS (E.G., NURSING HOME OR MENTAL HEALTH CARE FACILITY) THAT MAY NOT HAVE BEEN SPE-CIFICALLY REPORTED IN RESPONSE TO THE HOSPITALIZATION QUES-TIONS IN PART B OF THE QUESTIONNAIRE. THIS SECTION CONTAINS THE INFORMATION COLLECTED ON Q.B87 THROUGH Q.B93. SINCE NO MORE THAN SIX ADMISSIONS TO A NON-HOSPITAL FACILITY WERE REPORTED FOR ANY ONE SUBJECT, THERE ARE SIX SECTORS RESERVED IN COL 3336-5067 TO STORE THE INFORMATION COLLECTED ON NON-HOSPITAL FACILITY ADMISSIONS. EACH OF THE SIX SECTORS CON-TAINS THE SAME SET OF VARIABLES. THE TOTAL NUMBER OF NON-HOSPITAL FACILITY ADMISSIONS REPORTED FOR THE SUBJECT IS CODED IN COL 889-890. IF THE SUBJECT DID NOT HAVE ANY NON-HOSPITAL FACILITY ADMISSIONS REPORTED, THE VARIABLES IN COL 889-890 AND COL 3336-5067 CONTAIN CODES OF -1 (INAPPLIC-ABLE).

3336-3340 BLANK

RESTNUM 3341-3342 NURSING HOME/NON-HOSPITAL FACILITY
ADMISSION #1

ADM12210N #

9705 -1 INAPPLICABLE
O -9 NOT ASCERTAINED
293 1 1ST NH/NON-HOSPITAL ADMISSION REPORTED

INAPPLICABLE: COL 889-890=-1

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
B87	ADMSNPLC	3343-3344		TO WHAT TYPE OF PLACE WAS ADMISSION #1?
	INAPPI	_ICABLE: CO	9705 1 0 0 219 36 29 8	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 NURSING OR REST HOME 2 MENTAL HEALTH FACILITY 3 HEALTH CARE REHABILITATION CENTER 91 OTHER-SPECIFIED FACILITY
		3345-3374		BLANK
888	ENTERFRM <sub>_</sub>	337 <u>5</u> -3 <u>3</u> 76		PLACE FROM WHICH SUBJECT ENTERED FACILITY, ADMISSION #1
			9705 1 2 2 106 148 11 3 2 14	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 OWN HOME 2 HOSPITAL 3 NURSING HOME/REST HOME 4 MENTAL HEALTH FACILITY 5 HEALTH CARE REHABILITATION CENTER 6 FRIEND/RELATIVE'S HOME 91 OTHER-SPECIFIED FACILITY

INAPPLICABLE: COL 889-890=-1

# PART B: NON-HOSP FACILITY STAY REPORTS

					· // • · · · · · · · · · · · · · · · ·
Ques No.	Variable Name	Column Number(s)	Counts	Variable Descript	ion and Codes
		3377-3406		BLANK	
B89	YEARENTR	3407-3408		WHAT YEAR DID SUBJE ADMISSION #1?	CT ENTER FACILITY,
			9705 1 5 0 287	-7 RE -8 DO -9 NO	APPLICABLE FUSED N'T KNOW IT ASCERTAINED AR ENTERED FACILITY (1967-1987)
	INAPPI	LICABLE: CO	L 889-890	=-1	
B90	NURSCARE	3409-3410		SUBJECT REQUIRED SK CARE, ADMISSION #1	ILLED NURŞ <u>ING</u>
			9741 1 3 2 173 78	-7 RE -8 DO	
	INAPPI	_ICABLE: CO	L 3343-33	44=-1,2	
B90	SURGRECP	3411-3412		SUBJECT WAS RECUPER SURGERY, ADMISSION	
			9741 1 0 2 52 202	-7 RE DO	

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts		escription and Codes
В90	NEEDHELP	3413-3414		SUBJECT NEED DRESSING, AD	ED HELP BATHING, EATING, MISSION #1
			192 58	-9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPP	LICABLE: COL	3343-3	344=-1,2	
В90	REQSPCMD	3415-3416		SUBJECT REQU THERAPY, ADM	IRED MEDICAL OR PHYSICAL ISSION #1
	-			-7 -8 -9	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPP	LICABLE: COL	3343-3	344=-1,2	
B90	CONFUSED	3417-3418			TOO CONFUSED TO LIVE Y, ADMISSION #1
		U ICABLE. COL	9741 1 5 2 136 113	2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

PART B: NON-HOSP FACILITY STAY REPORTS

No	Name 	Column Number(s)	Counts	Variable D	Description and Codes
B91 (	CNDTNM1	3419-3420			DISEASE OR CONDITION AT TIME OF ADMISSION #1
			9741	<del>-</del> 1	INAPPLICABLE
			1	-7	REFUSED
			8	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			22	1	ALZHEIMER'S DISEASE
			18	2	CANCER
			10	3	DEPRESSION
			35	4	FRAILTY/OLD AGE
			2	5 6	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			2		INCONTINENCE
			15	7	NO MEDICAL CONDITION
			4	8	SENILITY
			40	9	STROKE
			9	10	ALCOHOLISM
			3	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			7	13	FRACTURE OTHER THAN HIP
			7	14	HEART ATTACK, HEART CONDITION
			10	15	HIP FRACTURE
			2	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			5	18	PARKINSON'S DISEASE
			56	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: (COL 3343-3344=-1,2)

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

THE QUESTIONNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON A MAXIMUM OF 5 DISEASES OR CONDITIONS WHICH CAUSED THE SUBJECT'S ADMISSION INTO THIS FACILITY. THE CODES FOR EACH OF THESE ARE STORED IN COL 3419-3548. COL 3419-3420 REFER TO THE FIRST DISEASE OR CONDITION REPORTED. COL 3451-3548 REFER TO THE SECOND THROUGH FIFTH DISEASES OR CONDITIONS REPORTED. THE NUMBER OF INAPPLICABLE CODES IN COL 3419-3548 DEPENDS ON WHETHER ANY INFORMATION WAS PROVIDED FOR ADMISSSION #1, AND IF SO, THE NUMBER OF DISEASES OR CONDITIONS GIVEN IN B91 FOR THIS ADMISSION.

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable De	scription and Codes
		3421-3450		BLANK	
B91	CNDTNM2	3451-3452			ISEASE OR CONDITION T TIME OF ADMISSION #1
			9918	- 1	INAPPLICABLE
			9910	-7	REFUSED
			5	-B	DON'T KNOW
			1	-9	NOT ASCERTAINED
			ó	1	ALZHEIMER'S DISEASE
			Ō	2	CANCER
			1	3	DEPRESSION
			15	4	FRAILTY/OLD AGE
			3	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			5	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			8	8	SENILITY
			2	9	STROKE
			3	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			3	13	FRACTURE OTHER THAN HIP
			2	14	HEART ATTACK, HEART CONDITION
			3	15	HIP FRACTURE
			1	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			2	18	PARKINSON'S DISEASE
			26	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 3343-3344=-1,2 OR LESS THAN TWO CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
		3453-3482		BLANK	
B91	CNDTNM3	3483-3484			SEASE OR CONDITION TIME OF ADMISSION #1
			9974	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			Ö	-8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			1	3	DEPRESSION
			2	4	FRAILTY/OLD AGE
			2	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			3	6	INCONTINENCE
				. 7	NO MEDICAL CONDITION
			5	8	SENILITY
			1	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			1	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			9	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 3343-3344=-1,2 OR LESS THAN THREE CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable De	escription and Codes
		3485-3514		BLANK	
B91	CNDTNM4	3515-3516			DISEASE OR CONDITION T TIME OF ADMISSION #1
			9993	-1	INAPPLICABLE
			0	-7	REFUSED
			1	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			1	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			2	8	SENILITY
			1	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15 16	HIP FRACTURE
			0	17	MENTAL ILLNESS
			0	18	OSTEOPOROSIS (FRAGILE OR SOFT BONES) PARKINSON'S DISEASE
			o	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 3343-3344=-1,2 OR LESS THAN FOUR CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
		3517-3546		BLANK	
B91	CNDTNM5	3547-3548			SEASE OR CONDITION TIME OF ADMISSION #1
			9996	-1	INAPPLICABLE
			0	-7	REFUSED
			ō	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			1	8	SENILITY
			1	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0 0	18 91	PARKINSON'S DISEASE OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 3343-3344=-1,2 OR LESS THAN FIVE CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
B91	CNDTNM50	3549-3578		BLANK
B91	RECODE 1	3579-3580		RECODE: ALZHEIMER'S DISEASE WAS REPORTED IN Q.B91, ADMISSION #1
			9741 0 0 0 22 235	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO

INAPPLICABLE: COL 3343-3344=-1,2

THE VARIABLES IN COL 3419-3548 WERE RECODED INTO YES-NO CATEGORIES WITH RESPECT TO THE DISEASE(S) OR CONDITION(S) REPORTED IN Q.B91, ADMISSION #1. THE RECODED VARIABLES ARE FOUND IN COL 3579-3616. FOR EXAMPLE, IF CANCER WAS A CAUSE THAT LED TO ADMISSION #1 (I.E., ANY ONE OF THE VARIABLES IN COL 3419-3548 IS CODED 2), THEN COL 3581-3582 IS CODED 1 (YES). IF CANCER WAS NOT ONE OF THE CAUSES THAT LED TO ADMISSION #1 FOR THE SUBJECT, THEN COL 3581-3582 IS CODED 2 (NO).

B91	RECODE2	3581-3582			ANCER WAS REPORTED IN MISSION #1
			9741	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			18	1	YES
			239	2	NO

## PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	cription and Codes
B91	RECODE3	3583-3584		RECODE: DEPRESS Q.B91, ADMISSIO	SION WAS REPORTED IN
			9741 0 0 0 12 245	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 3343-3344=-1,2

B91	RECODE4	3585-3586		RECODE: FRAILTY OF REPORTED IN Q.B9	
			9741	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			53	1	YES
			204	2	NO

INAPPLICABLE: COL 3343-3344=-1,2

B91	RECODE5	3587-3588			HARDENING OF THE ARTERIES WAS IN Q.B91, ADMISSION #1
			9741	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			7	1	YES
			250	2	NO

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B91	RECODE6	3589-3590		RECODE: INCONTINENCE WAS REPORTED IN 0.891, ADMISSION #1
			9741 0 0 0 10 247	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	.ICABLE: CO	L 3343-33	144=-1,2
B91	RECODE7	3591-3592		RECODE: NON-MEDICAL CONDITION WAS REPORTED IN Q.891, ADMISSION #1
			9741 O O O 15 242	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	.ICABLE: CO	L 3343-33	144=-1,2
B91	RECODE8	3593-3594		RECODE: SENILITY WAS REPORTED IN Q.B91, ADMISSION #1
		ICABLE. CO	9741 0 0 0 20 237	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO

### PART B: NON-HOSP FACILITY STAY REPORTS

Ques No .	Variable Name	Column Number(s)	Counts	Variable D	escription and Codes
B91	RECODE9	3595-3596			KE WAS REPORTERD IN SION #1
			9741	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			45	1	YES
			212	2	NO
	INAPPI	LICABLE: CO	L 3343-33	344=-1,2	

B91	RECODE 10	3597-3598		RECODE: ALCOHOLISM WAS REPORTED IN Q.B91, ADMISSION #1
			0741	-1 INADDITORDIE

9741	- 1	INAPPLICABLE
0	-7	REFUSED
0	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
12	1	YES
245	2	NO

INAPPLICABLE: COL 3343-3344=-1,2

B91 RECODE11 3599-3600 <u>RECODE: ARTHRITIS WAS REPORTED IN Q.B91, ADMISSION #1</u>

9741	- 1	INAPPLICABLE
0	-7	REFUSED
0	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
3	1	YES
254	2	NO

PART B: NON-HOSP FACILITY STAY REPORTS

DON'T KNOW

YES

NO

NOT ASCERTAINED

Ques No.	Variable Name 		Counts	Variable Descr	iption and Codes
B91	RECODE 12	3601-3602		RECODE: DISRUPTI REPORTED IN Q.B9	
			9741 0 0 0 0 0 257	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 3343-33	44=-1,2	
B91	RECODE 13	3603-3604		RECODE: FRACTURE REPORTED IN Q.B9	OTHER THAN HIP WAS 1, ADMISSION #1
			9741 0	- 1 -7	INAPPLICABLE REFUSED

INAPPLICABLE: COL 3343-3344=-1,2

B91	RECODE 14	3605-3606			HEART ATTACK/HEART CONDITION ORTED IN Q.B91, ADMISSION #1
			9741	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			9	1	YES
			248	2	NO

10

247

INAPPLICABLE: COL 3343-3344=-1,2

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
B91	RECODE 15	3607-3608		RECODE: HIP FRACTURE WAS REPORTED IN Q.B91, ADMISSION #1
	INAPPL	ICABLE: CO	9741 0 0 0 0 13 244 L 3343-33	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
B91	RECODE 16	3609-3610		RECODE: MENTAL ILLNESS WAS REPORTED IN Q.B91, ADMISSION #1
	·		9741 0 0 0 4 253	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 3343-33	344=-1,2
B91	RECODE 17	3611-3612		RECODE: OSTEOPOROSIS WAS REPORTED IN Q.B91, ADMISSION #1
			9741 0 0 0 0 0 257	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 3343-33	344=-1,2

Ques No.	Variable Name	Column Number(s) Counts	Variable Description and Codes
B91	RECODE 1B	3613-3614	RECODE: PARKINSON'S DISEASE WAS REPORTED IN Q.B91, ADMISSION #1
		9741 0 0 0 7 250	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: COL 3343-3	344=-1,2
B91	RECODE19	3615-3616	RECODE: ANOTHER DISEASE OR CONDITION WAS REPORTED IN Q.B91, ADMISSION #1
		9741 0 0 0 0 80 177	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: COL 3343-3	344=-1,2
B92	B92NUM	3617-3618	HOW LONG DID SUBJECT STAY IN FACILITY, ADMISSION #1?
		9705 1 12 4 205 59 12	-1 INAPPLICABLE -7 REFUSED -B DON'T KNOW -9 NOT ASCERTAINED 1-15 NUMBER OF WEEKS, OR MONTHS, OR YEARS 94 STILL THERE 95 LESS THAN ONE WEEK
	INAPPL	ICABLE: COL 889-89	0=-1

DON'T KNOW

YES

NO

NOT ASCERTAINED

Ques No.	Variable Name	Column Number(s)	Counts	Variable Des	cription and Codes
B92	B92UNIT	3619-3620		TIME PERIOD RE	SPONDED IN, ADMISSION #1
			9793	- 1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	- <b>8</b>	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			75	1	WEEKS
			104	2	MONTHS
			26	3	YEARS
	INAPPI	ICABLE: CO	L 3617-36	18=-1,94,95,-7,	-8,-9
В93	OTHADMSN	3621-3622			ER NON-HOSPITAL FACILITY IDES ADMISSION #1?
			9705 1	- 1 - 7	INAPPLICABLE REFUSED

INAPPLICABLE: COL 889-890=-1

3623-3629

BLANK

-8

-9

2

43

246

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Væriable Name 	Column Number(s)	Counts	Variable Des	cription and Codes
	RESTNUM	3630-3631		NURSING HOME/N	ON-HOSPITAL FACILITY
			9955 O 43	-1 -9 2	INAPPLICABLE NOT ASCERTAINED 2ND NH/NON-HOSPITAL ADMISSION REPORTED

INAPPLICABLE: COL 889-890=-1,1

B87	ADMSNPLC	3632-3633		TO WHAT TY ADMISSION	YPE OF PLACE WAS #2?
			9955	<b>- 1</b>	INAPPLICABLE
			0	- 7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			30	1	NURSING OR REST HOME
			7	2	MENTAL HEALTH FACILITY
			6	3	HEALTH CARE REHABILITATION CENTER
			0	9.1	OTHER-Specialen Excitity

INAPPLICABLE: COL 889-890=-1,1

3634-3663 BLANK

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
B88	ENTERFRM	3664-3665		PLACE FROM WHICH	H <u>SUBJECT ENTERED</u> Sign #2
	INAPP	LICABLE: COL	9958 0 0 18 17 7 0 0 0 1	-1 -7 -8 -9 1 2 3 4 5 6 91	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED OWN HOME HOSPITAL NURSING HOME/REST HOME MENTAL HEALTH FACILITY HEALTH CARE REHABILITATION CENTER FRIEND/RELATIVE'S HOME OTHER~SPECIFIED FACILITY
		3666-3695		BLANK	
B <b>89</b>	YEARENTR	3696-3697		WHAT YEAR DID SUADMISSION #2?	UBJECT ENTER FACILITY.
			9955 0 1 0 42	-1 -7 -8 -9 67-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEAR ENTERED FACILITY (1967-1987)
	INAPP	LICABLE: COL	. 889-890	)=-1,1	

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable De	scription and Codes
B90	NURSCARE	3698-3699		SUBJECT REQUI CARE, ADMISSI	RED SKILLED NURSING ON #2
			9989 0 0 1 6 2	-1 ' -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	LICABLE: (CO	L 3632-3	633=-1,2) OR (	COL 3912-3913=1)
В90	SURGRECP	3700-3701		SUBJECT WAS R SURGERY, ADMI	ECUPERATING FROM SSION #2
			9989 0 0 1 2 6	- 1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	LICABLE: (CO	L 3632-3	633=-1,2) OR (	COL 3912-3913=1)
В90	NEEDHELP	3702-3703		SUBJECT NEEDE DRESSING, ADM	D HELP BATHING, EATING, ISSION #2
			9989 0 0 1 6 2	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	LICABLE: (CO	L 3632-3	633=-1,2) OR (	COL 3912-3913=1)

					- · · · · · · · · · · · · · ·
	Variable Name 		Counts	Variable Descr	iption and Codes
B90	REQSPCMD	3704-3705		SUBJECT REQUIRED THERAPY, ADMISSI	MEDICAL OR PHYSICAL ON #2
	INAPPL	ICABLE: (CC	9989 O O 1 6 2 DL 3632-3	-1 -7 -8 -9 1 2 633=-1,2) OR (COL	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO 3912-3913=1)
B90	CONFUSED	3706-3707	9989 O O 1 5 3	SUBJECT WAS TOO INDEPENDENTLY, A  -1 -7 -8 -9 1	CONFUSED TO LIVE DMISSION #2  INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: (COL 3632-3633=-1,2) OR (COL 3912-3913=1)

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
B91	CNDTNM1	3708-3709			SEASE OR CONDITION TIME OF ADMISSION #2
				SOBOECI HAD AT	TIME OF ADMISSION #2
			9989	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			1	2	CANCER
			0	3	DEPRESSION
			2	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			1	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			О	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			5	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: (COL 3632-3633=-1,2) OR (COL 3912-3913=1)

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

THE QUESTIONNNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON A MAXIMUM OF 5 DISEASES OR CONDITIONS WHICH CAUSED THE SUBJECT'S ADMISSION INTO THIS FACILITY. THE CODES FOR EACH OF THESE ARE STORED IN COL 3708-3837. COL 3708-3709 REFER TO THE FIRST DISEASE OR CONDITION REPORTED. COL 3740-3837 REFER TO THE SECOND THROUGH FIFTH DISEASES OR CONDITIONS REPORTED. THE NUMBER OF INAPPLICABLE CODES IN COL 3708-3837 DEPENDS ON WHETHER ANY INFORMATION WAS PROVIDED FOR ADMISSION #2, AND IF SO, THE NUMBER OF DISEASES OR CONDITIONS GIVEN IN Q.B91 FOR THIS ADMISSION.

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desci	ription and Codes
		3710-3739		BLANK	
B91	CNDTNM2	3740-3741			EASE OR CONDITION TIME OF ADMISSION #2
			9994	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			1	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			О	6	INCONTINENCE
			О	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			3	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: (COL 3632-3633=-1,2) OR (COL 3912-3913=1) OR LESS THAN TWO CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	cription and Codes
		3742-3771		BLANK	
B91	CNDTNM3	3772-3773			SEASE OR CONDITION TIME OF ADMISSION #2
			9997	-1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	-8	DON'T KNOW
			Ö	-9	NOT ASCERTAINED
			Ō	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			1	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			o	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: (COL 3632-3633=-1,2) OR (COL 3912-3913=1) OR LESS THAN THREE CONDITIONS REPORTED

Ques No.	Variable Name ·		Counts	Variable Desc	ription and Codes
		3774-3803		BLANK	
B9 1	CNDTNM4	3804-3805			EASE OR CONDITION TIME OF ADMISSION #2
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	-8	DON'T KNOW
			Ō	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			Ō	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16 17	MENTAL ILLNESS
			0	18	OSTEOPOROSIS (FRAGILE OR SOFT BONES) PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION
			J	91	GINEK-SECTIFIED DISEASE OK CONDITION

INAPPLICABLE: (COL 3632-3633=-1,2) OR (COL 3912-3913=1) OR LESS THAN FOUR CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Des	cription and Codes
		. 3806-3835		BLANK	
B91	CNDTNM5	3836-3837			SEASE OR CONDITION TIME OF ADMISSION #2
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	-8	DON'T KNOW
			Ö	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			O	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			Ō	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: (COL 3632-3633--1,2) OR (COL 3912-3913-1) OR LESS THAN FIVE CONDITIONS REPORTED

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
		3838-3867		BLANK
B91	RECODE 1	3868-3869		RECODE: ALZHEIMER'S DISEASE WAS REPORTED IN Q.B91, ADMISSION #2
			9989	-1 INAPPLICABLE
			0	-7 REFUSED
			0	-8 DON'T KNOW
			0	-9 NOT ASCERTAINED
			0	1 YES
			9	2 NO

INAPPLICABLE: (COL 3632-3633=-1,2) OR (COL 3912-3913=1)

THE VARIABLES IN COL 3708-3837 WERE RECODED INTO YES-NO CATEGORIES WITH RESPECT TO THE DISEASE(S) OR CONDITION(S) REPORTED IN Q.B91, ADMISSION #2. THE RECODED VARIABLES ARE FOUND IN COL 3868-3905. FOR EXAMPLE, IF CANCER WAS A CAUSE THAT LED TO ADMISSION #2 (I.E., ANY ONE OF THE VARIABLES IN COL 3708-3837 IS CODED 2), THEN COL 3870-3871 IS CODED 1 (YES). IF CANCER WAS NOT ONE OF THE CAUSES THAT LED TO ADMISSION #2 FOR THE SUBJECT, THEN COL 3870-3871 IS CODED 2 (NO).

B91	RECODE2	3870-3871		RECODE: CANCER WAS REPORTED IN Q.B91, ADMISSION #2	
			9989	<b>-1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			1	1	YES
			8	2	ND

INAPPLICABLE: (COL 3632-3633=-1,2) OR (COL 3912-3913=1)

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No .	Variable Name	Column Number(s)	Counts		cription and Codes
B91	RECODE3	3872-3873		RECODE: DEPRES: Q.B91, ADMISSIO	SION WAS REPORTED IN DN #2
			9989 0 0 0 0 9	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: (CC	DL 3632-3	9633=-1,2) OR (CO	DL 3912-3913=1)
B91	RECODE4	3874-3875			Y OR OLD AGE WAS 391, ADMISSION #2
			9989 0 0 0 2 7	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: (CC	DL 3632-3	9633=-1,2) OR (CO	OL 3912-3913=1)
B91	RECODE5	3876-3877			ING OF THE ARTERIES WAS 391, ADMISSION #2
			9989 O O O 1 8	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (CC	DL 3632-3	0633=-1,2) OR (CC	DL 3912-3913=1)

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
B91	RECODE6	3878-3879		RECODE: INCONTIN	ENCE WAS REPORTED IN #2
			9989 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (COL	_ 3632-3	0633=-1,2) OR (COL	3912-3913=1)
B91	RECODE7	3880-3881		RECODE: NON-MEDI REPORTED IN Q.B	CAL CONDITION WAS 91, ADMISSION #2
			9989 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (COL	3632-3	633=-1,2) OR (COL	3912-3913=1)
B91	RECODEB	3882-3883		RECODE: SENILITY IN Q.B91, ADMISS	
			9989 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	TNIADDI	TOARLE: (COL	3633-3	6331 3) OB (COL	2012-2012-1)

INAPPLICABLE: (COL 3632-3633=-1,2) OR (COL 3912-3913=1)

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Des	scription and Codes
B91	RECODE9	3884-3885		RECODE: STROKE	WAS REPORTED IN ON #2
			9989 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES
	INAPPL	.ICABLE: (CC	DL 3632-3	1633=-1,2) OR (C	OL 3912-3913=1)
B91	RECODE 10	3886-3887		RECODE: ALCOHO Q.B91, ADMISSI	DLISM WAS REPORTED ON #2
			9989 O O O 1 8	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: (CC	DL 3632-3	1633=-1,2) OR (C	OL 3912-3913=1)
B91	RECODE 11	3888-3889		RECODE: ARTHRI Q.B91, ADMISSI	TIS WAS REPORTED IN ON #2
			9989 O O O O	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: (CC	DL 3632-3	1633=-1,2) OR (C	OL 3912-3913=1)

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
B91	RECODE 12	3890-3891		RECODE: DISRUPTI REPORTED IN Q.B9	
			9989 0 0 0 0 9	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: (CC	DL 3632-3	9633=-1,2) OR (CDL	3912-3913=1)
B91	RECODE 13	3892-3893		RECODE: FRACTURE REPORTED IN Q.B9	OTHER THAN HIP WAS 1, ADMISSION #2
			9989 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: (CO	DL 3632-3	3633=-1,2) OR (COL	3912-3913=1)
B91	RECODE 14	3894-3895			TACK/HEART CONDITION Q.B91, ADMISSION #2
			9989 O O O 1 B	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (CO	DL 3632-3	3633=-1,2) OR (COL	. 3912-3913=1)

302

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts		ription and Codes
B91	RECODE 15	3896-3897		RECODE: HIP FRA	CTURE WAS REPORTED SION #2
	INAPPL	.ICABLE: (CO	9989 O O O O 9	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
B91	RECODE16				ILLNESS WAS REPORTED
	_		9989 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (COI	_ 3632-3	633=-1,2) DR (CO	L 3912-3913=1)
B91	RECODE 17	3900-3901		RECODE: OSTEOPO Q.B91, ADMISSIO	ROSIS WAS REPORTED IN N #2
			9989 O O O O	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: (COL	3632-3	633=-1,2) OR (CO	L 3912-3913=1)

				, ,,,,,	SSI PROTETITIONAL NEW SICIO
Ques No.	Variable Name	Column Number(s)	Counts		ription and Codes
B91	RECODE 18	3902-3903		RECODE: PARKINS	ON'S DISEASE WAS REPORTED ION #2
					<del></del>
			9989	-1	INAPPLICABLE
			0	-7 -8	REFUSED
			0	-8 -9	DON'T KNOW NOT ASCERTAINED
			0	-9 1	YES
			9	2	NO
			_	~	
	INAPPL	ICABLE: (CO	DL 3632-3	3633=-1,2) OR (CO	L 3912-3913=1)
		•		, , , , , , , , , , , , , , , , , , , ,	,
B91	RECODE 19	3904-3905			DISEASE OR CONDITION
				WAS REPORTED IN	Q.B91, ADMISSION #2
			9989	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			6 3	1 2	YES NO
			J	2	NU
	TAIADDI	TCABLE: (CC	n 2632-2	3633=-1,2) OR (COL	2012-2012-1)
	INAFFL	TCABLL. (CC	JL 3632-3	30331,2) DR (CUI	1 3912-3913-1)
B92	B92NUM	3906-3907		HOW LONG DID SUE	BJECT STAY IN
				FACILITY, ADMISS	
					<del></del>
			9955	<del>-</del> 1	INAPPLICABLE
			0	- 7	REFUSED
			3	-8	DON'T KNOW
			1	-9	NOT ASCERTAINED
			31	1-15	NUMBER OF WEEKS, OR MONTHS, OR YEARS
			5	94	STILL THERE
			3	95	LESS THAN ONE WEEK
	Tala = - :	**************************************			
	TALADDI	TOADLE, COL	000-000	<b>34</b>	

INAPPLICABLE: COL 889-890=-1,1

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B92	B92UNIT	3908-3909		TIME PERIOD RESPONDED IN, ADMISSION #2
			9967 0 0 0 12 15 4	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 WEEKS 2 MONTHS 3 YEARS
	INAPPL	_ICABLE: CO	L 3906-39	907=-1,94,95,-7,-8,-9
B93	OTHADMSN	3910-3911		WERE THERE OTHER NON-HOSPITAL FACILITY ADMISSIONS BESIDES ADMISSION #2?
			9955 0 0 0 7 36	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 889-890	)=-1,1
В9ОА	SAMEREA	3912-3913		WAS THE SECOND ADMISSION FOR THE SAME REASONS AND MEDICAL CONDITIONS AS THE FIRST ADMISSION?
	TW00:	.ICABLE: (C	9962 0 0 0 27 9	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO 00=-1,1) OR (COL 889-890=2,3,4,5,6

INAPPLICABLE: (COL 889-890=-1,1) DR (COL 889-890=2,3,4,5,6 AND COL 3632-3633=2)

				FARI D. NON IN	DOF TACILITY STAT REPORTS
Ques No ,	Variable Name 	Column Number(s)	Counts	Variable Desc	ription and Codes
		3914-3918		BLANK	
	RESTNUM	3919-3920		NURSING HOME/NOT ADMISSION #3	N-HOSPITAL FACILITY
	INAPPL	ICABLE: COI	9991 O 7 L 889-890	-1 -9 3 =-1,1,2	INAPPLICABLE NOT ASCERTAINED 3RD NH/NON-HOSPITAL ADMISSION REPORTED
B87	ADMSNPLC	3921-3922		TO WHAT TYPE OF ADMISSION #3?	PLACE WAS
			9991 0 0 0 1 4 1	-1 -7 -8 -9 1 2 3	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NURSING OR REST HOME MENTAL HEALTH FACILITY HEALTH CARE REHABILITATION CENTER OTHER-SPECIFIED FACILITY

INAPPLICABLE: COL 889-890=-1,1,2

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
		3923-3952		BLANK	
B88	ENTERFRM	3953-3954		PLACE FROM WHICH FACILITY, ADMISS	
			9991	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			4	1	OWN HOME
			0	2	HOSPITAL
			1	3	NURSING HOME/REST HOME
			0	4	MENTAL HEALTH FACILITY
			1	5	HEALTH CARE REHABILITATION CENTER
			1	6	FRIEND/RELATIVE'S HOME
			0	91	OTHER-SPECIFIED FACILITY

INAPPLICABLE: COL 889-890=-1,1,2

3955-3984 BLANK

				PART B: NUN-HI	DSP FACILITY STAY REPORTS
Ques No.	Variable Name	Column Number(s)	Counts		ription and Codes
B89	YEARENTR	3985-3986		WHAT YEAR DID SUADMISSION #3?	JBJECT ENTER FACILITY,
	INAPPL	ICABLE: COL	9991 O O O 7	-1 -7 -8 -9 67-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEAR ENTERED FACILITY (1967-1987)
B90	NURSCARE	3987-3988	9995	CARE, ADMISSION	INAPPLICABLE
			0 0 0 1 2	-7 -8 -9 1 2	REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	3921-39	22=-1,2	
В90	SURGRECP	3989-3990		SUBJECT WAS RECU SURGERY, ADMISSI	
			9995 0 0 0 1 2	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 3921-3922=-1,2

Ques No.	Variable Name	Column Number(s)	Counts	Variable Des	cription and Codes
B90	NEEDHELP	3991-3992		SUBJECT NEEDED DRESSING, ADMI	HELP BATHING, EATING. SSION #3
			9995 0 0 0 1 2	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	_ICABLE: CO	L 3921-39	922=-1,2	
B90	REQSPCMD	3993-3994		SUBJECT REQUIR THERAPY, ADMIS	ED MEDICAL OR PHYSICAL SION #3
			9995 0 0 0 2 1	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	_ICABLE: CO	L 3921-39	322=-1,2	
B90	CONFUSED	3995-3996		SUBJECT WAS TO INDEPENDENTLY,	O CONFUSED TO LIVE ADMISSION #3
			9995 0 0 0 2 1	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	_ICABLE: CO	L 3921-39	322=-1,2	

Ques No .	Variable Name 		Counts	Variable Desc	cription and Codes
B91	CNDTNM1	3997-3998			SEASE OR CONDITION TIME OF ADMISSION #3
			9995	-1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			Õ	-8	DON'T KNOW
			ō	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			2	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			1	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 3921-3922=-1,2

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

THE QUESTIONNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON A MAXIMUM OF 5 DISEASES OR CONDITIONS WHICH CAUSED THE SUBJECT'S ADMISSION INTO THIS FACILITY. THE CODES FOR EACH OF THESE ARE STORED IN COL 3997-4126. COL 3997-3998 REFER TO THE FIRST DISEASE OR CONDIION REPORTED. COL 4029-4126 REFER TO THE SECOND THROUGH FIFTH DISEASES OR CONDITIONS REPORTED. THE NUMBER OF INAPPLICABLE CODES IN COL 3997-4126 DEPENDS ON WHETHER ANY INFORMATION WAS PROVIDED FOR ADMISSION #3, AND IF SO, THE NUMBER OF DISEASES OR CONDITIONS GIVEN IN Q.B91 FOR THIS ADMISSION.

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable De	scription and Codes
		3999-4028		BLANK	
B91	CNDTNM2	4029-4030		2ND TYPE OF D SUBJECT HAD A	ISEASE OR CONDITION T TIME OF ADMISSION #3
			9997	- 1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	-8	DON'T KNOW
			ō	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			1	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 3921-3922=-1,2 OR LESS THAN TWO CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No .	Variable Name	Column Number(s)	Counts	Variable De	scription and Codes
		4031-4060		BLANK	
B91	CNDTNM3	4061-4062			ISEASE OR CONDITION T TIME OF ADMISSION #3
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			ő	-8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			ō	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			Ō	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES) PARKINSON'S DISEASE
			0	18 91	OTHER-SPECIFIED DISEASE OR CONDITION
			J	<b>5</b> I	GINER SPECIFIED DISEASE ON CONDITION

INAPPLICABLE: COL 3921-3922=-1,2 OR LESS THAN THREE CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable [	Description and Codes
		4063-4092		BLANK	
B91	CNDTNM4	4093-4094			DISEASE OR CONDITION AT TIME OF ADMISSION #3
			9998	- 1	INAPPLICABLE
			0	- <del>1</del> - 7	REFUSED
			Ö	- <b>8</b>	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			ō	1	ALZHEIMER'S DISEASE
			Ō	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY .
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 3921-3922=-1,2 OR LESS THAN FOUR CONDITIONS REPORTED

Ques No.	Variable Name ·	Column Number(s)	Counts	Variable	Description and Codes
		4095-4124		BLANK	
891	CNDTNM5	4125-4126			F DISEASE OR CONDITION O AT TIME OF ADMISSION #3
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	-8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			Ö	1	ALZHEIMER'S DISEASE
			Ō	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 3921-3922=-1,2 OR LESS THAN FIVE CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques Variable No. Name	Column Number(s) (	Counts	Variable Description and Codes
	4127-4156		BLANK
B91 RECODE1	4157-4158		RECODE: ALZHEIMER'S DISEASE WAS REPORTED IN Q.B91, ADMISSION #3
		9995 0 0 0 0 3	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO

INAPPLICABLE: COL 3921-3922=-1,2

THE VARIABLES IN COL 3997-4126 WERE RECODED INTO YES-NO CATEGORIES WITH RESPECT TO THE DISEASE(S) OR CONDITION(S) REPORTED IN Q B91, ADMISSION #3. THE RECODED VARIABLES ARE FOUND IN COL 4157-4194. FOR EXAMPLE, IF CANCER WAS A CAUSE THAT LED—TO—ADMISSION #3 (I.E., ANY ONE OF THE VARIABLES—IN COL 3997-4126 IS CODED 2), THEN COL 4159-4160 IS CODED 1 (YES). IF CANCER WAS NOT ONE OF THE CAUSES THAT LED TO ADMISSION #3 FOR THE SUBJECT, THEN COL 4159-4160 IS CODED 2 (NO).

B91	RECODE2	4159-4160		RECODE: C IN Q.B91,	ANCER WAS REPORTED ADMISSION #3
			9995	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNO₩
			0	-9	NOT ASCERTAINED
			0	1	YES
			3	2	NO

INAPPLICABLE: COL 3921-3922=-1,2

				PART B: NUN-MUSP FACILITY STAY REPL	J
Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
B9 1	RECODE3	4161-4162		RECODE: DEPRESSION WAS REPORTED IN Q.B91, ADMISSION #3	
			9995 0 0 0 0 0 3	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO	
	INAPPL	ICABLE: CO	L 3921-39	322=-1,2	
B91	RECODE4	4163-4164		RECODE: FRAILTY OR OLD AGE WAS REPORTED IN Q.B91, ADMISSION #3	
			9995 0 0 0 2 1	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO	
	INAPPL	ICABLE: CO	_ 3921-39	322=-1,2	
B9 1	RECODE5	4165-4166		RECODE: HARDENING OF THE ARTERIES WAS REPORTED IN Q.B91, ADMISSION #3	
			9995 0 0 0 0 3	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO	

INAPPLICABLE: COL 3921-3922=-1,2

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Varıable Desc	ription and Codes
B9 1	RECODE6	4167-416B		RECODE: INCONTINENCE WAS REPORTED IN Q.B91, ADMISSION #3	
	INAPPL	ICABLE: COL	9995 0 0 0 0 0 3 . 3921-39	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
B91	RECODE7	4169-4170		RECODE: NON-MEDICAL CONDITION WAS REPORTED IN Q.B91, ADMISSION #3	
			9995 0 0 0 0 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	. 3921-39	22=-1,2	
B91	RECODEB	4171-4172		RECODE: SENILIT	Y WAS REPORTED SION #3
			9995 0 0 0 0 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
INAPPLICABLE: COL 3921-3922=-1,2					

Ques No 	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes	
B91	RECODE9	4173-4174		RECODE: STROKE WAS REPORTED IN Q.B91, ADMISSION #3		
			9995 0 0 0 0 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO	
INAPPLICABLE: COL 3921-3922=-1,2						
B91	RECODE 10	4175-4176		RECODE: ALCOHOLISM WAS REPORTED IN Q.B91, ADMISSION #3		
			9995 O O O 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO	
	INAPPL	ICABLE: COI	_ 3921-39	22=-1,2		
B91	RECODE 11	4177-4178		RECODE: ARTHRITIS WAS REPORTED IN Q.B91, ADMISSION #3		
			9995 0 0 0 0 3	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO	
	INAPPL	CABLE: COL	3921-39	22=-1,2		

318

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes		
В91	RECODE 12	4179-4180			TIVE BEHAVIOR WAS B91, ADMISSION #3		
			9995 0 0 0 0 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO		
	INAPPLICABLE: COL 3921-3922=-1,2						
B91	RECODE 13	4181-4182		RECODE: FRACTU	RE OTHER THAN HIP WAS B91, ADMISSION #3		
			9995 0 0 0 0 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO		
	INAPPI	_ICABLE: CO	L 3921-39	922=-1,2			
B91	RECODE 14	4183-4184			ATTACK/HEART CONDITION N Q.B91, ADMISSION #3		
			9995 0 0 0 0 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO		
	INAPP	LICABLE: CO	L 3921-39	922=-1,2			

				TAKE BE NO	THOSE PACEFACE STATE HER
Ques No.	Variable Name	Column Number(s)	Counts	Variable De	escription and Codes
B91	RECODE 15	4185-4186		RECODE: HIP FRACTURE WAS REPORTED IN Q.B91, ADMISSION #3	
			9995 0 0 0 0 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 3921-39	322=-1,2	
B91	RECODE 16	4187-4188		RECODE: MENTAL ILLNESS WAS REPORTED IN Q.B91, ADMISSION #3	
			9995 O O O O 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
INAPPLICABLE: COL 3921-3922=-1,2					
B91	RECODE 17	4189-4190		RECODE; OSTEC	DPOROSIS WAS REPORTED MISSION #3
			9995 0 0 0 0 3	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 3921-3922=-1,2

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name		Counts	Variable Description	and Codes
B91	RECODE18	4191-4192		RECODE: PARKINSON'S DI REPORTED IN Q.B91, ADM	
			9995	-1 INAPP	LICABLE
			0	-7 REFUSI	ED
			0	-8 DON'T	
			0		SCERTAINED
				1 YES	
			3	2 NO	
	INAPP	LICABLE: COL	3921-39	22=-1,2	
B91	RECODE 19	4193-4194		RECODE: ANOTHER DISEASE	E OR CONDITION
				WAS REPORTED IN Q.B91,	ADMISSION #3
			9995	-1 INAPPI	LICABLE
			0	-7 REFUSI	
			Ö	-8 DON'T	
	_		0		SCERTAINED .
			2	1 YES	
			1	2 NO	
	TNADD	LICABLE: COL	3021-30	22==1 2	
	INAFF	LICABLE. COL	3921-38	221,2	
	PO ONILIM	4195-4196		HOW LONG DID SUBJECT S	TAV IN
RHO				FACILITY, ADMISSION #3	
B92	BSZNOM			TACILITY, ADMISSION #3	<u>?</u>
В92	B92NUM ,		9991		_
892	BSZNOW		9991 O	-1 INAPPI	LICABLE
892	BSZNUM			-1 INAPPI	- LICABLE ED
в92	B92NUM		0	-1 INAPPI -7 REFUSI -8 DON'T	- LICABLE ED
В92	B9ZNUM		0 0 1	-1 INAPPI -7 REFUSI -8 DON'T -9 NOT AS	LICABLE ED KNOW
в92	B9ZNUM		0 0 1	-1 INAPPI -7 REFUSI -8 DON'T -9 NOT AS	- LICABLE ED KNOW SCERTAINED R OF WEEKS, OR MONTHS, OR YEARS

INAPPLICABLE: COL 889-890=-1,1,2

				PART B: NON-	OSF PACIETTY STAT REPORTS
Ques No.	Variable Name		Counts	Variable Desc	cription and Codes
B92	B92UNIT	4197-4198		TIME PERIOD RES	SPONDED IN, ADMISSION #3
			9993	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			2	1	WEEKS
			2	2	MONTHS
			1	3	YEARS
	INAPPI	LICABLE: COL	4195-41	196=-1,94,95,-7,-	89
В93	OTHADMSN	4199-4200			R NON-HOSPITAL FACILITY DES ADMISSION #3?
			9991	- 1 - 7	INAPPLICABLE
			0	-7 -8	REFUSED DON'T KNOW
			0	-6 -9	NOT ASCERTAINED
			3	-9 1	YES
			4	2	NO
			-4	2	140

INAPPLICABLE: COL 889-890=-1,1,2

4201-4207 BLANK

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
	RESTNUM	4208-4209		NURSING HOME/NON ADMISSION #4	-HOSPITAL FACILITY
			9995 O 3	-1 -9 4	INAPPLICABLE NOT ASCERTAINED 4TH NH/NON-HOSPITAL ADMISSION REPORTED

INAPPLICABLE: COL 889-890=-1,1,2,3

B87	ADMSNPLC	4210-4211		HAT TYPE OF PLACE <u>WAS</u> <u>SSION #4?</u>
		9995	-1	INAPPLICABLE
		C	-7	REFUSED
		O	-8	DON'T KNOW
		O	-9	NOT ASCERTAINED
		O	) 1	NURSING OR REST HOME
		3	2	MENTAL HEALTH FACILITY
		O	Э Э	HEALTH CARE REHABILITATION CENTER
		O	91	OTHER-SPECIFIED FACILITY

INAPPLICABLE: COL 889-890=-1,1,2,3

4212-4241 BLANK

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B88	ENTERFRM	4242-4243		PLACE FROM WHICH SUBJECT ENTERED FACILITY, ADMISSION #4
	INAPPL	ICABLE: CO	9995 0 0 0 2 1 0 0 0 0 0	INAPPLICABLE REFUSED BON'T KNOW SOUND HOME OWN HOME HOSPITAL NURSING HOME/REST HOME MENTAL HEALTH FACILITY HEALTH CARE REHABILITATION CENTER FRIEND/RELATIVE'S HOME OTHER-SPECIFIED FACILITY
		4244-4273		BLANK
B89	YEARENTR	4274-4275	9995 0 1 0 2	WHAT YEAR DID SUBJECT ENTER FACILITY, ADMISSION #4?  -1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 67-87 YEAR ENTERED FACILITY (1967-1987)

INAPPLICABLE: COL 889-890=-1,1,2,3

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
B90	NURSCARE	4276-4277		SUBJECT REQUIRE	D SKILLED NURSING #4
			9998 O O O	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4210-42	11=-1,2	
B90	SURGRECP	4278-4279		SUBJECT WAS REC	
			9998 0 0 0 0		INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: CO	L 4210-42	11=-1,2	
B90	NEEDHELP	4280-4281		SUBJECT NEEDED   DRESSING, ADMIS	HELP BATHING, EATING, SION #4
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4210-42	11=-1,2	

325

Ques No.		Column Number(s)	Counts	Variable	Description and Codes
B90	REQSPCMD	4282-4283			QUIRED MEDICAL OR PHYSICAL DMISSION #4
			999 <b>8</b> O O O O	- 1 - 7 - 8 - 9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	ICABLE: CO	L 4210-42	211=-1,2	
B90	CONFUSED	4284-4285			S TOO CONFUSED TO LIVE LY, ADMISSION #4
			9998 0 0 0 0	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4210-42	11=-1,2	

ï

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Des	cription and Codes
B91	CNDTNM1	4286-4287			SEASE OR CONDITION TIME OF ADMISSION #4
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	-8	DON'T KNOW
			Ō	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
		_	0	12	DISRUPTIVE BEHAVIOR
			0	13 — ——	FRACTURE OTHER THAN HIP
			O	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4210-4211=-1,2

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

THE QUESTIONNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON A MAXIMUM OF 5 DISEASES OR CONDITIONS WHICH CAUSED THE SUBJECT'S ADMISSION INTO THIS FACILITY. THE CODES FOR EACH OF THESE ARE STORED IN COL 4286-4415. COL 4286-4287 REFER TO THE FIRST DISEASE OR CONDITION REPORTED. COL 4318-4415 REFER TO THE SECOND THROUGH FIFTH DISEASES OR CONDITIONS REPORTED. THE NUMBER OF INAPPLICABLE CODES IN COL 4286-4415 DEPENDS ON WHETHER ANY INFORMATION WAS PROVIDED FOR ADMISSION #4, AND IF SO, THE NUMBER OF DISEASES OR CONDITIONS GIVEN IN Q.B91 FOR THIS ADMISSION.

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable De	escription and Codes
		4288-4317		BLANK	
B91	CNDTNM2	4318-4319		2ND TYPE OF D SUBJECT HAD A	DISEASE OR CONDITION AT TIME OF ADMISSION #4
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			Ö	-8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			Ō	1	ALZHEIMER'S DISEASE
			Ō	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4210-4211=-1,2 OR LESS THAN TWO CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
		4320-4349		BLANK
B91	CNDTNM3	4350-4351		3RD TYPE OF DISEASE OR CONDITION SUBJECT HAD AT TIME OF ADMISSION #4
			9998	-1 INAPPLICABLE
			0	-7 REFUSED
			Ö	-8 DON'T KNOW
			Ö	-9 NOT ASCERTAINED
			Ō	1 ALZHEIMER'S DISEASE
			0	2 CANCER
			0	. 3 DEPRESSION
			0	4 FRAILTY/OLD AGE
			0	5 HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6 INCONTINENCE
			0	7 NO MEDICAL CONDITION
			0	B SENILITY
			0	9 STROKE
			0	10 ALCOHOLISM
			0	11 ARTHRITIS
			0	12 DISRUPTIVE BEHAVIOR
			0	13 FRACTURE OTHER THAN HIP
			0	14 HEART ATTACK, HEART CONDITION
			0	15 HIP FRACTURE
			0	16 MENTAL ILLNESS
			0	17 OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18 PARKINSON'S DISEASE
			0	91 OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4210-4211=-1,2 OR LESS THAN THREE CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No . 	Variable Name	Column Number(s)	Counts	Variable Desc	cription and Codes
		4352-4381		BLANK	
B91	CNDTNM4	4382-4383			SEASE OR CONDITION TIME OF ADMISSION #4
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			Ö	- 8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			ŏ	1	ALZHEIMER'S DISEASE
			ŏ	2	CANCER
			ō	_ 3	DEPRESSION
			ŏ	4	FRAILTY/OLD AGE
			ō	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			Ō	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4210-4211=-1,2 OR LESS THAN FOUR CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable	Description and Codes
		4384-4413		BLANK	
B91	CNDTNM5	4414-4415			F DISEASE OR CONDITION D AT TIME OF ADMISSION #4
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			ō	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16 17	MENTAL ILLNESS
			0	18	OSTEOPOROSIS (FRAGILE OR SOFT BONES) PARKINSON'S DISEASE
			0	91	
			U	<b>9</b> l	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4210-4211=-1,2 OR LESS THAN FIVE CONDITIONS REPORTED

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descri	ption and Codes
		4416-4445		BLANK	
B91	RECODE 1	4446-4447		RECODE: ALZHEIMER REPORTED IN Q.B91	
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO
	TNADDL	TOABLE: COL	4210-42	11=-1 2	

INAPPLICABLE: COL 4210-4211=-1,2

THE VARIABLES IN COL 4286-4415 WERE RECODED INTO YES-NO CATEGORIES WITH RESPECT TO THE DISEASE(S) OR CONDITION(S) REPORTED IN Q.B91, ADMISSION #4. THE RECODED VARIABLES ARE FOUND IN COL 4446-4483. FOR EXAMPLE, IF CANCER WAS A CAUSE THAT LED TO ADMISSION #4 (I.E., ANY ONE OF THE VARIABLES IN COL 4286-4415 IS CODED 2), THEN COL 4448-4449 IS CODED 1 (YES). IF CANCER WAS NOT ONE OF THE CAUSES THAT LED TO ADMISSION #4 FOR THE SUBJECT, THEN COL 4448-4449 IS CODED 2 (NO).

B91	RECODE2	4448-4449			ANCER WAS REPORTED IN MISSION #4
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNO₩
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B91	RECODE3	4450-4451		RECODE: DEPRESSION WAS REPORTED IN Q.B91, ADMISSION #4
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 4210-42	211=-1,2
B91	RECODE4	4452-4453		RECODE: FRAILTY OR OLD AGE WAS REPORTED IN Q.B91, ADMISSION #4
	_		9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 4210-42	211=-1,2
B91	RECODE5	4454-4455		RECODE: HARDENING OF THE ARTERIES WAS REPORTED IN Q.B91, ADMISSION #4
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO

Ques No.	Variable Name	Column Number(s)	Counts	Variable De	scription and Codes
B91	RECODE6	4456-4457		RECODE: INCON IN Q.B91, ADM	TINENCE WAS REPORTED ISSION #4
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4210-42	11=~1,2	
B91	RECODE7	4458-4459			EDICAL CONDITION WAS .B91, ADMISSION #4
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4210-42	11=-1,2	'
B91	RECODE8	4460-4461		RECODE: SENIL Q.B91, ADMISS	ITY WAS REPORTED IN ION #4
			9998 0 0 0 0	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	TNAPPL	TCABLE: COL	4210-42	11=-1 2	

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	ription and Codes
B91	RECODE9	4462-4463		RECODE: STROKE Q.B91, ADMISSIO	WAS REPORTERD IN N #4
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES
	INAPPL	ICABLE: CO	L 4210-42	11=-1,2	
B91	RECODE 10	4464-4465		RECODE: ALCOHOL	ISM WAS REPORTED IN N #4
			9998 0 0 0 0	- 1 - 7 - 8 - 9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4210-42	211=-1,2	
B91	RECODE 11	4466-4467		RECODE: ARTHRIT Q.B91, ADMISSIO	IS WAS REPORTED IN N #4
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4210-42	111=-1,2	

				TART D. NON THOSE FACILITY STAT REPU
Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B91	RECODE 12	4468-4469		RECODE: DISRUPTIVE BEHAVIOR WAS REPORTED IN Q.B91, ADMISSION #4
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 4210-42	211=-1,2
B91	RECODE 13	4470-4471		RECODE: FRACTURE OTHER THAN HIP WAS REPORTED IN Q.B91, ADMISSION #4
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: COL	4210-42	11=-1,2
B91	RECODE 14	4472-4473	0008	RECODE: HEART ATTACK/HEART CONDITION WAS REPORTED IN Q.B91, ADMISSION #4
	,		9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name		Counts	Variable Descr	ription and Codes
B91	RECODE 15	4474-4475		RECODE: HIP FRAC	CTURE WAS REPORTED SION #4
	INAPPL	.ICABLE: COL	9998 0 0 0 0 0	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES
B91	RECODE 16	4476-4477		RECODE: MENTAL I	ILLNESS WAS REPORTED SION #4
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	4210-42	11=-1,2	
B91	RECODE 17	4478-4479		RECODE: OSTEOPOR	ROSIS WAS REPORTED SION #4
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

Ques No.	Varíable Name 		Counts	Variable Desc	ription and Codes
B91	RECODE 18	4480-4481			ON'S DISEASE WAS 91, ADMISSION #4
			9998 0 0 0 0	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPP	LICABLE: CO	4210-4	211=-1,2	
B91	RECODE 19	4482-4483		RECODE: ANOTHER WAS REPORTED IN	DISEASE OR CONDITION Q.B91, ADMISSION #4
				-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPI	LICABLE: COL	4210-42	211=-1,2	
B92	B92NUM	4484-4485		HOW LONG DID SUE ADMISSION #4?	BJECT STAY IN FACILITY,
	****	.ICABLE: COL	9995 0 0 0 3 0	94 95	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED NUMBER OF WEEKS, OR MONTHS, OR YEARS STILL THERE LESS THAN ONE WEEK

INAPPLICABLE: COL 889-890=-1,1,2,3

Ques No.	Variable Name 	Column Number(s)	Counts	Vai	riable Description and Codes
B92	B92UNIT	4486-4487		TIME	PERIOD RESPONDED IN, ADMISSION #4
			9995	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			1	1	WEEKS
			2	2	MONTHS
			0	3	YEARS
	T111 D				04.05 5 0 0

INAPPLICABLE: COL 4484-4485=-1,94,95,-7,-8,-9

B93	OTHADMSN	4488-4489			RE OTHER NON-HOSPITAL FACILITY NS BESIDES ADMISSION #4?
			9995	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW _
			0	-9	NOT ASCERTAINED
			2	1	YES
			- 1	2	NO

INAPPLICABLE: COL 889-890=-1,1,2,3

4490-4496 BLANK

				PART B: NUN-HU	125 PACILITY STAT REPORTS
Ques No.	Variable Name		Counts	Variable Descr	ription and Codes
	RESTNUM	4497-4498		NURSING HOME/NOM ADMISSION #5	<u>N-HOSPITAL FACILITY</u>
			9996	-1	INAPPLICABLE
			0	-9	NOT ASCERTAINED
			2	5	5TH NH-NON-HOSPITAL ADMISSION REPORTED
B87		4499-4500	L 889-89C	=-1,1,2,3,4  TO WHAT TYPE OF ADMISSION #5?	PLACE WAS
			9996	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	NURSING OR REST HOME
			2	2 3	MENTAL HEALTH FACILITY HEALTH CARE REHABILITATION CENTER
			0 0	91	OTHER-SPECIFIED FACILITY
	TALADO	LICABLE. COL		N1 1 2 2 <i>1</i>	

INAPPLICABLE: COL 889-890=-1,1,2,3,4

4501-4530 BLANK

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
B88	ENTERFRM	4531-4532		PLACE FROM WHICH SUBJECT ENTERED FACILITY, ADMISSION #5
			9996 0 0 0 1 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 OWN HOME 2 HOSPITAL 3 NURSING HOME/REST HOME 4 MENTAL HEALTH FACILITY 5 HEALTH CARE REHABILITATION CENTER 6 FRIEND/RELATIVE'S HOME 91 OTHER-SPECIFIED FACILITY
	INAPPI	LICABLE: CO	L 889-890	D=-1,1,2,3,4
		4533-4562		BLANK
B89	YEARENTR	4563-4564		WHAT YEAR DID SUBJECT ENTER FACILITY, ADMISSION #5
			9996 O O O 2	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 67-87 YEAR ENTERED FACILITY (1967-1987)
	INAPPL	LICABLE: COL	L 889-890	D=-1,1,2,3,4

				PART B. NON TO	3F TACTETTY STAT KETOK
Ques No	Variable Name	Column Number(s)	Counts	Variable Descr	iption and Codes
B90	NURSCARE	4565-4566		SUBJECT REQUIRED CARE, ADMISSION	SKILLED NURSING #5
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	4499-45	00=-1,2	
B90	SURGRECP	4567-4568		SUBJECT WAS RECU SURGERY, ADMISSI	
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	4499-45	00=-1,2	
В90	NEEDHELP	4569-4570		SUBJECT NEEDED H	ELP BATHING, EATING,
			9998	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	TAIADDI	TCABLE - COL	4499-45	nn=-1 2	

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
В90	REQSPCMD	4571-4572		SUBJECT REQUIRED THERAPY, ADMISSI	MEDICAL OR PHYSICAL
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO
	INAPPL	.ICABLE: CO	L 4499-45	00=-1,2	
R90	CONFUSED	4572-4574		SUBJECT WAS TOO	CONFUSED TO LIVE

390	CONFOSED	45/3-45/4			WAS TOO CONFUSED TO LIVE ENTLY, ADMISSION #5
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
B91	CNDTNM1	4575-4576			ASE OR CONDITION IME OF ADMISSION #5
			9998	- 1	INAPPLICABLE
			0	-7	REFUSED
			Ö	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4499-4500=-1,2

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

THE QUESTIONNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON A MAXIMUM OF 5 DISEASES OR CONDITIONS WHICH CAUSED THE SUBJECT'S ADMISSION INTO THIS FACILITY. THE CODES FOR EACH OF THESE ARE STORED IN COL 4575-4704. COL 4575-4576 REFER TO THE FIRST DISEASE OR CONDITION REPORTED. COL 4607-4704 REFER TO THE SECOND THROUGH FIFTH DISEASES OR CONDITIONS REPORTED. THE NUMBER OF INAPPLICABLE CODES IN COL 4575-4704 DEPENDS ON WHETHER ANY INFORMATION WAS PROVIDED FOR ADMISSION #5, AND IF SO, THE NUMBER OF DISEASES OR CONDITIONS GIVEN IN Q.B91 FOR THIS ADMISSION.

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s) Count:	s \	ariable Description and Codes
		4577-4606	BLA	NK
B91	CNDTNM2	4607-4608		TYPE OF DISEASE OR CONDITION JECT HAD AT TIME OF ADMISSION #5
		999	B -1	INAPPLICABLE
			5 -7	REFUSED
			о , о -в	DON'T KNOW
			5 -9	NOT ASCERTAINED
			0 1	ALZHEIMER'S DISEASE
			0 2	CANCER
			3	DEPRESSION
			0 4	FRAILTY/OLD AGE
			0 5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
		•	0 6	INCONTINENCE
		•	0 7	NO MEDICAL CONDITION
		(	о в	SENILITY
			9	STROKE
			0 10	ALCOHOLISM
		(	0 11	ARTHRITIS
			0 12	DISRUPTIVE BEHAVIOR
			0 13	FRACTURE OTHER THAN HIP
			0 14	HEART ATTACK, HEART CONDITION
			0 15	HIP FRACTURE
			0 16	MENTAL ILLNESS
			0 17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0 18	PARKINSON'S DISEASE
		(	0 91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4499-4500=-1,2 OR LESS THAN TWO CONDITIONS REPORTED

Ques No.	Variable Name	Column Number(s) C	ounts 	Variable Desc	ription and Codes
		4609-4638		BLANK	
B91	CNDTNM3	4639-4640			EASE OR CONDITION TIME OF ADMISSION #5
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			Ö	-8	DON'T KNOW
			ŏ	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4499-4500=-1,2 OR LESS THAN THREE CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques Variable No. Name	Column Number(s)	Counts	Variable Desc	cription and Codes
	4641-4670		BLANK	
B91 CNDTNM4	4671-4672			SEASE OR CONDITION TIME OF ADMISSION #5
		9998 0 0 0 0 0 0 0 0 0 0 0 0 0	-1 -7 -8 -9 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 91	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED ALZHEIMER'S DISEASE CANCER DEPRESSION FRAILTY/OLD AGE HARDENING OF ARTERIES/ARTERIOSCLEROSIS INCONTINENCE NO MEDICAL CONDITION SENILITY STROKE ALCOHOLISM ARTHRITIS DISRUPTIVE BEHAVIOR FRACTURE OTHER THAN HIP HEART ATTACK, HEART CONDITION HIP FRACTURE MENTAL ILLNESS OSTEOPOROSIS (FRAGILE OR SOFT BONES) PARKINSON'S DISEASE OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4499-4500=-1,2 OR LESS THAN FOUR CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No 	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
		4673-4702		BLANK	
B91	CNDTNM5	4703-4704			EASE OR CONDITION TIME OF ADMISSION #5
			9998	- 1	INAPPLICABLE
			0	- <del>'</del> 7	REFUSED
			Õ	-8	DON'T KNOW
			ō	-9	NOT ASCERTAINED
			0	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			О	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4499-4500=-1,2 OR LESS THAN FIVE CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	iption and Codes
		4705-4734		BLANK	
B91	RECODE 1	4735-4736		RECODE: ALZHEIME REPORTED IN Q.B9	
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO

INAPPLICABLE: COL 4499-4500=-1,2

THE VARIABLES IN COL 4575-4704 WERE RECODED INTO YES-NO CATEGORIES WITH RESPECT TO THE DISEASE(S) OR CONDITION(S) REPORTED IN Q.B91, ADMISSION #5. THE RECODED VARIABLES ARE FOUND IN COL 4735-4772. FOR EXAMPLE, IF CANCER WAS A CAUSE THAT LED—TO—ADMISSION #5 (I.E., ANY ONE OF THE VARIABLES IN COL 4575-4704 CODED 2), THEN COL 4737-4738 IS CODED 1 (YES). IF CANCER WAS NOT ONE OF THE CAUSES THAT LED TO ADMISSION #5 FOR THE SUBJECT, THEN COL 4737-4738 IS CODED 2 (NO).

B91	RECODE2	4737-473 <b>8</b>			ICER WAS REPORTED IN SSION #5
			9998	<b>- 1</b>	INAPPLICABLE
			0	<b>-7</b>	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO

				The Treat Treat Treat Treat Treat Treat
Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B9 1	RECODE3	4739-4740		RECODE: DEPRESSION WAS REPORTED IN Q.891, ADMISSION #5
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 4499-45	500=-1,2
B91	RECODE4	4741-4742		RECODE: FRAILTY OR OLD AGE WAS REPORTED IN Q.B91, ADMISSION #5
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: COI	_ 4499-45	500=-1,2
B91	RECODE5	4743-4744		RECODE: HARDENING OF THE ARTERIES WAS REPORTED IN Q.B91, ADMISSION #5
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPI	TCABLE: COL	4499-45	500=-1 2

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No .	Variable Name	Column Number(s)	Counts	Variable Descr	ription and Codes
B91	RECODE6	4745-4746		RECODE: INCONTIN IN Q.B91, ADMISS	NENCE WAS REPORTED SION #5
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	4499-45	00=-1,2	
B91	RECODE7	4747-4748		RECODE: NON-MEDI REPORTED IN Q.BS	CAL CONDITION WAS 01, ADMISSION #5
		- —	9998 O O O	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COŅ	4499-45	00=-1,2	
B91	RECODE8	4749-4750		RECODE: SENILITY IN Q.B91, ADMISS	
			9998 0 0 0 0	- 1 - 7 - 8 - 9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

Ques Variable Column No. Name Number(s) Counts Variable Description and Counts  B91 RECODE9 4751-4752 RECODE: STROKE WAS REPORTED IN Q.B91, ADMISSION #5  9998 -1 INAPPLICABLE	 LE
IN Q.B91, ADMISSION #5	
9998 -1 TNARDI TCARI	
0 -7 REFUSED 0 -8 DON'T KNOW 0 -9 NOT ASCERTA 0 1 YES 0 2 NO	
INAPPLICABLE: COL 4499-4500=-1,2	
B91 RECODE 10 4753-4754 RECODE: ALCOHOLISM WAS REPOR	₹ŤED
9998 -1 INAPPLICABL 0 -7 REFUSED 0 -8 DON'T KNOW 0 -9 NOT ASCERTA 0 1 YES 0 2 NO	
INAPPLICABLE: COL 4499-4500=-1,2	
B91 RECODE11 4755-4756 RECODE: ARTHRITIS WAS REPORT IN Q.B91, ADMISSION #5	<u>.ED</u>
9998 -1 INAPPLICABL 0 -7 REFUSED 0 -8 DON'T KNOW 0 -9 NOT ASCERTA 0 1 YES 0 2 NO	-

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Varia 	ble Description and Codes
B91	RECODE12	4757-4758			DISRUPTIVE BEHAVIOR WAS D IN Q.891, ADMISSION #5
			9998 0 0 0 0	- 1 - 7 - 8 - 9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPP	LICABLE: CO	L 4499-45	500=-1,2	
BO 1	BECODE 13	4750-4760		DEGODE	FRACTURE OTHER THAN 1

B91	RECODE 13	4759-4760	RECODE: FRACTURE OTHER THAN HIP WAS
			REPORTED IN Q.B91, ADMISSION #5

9998	- 1	INAPPLICABLE
0	-7	REFUSED
0	-8	DON'T KNOW
 0	-9	 NOT ASCERTAINED
0	1	YES
0	2	NΩ

INAPPLICABLE: COL 4499-4500=-1.2

B91 RECODE14 4761-4762 RECODE: HEART ATTACK/HEART CONDITION
WAS REPORTED IN Q.B91, ADMISSION #5

9998	- 1	INAPPLICABLE
0	-7	REFUSED
0	-8	DON'T KNOW
0	-9	NOT ASCERTAINED
0	1	YES
0	2	NΩ

				PARI B: NU	N-HOSP FACILITY STAY REPO
Ques No.	Variable Name	Column Number(s)	Counts		escription and Codes
B9 1	RECODE 15	4763-4764			FRACTURE WAS REPORTED MISSION #5
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4499-4t	000=-1,2	
B91	RECODE 16	4765-4766		RECODE: MENTA IN Q.B91, ADM	AL ILLNESS WAS REPORTED MISSION #5
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COI	_ 4499-45	500=-1,2	
B91	RECODE 17	4767-4768	9998 0 0 0	IN Q.B91, ADM -1 -7 -8 -9	DPOROSIS WAS REPORTED MISSION #5  INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED
			0	1 2	YES NO

INAPPLICABLE: COL 4499-4500=-1.2

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name		Counts	Variable Descr	ription and Codes
B91	RECODE 18	4769-4770		RECODE: PARKINSO REPORTED IN Q.BS	DN'S DISEASE WAS 91, ADMISSION #5
			9998	<b>- 1</b>	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1 2	YES
			U	2	NO
	INAPPL	ICABLE: CO	L 4499-45	500=-1,2	
B91	RECODE 19	4771-4772			DISEASE OR CONDITION Q.B91, ADMISSION #5
				MAS KEPUKIED IN	Q.691, ADMISSION #5
			9998	- 1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
				1	YES
			0	2	NO
	INAPPL	.ICABLE: CO	L 4499-45	500=-1,2	
B92	B92NUM	4773-4774		HOW LONG DID SUE ADMISSION #5	BJECT STAY IN FACILITY,
			9996	_4	TAIADDI TOADI E
			9556	- 1 - 7	INAPPLICABLE REFUSED
			0	- <i>7</i> -8	DON'T KNOW
			0	- <b>6</b> -9	NOT ASCERTAINED
			2	1-15	NUMBER OF WEEKS, OR MONTHS, OR YEARS
			ō	94	STILL THERE
			Ö	95	LESS THAN ONE WEEK
			_		·· ······ <del> ·· ··</del>

INAPPLICABLE: COL 889-890=-1,1,2,3,4

Ques No .	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
B92	B92UNIT	4775-4776		TIME PERIOD RESPONDED IN, ADMISSION #5
			9996	-1 INAPPLICABLE
			0	-7 REFUSED
			0	-8 DON'T KNO₩
			0	-9 NOT ASCERTAINED
			2	1 WEEKS
			0	2 MONTHS
			0	3 YEARS

INAPPLICABLE: COL 4773-4774=-1,94,95,-7,-8,-9

B93 OTHADMSN 4777-4778 WERE THERE OTHER NON-HOSPITAL FACILITY
ADMISSIONS BESIDES ADMISSION #5?

9996 -1 INAPPLICABLE
O -7 REFUSED
O -8 DON'T KNOW
O -9 NOT ASCERTAINED
1 1 YES
1 2 NO

INAPPLICABLE: COL 889-890=-1,1,2,3,4

4779-4785 BLANK

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No .	Variable Name 	Column Number(s) Counts	s Vai	iable Description and Codes				
	RESTNUM	4786-4787		NG HOME/NON-HOSPITAL FACILITY SION #6				
		9997	- 1	INAPPLICABLE				
		O	-9	NOT ASCERTAINED				
		1	6	6TH NH-NON-HOSPITAL ADMISSION REPORTED				
	INAPPLICABLE: COL 889-890=-1,1,2,3,4,5							
B87	ADMSNPLC	4788-4789	TO W⊦	AT TYPE OF PLACE WAS				

667	ADMSNPLC	4788-4789	ADMISS	I TYPE OF PLACE WAS ION #6?
		9997	- 1	INAPPLICABLE
		0	-7	REFUSED
		0	-8	DON'T KNOW
		0	-9	NOT ASCERTAINED
		0	1	NURSING OR REST HOME
		1	2	MENTAL HEALTH FACILITY
		0	3	HEALTH CARE REHABILITATION CENTER
		0	91	OTHER-SPECIFIED FACILITY

INAPPLICABLE: COL 889-890=-1,1,2,3,4,5

4790-4819

BLANK

Ques No.	Variable Name	Column Number(s) Cou	ınts	Variable Descr	iption and Codes
888	ENTERFRM	4820-4821		PLACE FROM WHICH FACILITY, ADMISS	
	INAPPI	9 LICABLE: COL 88	9997 0 0 0 0 0 0 0 1 0 0 0	-1 -7 -8 -9 1 2 3 4 5 6 91	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED OWN HOME HOSPITAL NURSING HOME/REST HOME MENTAL HEALTH FACILITY HEALTH CARE REHABILITATION CENTER FRIEND/RELATIVE'S HOME OTHER-SPECIFIED FACILITY
		4822-4851		BLANK	
B89	YEARENTR	4852-4853		WHAT YEAR DID SU ADMISSION #6?	BJECT ENTER FACILITY.
		9	9997 0 0 0 1	-1 -7 -8 -9 67-87	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YEAR ENTERED FACILITY (1967-1987)

INAPPLICABLE: COL 889-890=-1,1,2,3,4,5

PART B: NON-HOSP FACILITY, STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B00	NUDCCADE	4954 4955		CHR ICOT BEOLUIDED CATLLED MURCING
B90	NURSCARE	4854-4855		SUBJECT REQUUIRED SKILLED NURSING CARE, ADMISSION #6
			9998	-1 INAPPLICABLE
			0	-7 REFUSED
			0	-8 DON'T KNOW
			0	-9 NOT ASCERTAINED
			0	1 YES
			0	2 NO
	INAPPI	ICABLE: COL	4788-478	39=-1,2
B90	SURGRECP	4856-4857		. SUBJECT WAS RECUPERATING FROM
				SURGERY, ADMISSION #6
			9998	-1 INAPPLICABLE
			0	-7 REFUSED
			0	-8 DON'T KNOW
			0	- 1101 110021111121
			0	1 YES 2 NO
			O	2 NU
	INAPPI	ICABLE: CO	L 4788-47	789=-1,2
B90	NEEDHELP	4858-4859		SUBJECT NEEDED HELP BATHING, EATING,
				DRESSING, ADMISSION #6
			9998	-1 INAPPLICABLE
			0	-7 REFUSED
			0	-8 DON'T KNOW
			0	-9 NOT ASCERTAINED
			o	1 YES
			0	2 NO
	INAPPL	ICABLE: CO	L 4788-47	789=-1,2

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
B90	REQSPCMD	4860-4861		SUBJECT REQUIRED THERAPY, ADMISSI	MEDICAL OR PHYSICAL
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 4788-4789=-1,2

B90	CONFUSED	4862-4863		SUBJECT WA INDEPENDEN	S TOO CONFUSED TO LIVE TLY, ADMISSION #6	
			9998	- 1	INAPPLICABLE	
			0	-7	REFUSED	
			0	-8	DON'T KNOW	
			0	-9	NOT ASCERTAINED	
			0	1	YES	
			0	2	NΩ	

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No .	Variable Name 	Column Number(s)	Counts	Variable Desc	cription and Codes
B91	CNDTNM1	4864-4865			SEASE OR CONDITION TIME OF ADMISSION #6
			9998	- 1	INAPPLICABLE
			0	- <del>7</del>	REFUSED
			ŏ	-8	DON'T KNOW
			ō	-9	NOT ASCERTAINED
			Ō	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			0	10	ALCOHOLISM
			0	11	ARTHRITIS
			О	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			О	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4788-4789=-1.2

CODES HAVE BEEN EXPANDED BEYOND THOSE LISTED ON THE 1987 QUESTIONNAIRE.

THE QUESTIONNAIRE ALLOWED FOR THE COLLECTION OF INFORMATION ON A MAXIMUM OF 5 DISEASES OR CONDITIONS WHICH CAUSED THE SUBJECT'S ADMISSION INTO THIS FACILITY. THE CODES FOR EACH OF THESE ARE STORED IN COL 4864-4993. COL 4864-4865 REFER TO THE FIRST DISEASE OR CONDITION REPORTED. COL 4896-4993 REFER TO THE SECOND THROUGH FIFTH DISEASES OR CONDITIONS REPORTED. THE NUMBER OF INAPPLICABLE CODES IN COL 4864-4993 DEPENDS ON WHETHER ANY INFORMATION WAS PROVIDED FOR ADMISSION #6, AND IF SO, THE NUMBER OF DISEASES OR CONDITIONS GIVEN IN Q.B91 FOR THIS ADMISSION.

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desc	ription and Codes
		4866-4895		BLANK	
B91	CNDTNM2	4896-4897		2ND TYPE OF DIS SUBJECT HAD AT	EASE OR CONDITION TIME OF ADMISSION #6
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED ALZHEIMER'S DISEASE
			0	1	CANCER
			0	2 3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			ŏ	7	NO MEDICAL CONDITION
			ŏ	8	SENILITY
			ŏ	9	STROKE
			Ō	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	17	PARKINSON'S DISEASE
			0	18 91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4788-4789=-1,2 OR LESS THAN TWO CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Des	scription and Codes
		4898-4927		BLANK	
B91	CMDTMM3	4928-4929			ISEASE OR CONDITION T TIME OF ADMISSION #6
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			ŏ	- <b>8</b>	DON'T KNOW
			Ö	-9	NOT ASCERTAINED
			Ō	1	ALZHEIMER'S DISEASE
			0	2	CANCER
			0	3	DEPRESSION
			0	4	FRAILTY/OLD AGE
			0	5	HARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0	6	INCONTINENCE
			0	7	NO MEDICAL CONDITION
			0	8	SENILITY
			0	9	STROKE
			О	10	ALCOHOLISM
			0	11	ARTHRITIS
			0	12	DISRUPTIVE BEHAVIOR
			0	13	FRACTURE OTHER THAN HIP
			0	14	HEART ATTACK, HEART CONDITION
			0	15	HIP FRACTURE
			0	16	MENTAL ILLNESS
			0	17	OSTEOPOROSIS (FRAGILE OR SOFT BONES)
			0	18	PARKINSON'S DISEASE
			0	91	OTHER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4788-4789=-1,2 OR LESS THAN THREE CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name	Column Number(s)	Counts	Variable Descrip	tion and Codes
		4930-4959		BLANK	
B91	CNDTNM4	4960-4961		4TH TYPE OF DISEAS SUBJECT HAD AT TIM	
			9998	-1 I	NAPPLICABLE
			0		EFUSED
			Ö		ON'T KNOW
			ŏ		OT ASCERTAINED
			Ō	1 A	LZHEIMER'S DISEASE
			0	2 C.	ANCER
			0	3 D	EPRESSION
			0		RAILTY/OLD AGE
			0		ARDENING OF ARTERIES/ARTERIOSCLEROSIS
			0		NCONTINENCE
			0		O MEDICAL CONDITION
			0		ENILITY
			0		TROKE
			О	=	LCOHOLISM
			0		RTHRITIS
			0		ISRUPTIVE BEHAVIOR
			0		RACTURE OTHER THAN HIP
			0		EART ATTACK, HEART CONDITION
			0		IP FRACTURE
			0		ENTAL ILLNESS
			O		STEOPOROSIS (FRAGILE OR SOFT BONES)
			0		ARKINSON'S DISEASE
			0	91 0	THER-SPECIFIED DISEASE OR CONDITION

INAPPLICABLE: COL 4788-4789=-1,2 OR LESS THAN FOUR CONDITIONS REPORTED

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes	
		4962-4991		BLANK	
B91	CNDTNM5	4992-4993		5TH TYPE OF DISEASE OR CONDITION SUBJECT HAD AT TIME OF ADMISSION #6	
			9998	-1 INAPPLICABLE	
			9338	-7 REFUSED	
			ŏ	-B DON'T KNOW	
			ŏ	-9 NOT ASCERTAINED	
			ō	1 ALZHEIMER'S DISEASE	
			0	2 CANCER	
			0	3 DEPRESSION	
			0	4 FRAILTY/OLD AGE	
			0	5 HARDENING OF ARTERIES/ARTERIOSCLEROSIS	
			0	6 INCONTINENCE	
			0	7 NO MEDICAL CONDITION	
			0	8 SENILITY	
			0	9STROKE	_
			0	10 ALCOHOLISM	
			0	11 ARTHRITIS	
			0	12 DISRUPTIVE BEHAVIOR	
			0	13 FRACTURE OTHER THAN HIP	
			0	14 HEART ATTACK, HEART CONDITION	
			0	15 HIP FRACTURE	
			0	16 MENTAL ILLNESS	
			0	17 OSTEOPOROSIS (FRAGILE OR SOFT BONES)	
			0	18 PARKINSON'S DISEASE	
			0	91 OTHER-SPECIFIED DISEASE OR CONDITION	

INAPPLICABLE: COL 4788-4789-1,2 OR LESS THAN FIVE CONDITIONS REPORTED

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ption and Codes
		4994-5023		BLANK	
B91	RECODE 1	5024-5025		RECODE: ALZHEIMER REPORTED IN Q.B9	
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO

INAPPLICABLE: COL 4788-4789=-1.2

VARIABLES IN COL 4864-4993 WERE RECODED INTO YES-NO CATEGORIES WITH RESPECT TO THE DISEASE(S) OR CONDITION(S) REPORTED IN Q.B91, ADMISSION #6. THE RECODED VARIABLES ARE FOUND IN COL 5024-5061. FOR EXAMPLE, IF CANCER WAS A CAUSE THAT LED TO ADMISSION #6 (I.E., ANY ONE OF THE VARIABLES IN COL 4864-4993 IS CODED 2), THEN COL 5026-5027 IS CODED 1 (YES). IF CANCER WAS NOT ONE OF THE CAUSES THAT LED TO ADMISSION #6 FOR THE SUBJECT, THEN COL 5026-5027 IS CODED 2 (NO).

B91	RECODE2	5026-5027			ANCER WAS REPORTED ADMISSION #6
			9998	<del>-</del> 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	ription and Codes
B91	RECODE3	5028-5029		RECODE: DEPRESS IN Q.B91, ADMIS	ION WAS REPORTED SION #6
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	4788-47	789=-1,2	
B91	RECODE4	5030-5031		RECODE: FRAILTY REPORTED IN Q.B	OR OLD AGE WAS 91, ADMISSION #6
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	4788-47	89=-1.2	
B91	RECODE5	5032-5033			NG OF THE ARTERIES Q.B91, ADMISSION #6
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

Ques No .	Variable Name	Column Number(s)	Counts	Variable Des	scription and Codes
		<b>-</b> -			
B91	RECODE6	5034-5035		RECODE: INCONI IN Q B91, ADMI	TINENCE WAS REPORTED ISSION #6
			9998	-1	INAPPLICABLE
			0	- <b>7</b>	REFUSED
			0	-8	DON'T KNOW
			0	~9	NOT ASCERTAINED
			0	1	YES
			0	2	NO
	INAPP	LICABLE: CO	L 4788-47	789=-1,2	

B91	RECODE7	5036-5037			ON-MEDICAL CONDITION WAS IN Q.B91, ADMISSION #6
		•	9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

INAPPLICABLE: COL 4788-4789=-1,2

B91	RECODE8	5038-5039		RECODE: SENILIT Q.B91, ADMISSIO	Y WAS REPORTED IN N #6
			9998	-1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNO₩
			0	-9	NOT ASCERTAINED
			0	1	YES
			0	2	NO

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Des	scription and Codes
B91	RECODE9	5040-5041	,	RECODE: STROKE Q.B91, ADMISSI	: WAS REPORTED IN :ON #6
	T.1.1.0.0.1	TOTAL S	9998 0 0 0 0	-1 -7 -8 -9 1 2	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	.ICABLE: CO	L 4788-47	'89=-1,2	
B9 1	RECODE 10	5042-5043		RECODE: ALCOHO Q.B91, ADMISSI	DLISM WAS REPORTED IN
			8eee O O O O	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4788-47	89=-1,2	
B91	RECODE 11	5044-5045		RECODE: ARTHRI IN Q.B91, ADMI	TIS WAS REPORTED SSION #6
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO

				PART B: NUN-HUSP FACILITY STAY REPOR
Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes
B91	RECODE 12	5046-5047		RECODE: DISRUPTIVE BEHAVIOR WAS REPORTED IN Q.B91, ADMISSION #6
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 4788-47	789=~1,2
B91	RECODE 13	5048-5049		RECODE: FRACTURE OTHER THAN HIP WAS REPORTED IN Q.B91, ADMISSION #6
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	4788-47	789=-1,2
B91	RECODE 14	5050-5051	9998 O O O	RECODE: HEART ATTACK/HEART CONDITION WAS REPORTED IN Q.B91, ADMISSION #6  -1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES
			0	2 NO

Ques No.	Variable Name	Column Number(s)	Counts	Variable Desci	ription and Codes
B91	RECODE 15	5052-5053		RECODE: HIP FRAG	CTURE WAS REPORTED SION #6
			9998 0 0 0 0	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4788-47	/89=-1,2	
B91	RECODE 16	5054-5055		RECODE: MENTAL IN Q.B91, ADMIS	ILLNESS WAS REPORTED SION #6
			9998 O O O O	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES
	INAPPL	ICABLE: CO	L 4788-47	89=-1,2	
B91	RECODE 17	5056-5057		RECODE: OSTEOPOR	ROSIS WAS REPORTED
			9998 O O O O	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: CO	L 4788-47	89=-1,2	

				PART B: NUN-HUSP FACILITY STAY REPURTS
Ques No.	Variable Name 		Counts	Variable Description and Codes
B91	RECODE 18	5058-5059		RECODE: PARKINSON'S DISEASE WAS REPORTED IN Q.B91, ADMISSION #6
			9998 0 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES 2 NO
	INAPPL	ICABLE: CO	L 4 <b>788-</b> 47	789=-1,2
B91	RECODE 19	5060-5061		RECODE: ANOTHER DISEASE OR CONDITION WAS REPORTED IN Q.B91, ADMISSION #6
			9998 0 0 0	-1 INAPPLICABLE -7 REFUSED -8 DON'T KNOW -9 NOT ASCERTAINED 1 YES

INAPPLICABLE: COL 4788-4789=-1,2

B92	B92NUM	5062-5063		HOW LONG DID SU ADMISSION #6?	BUECT STAY IN FACILITY,
			9997	- 1	INAPPLICABLE
			0	-7	REFUSED
			0	-8	DON'T KNOW
			0	-9	NOT ASCERTAINED
			1	1 - 15	NUMBER OF WEEKS, OR MONTHS, OR YEARS
			0	94	STILL THERE
			0	95	LESS THAN ONE WEEK

INAPPLICABLE: COL 889-890=-1,1,2,3,4,5

PART B: NON-HOSP FACILITY STAY REPORTS

Ques No.	Variable Name 		Counts	Variable De	escription and Codes
B92	B92UNIT	5064-5065		TIME PERIOD I	RESPONDED IN. ADMISSION #6
	INAPPL	ICABLE: COL	9997 0 0 0 0 1 0	-1 -7 -8 -9 1 2 3	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED WEEKS MONTHS YEARS
B93	OTHADMSN				THER NON-HOSPITAL FACILITY
D33	OTTIADIISIN	3066-3067			ESIDES ADMISSION #6?
			9997 0 0 0 0 1	-1 -7 -8 -9 1	INAPPLICABLE REFUSED DON'T KNOW NOT ASCERTAINED YES NO
	INAPPL	ICABLE: COL	_ <b>889-</b> 890:	=-1,1,2,3,4,5	

BLANK

5068-5069

(5070-5143)

# 1987 FOLLOWUP HEALTH CARE FACILITY STAY TAPE SUMMARY VARIABLES

IF THE RESPONDENT REPORTED IN THE INTERVIEW THAT THE SUBJECT HAD AN OCCURRENCE OF A SPECIFIC MEDICAL CONDITION, HE OR SHE WAS ASKED IF THE SUBJECT HAD BEEN HOSPITALIZED FOR THAT CONDITION SINCE 1970, 1980, OR 1985, DEPENDING ON WHEN AN INTERVIEW WAS LAST OBTAINED FOR THE SUBJECT (FOR MORE INFORMATION, SEE THE INTRODUCTION TO THIS DOCUMENT). ALL HEALTH CARE FACILITY STAYS REPORTED IN RESPONSE TO THE HOSPITALIZATION OR NURSING HOME QUESTIONS IN PART B OF THE THE INTERVIEW WERE RECORDED ON THE HOSPITAL AND HEALTH CARE FACILITY (HHCF) CHART. HOWEVER. THE INTERVIEW INFORMATION ON OVERNIGHT HEALTH CARE FACILITY STAYS SINCE 1970/1980/1985 MAY NOT MATCH THE INFORMATION STORED ON THE 1987 NHEFS HEALTH CARE FACILITY STAY (HCFS) FILE. INCONSISTENT DATA BETWEEN THE INTERVIEW AND HCFS FILE SOMETIMES RESULTS WHEN INFORMATION ON AN OVERNIGHT STAY IS NOT REPORTED IN THE INTERVIEW BUT IS RECORDED ON THE HHCF CHART. THIS OCCURRED WHEN THE INTERVIEWER FAILED TO UPDATE THE INTERVIEW BASED ON INFORMATION OBTAINED WHEN FILLING OUT THE HHCF CHART.

EXAMPLE: DURING THE 1987 NHEFS INTERVIEW, A SUBJECT REPORTED THAT SHE HAD NEVER BEEN HOSPITALIZED FOR A HEART ATTACK IN THE TIME PERIOD PROVIDED BY THE INTERVIEWER. HOWEVER, IN A LATER SET OF QUESTIONS ON DIABETES, SHE REPORTED AN OVERNIGHT HOSPITAL STAY FOR DIABETES IN 1985. AS THE INTERVIEWER RECORDED THE STAY INFORMATION ON THE HHCF CHART. THE SUBJECT ADDED THAT SHE WAS ALSO IN THE HOSPITAL AT THAT TIME FOR A HEART ATTACK. WHILE THE INTERVIEWER NOTED THE HEART ATTACK INFORMATION ON THE HHCF CHART, HE OR SHE DID NOT UPDATE THE INTERVIEW WITH THIS ADDITIONAL INFORMATION. IN PREPARING THE 1987 NHEFS HEALTH CARE FACILITY STAY (HCFS) TAPE, THIS WAS CODED AS A STAY FOR DIABETES AND A HEART ATTACK, WITH THE INTERVIEW AS THE SOURCE OF THIS INFORMATION. SINCE THE SUBJECT HAD NOT REPORTED A HOSPITALIZATION FOR A HEART ATTACK IN PART B OF THE INTERVIEW AT THE PROPER TIME (I.E., COL 645-646 IS CODED 2 ON THIS FILE), AN INCONSISTENCY IN INFORMATION RESULTED BETWEEN THE 1987 NHEFS INTERVIEW AND THE HCFS FILES.

THE SUMMARY VARIABLES IN COL 5070-5143 WERE CREATED FROM THE 1987 NHEFS HCFS TAPE TO HELP RECTIFY THIS SITUATION. THE CONDITIONS REPORTED DURING THE INTERVIEW FOR EACH OVERNIGHT FACILITY STAY ARE CODED IN COL 63-66, COL 97-100, COL 131-134, AND COL 165-168 ON THE 1987 NHEFS HCFS TAPE. THESE VARIABLE FIELDS ARE BLANK IF THE INTERVIEW WAS NOT THE SOURCE OF INFORMATION ON THE STAY OR IF THE REPORTED STAY WAS AT LEAST A YEAR BEFORE THE SUBJECT'S MOST RECENT INTERVIEW. THIS INFORMATION WAS RECODED INTO DICHOTOMOUS VARIABLES LOCATED IN COL 5070-5143 ON THE INTERVIEW FILE. THESE VARIABLES INDICATE WHETHER OR NOT A FACILITY STAY WAS REPORTED FOR THAT MEDICAL CONDITION.

## (5070-5143)

# 1987 FOLLOWUP HEALTH CARE FACILITY STAY TAPE SUMMARY VARIABLES

EXAMPLE: A SUBJECT HAS ONLY ONE RECORD ON THE HCFS TAPE FOR A STAY REPORTED FROM THE INTERVIEW FOR DIABETES AND A HEART ATTACK. THUS, THE SUBJECT WILL HAVE ONE RECORD ON THE HCFS TAPE WITH CODES FOR THE REPORTED CONDITION VARIABLES OF DIABETES (CODE OF 9) AND A HEART ATTACK (CODE OF 3). ON THE SUBJECT'S INTERVIEW RECORD, ALL VARIABLES IN THE 1987 NHEFS HCFS SUMMARY VARIABLE SECTION (LOCATED IN COL 5070-5143) ARE CODED AS 2, "NO, SUBJECT DOES NOT HAVE RECORD ON 1987 NHEFS HCFS FILE WITH CONDITION" EXCEPT FOR DIABETES AND HEART ATTACK (LOCATED IN 5086-5087 AND COL 5074-5075, RESPECTIVELY) WHICH ARE CODED AS 1, "YES, SUBJECT DOES HAVE RECORD ON 1987 NHEFS FILE WITH CONDITION." IF A SUBJECT DOES NOT HAVE ANY STAY RECORDS ON THE 1987 NHEFS HCFS TAPE, THEN ALL THE VARIABLES IN

THE 1987 NHEFS HCFS SUMMARY VARIABLES PROVIDE THE MOST CORRECT INFORMATION ON THE CONDITIONS REPORTED BY THE RESPONDENT DURING THE INTERVIEW FOR WHICH THERE IS A RECORD FOR AN OVERNIGHT STAY ON THE HCFS FILE. THE INTRODUCTION TO THE INTERVIEW AND HEALTH CARE FACILITY STAY DATA TAPE DOCUMENTATION PROVIDE FURTHER INFORMATION ON THE RELATIONSHIP BETWEEN THE INTERVIEW AND HEALTH CARE FACILITY STAY DATA TAPES.

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	HCFSRO1	5070-5071		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF ARTHRITIS (CODE 01)?
			6555	-1 INAPPLICABLE
			92	1 YES
			3351	2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSRO2 5072-5073 DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE

1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF GOUT (CODE 02)?

6555 -1 INAPPLICABLE 13 1 YES 3430 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSRO3 5074-5075 DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE

1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF HEART ATTACK (CODE 03)?

6555 -1 INAPPLICABLE

257 1 YES 3186 2 NO

Ques No .	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	HCFSRO4	5076-5077		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF ANOTHER HEART CONDITION BESIDES HEART ATTACK (CODE 04)?
			6555 359 3084	-1 INAPPLICABLE 1 YES 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSRO5 5078-5079

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF CORONARY BY-PASS SURGERY (CODE 05)?

6555 -1 INAPPLICABLE 68 1 YES 3375 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR06 5080-5081

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF PACEMAKER REPAIR, INSERTION, AND/OR REPLACEMENT (CODE OG)?

6555 -1 INAPPLICABLE 25 1 YES 3418 2 NO

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
		5082-5083		BLANK
	HCFSROB	5084-5085		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF STROKE OR CVA (CEREBROVASCULAR ACCIDENT) (CODE OB)?
			6555 182 3261	-1 INAPPLICABLE 1 YES 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR09 5086-5087

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE

WITH A REPORTED CONDITION OF DIABETES (CODE 09)?

6555 -1 INAPPLICABLE 134 1 YES 3309 2 NO

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Descr	ription and Codes
	HCFSR 10	5088-5089		1987 NHEFS HEALT	/E AT LEAST ONE STAY RECORD ON THE H CARE FACILITY STAY DATA TAPE CONDITION OF HIGH BLOOD PRESSURE
			6555 87 3356	-1 1 2	INAPPLICABLE YES NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR11 5090-5091

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF CANCER AND/OR CANCER TREATMENT (CODE 11)?

6555 -1 INAPPLICABLE 300 1 YES 3143 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR12 5092-5093

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF FRACTURED HIP (CODE 12)?

6555 -1 INAPPLICABLE 63 1 YES 3380 2 NO

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	HCFSR13	5094-5095		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF ANOTHER TYPE OF BONE FRACTURE BESIDES A HIP FRACTURE (CODE 13)?
			6555 74	-1 INAPPLICABLE 1 YES

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

5096-5097 BLANK

3369

HCFSR15 5098-5099

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE

NO

WITH A REPORTED CONDITION OF SURGERY (CODE 15)?

6555 -1 INAPPLICABLE

239 1 YES 3204 2 NO

Ques No.	Variable Name 			Variable Description and Codes		
	HCFSR16	5100-5101		1987 NHEFS HE	HAVE AT LEAST ONE STAY RECORD ON ALTH CARE FACILITY STAY DATA TAP ED CONDITION OF "DON'T KNOW" (CO	<u>E</u>
			6555	<b>-1</b>	INAPPLICABLE	
			38	1	YES	
			3405	2	NO	

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR17 5102-5103

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE

1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH
A REPORTED CONDITION OF "NOT ASCERTAINED" (CODE 17)?

6555 -1 INAPPLICABLE
133 1 YES
3310 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR18 5104-5105

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF TESTS/OBSERVATION/X-RAYS/PHYSICAL EXAM (CODE 18)?

6555 -1 INAPPLICABLE 302 1 YES 3141 2 NO

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	ription and Codes
	HCFSR19	5106-5107		1987 NHEFS HEAL	VE AT LEAST ONE STAY RECORD ON THE THE CARE FACILITY STAY DATA TAPE DIGESTIVE/ENDOCRINE CONDITION
			6555 580 2863	-1 1 2	INAPPLICABLE YES NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR20 5108-5109 DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE

1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED RESPIRATORY CONDITION (CODE 20)?

6555 -1 INAPPLICABLE

385 1 YES 3058 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR21 5110-5111 DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE

WITH A REPORTED CONDITION OF INFECTION (CODE 21)?

6555 -1 INAPPLICABLE

55 1 YES 3388 2 NO

ΝО

Ques Variable Column Number(s) Counts Variable Description and Codes Name DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE HCFSR22 5112-5113 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED KIDNEY/BLADDER/URINARY CONDITION (CODE 22)? 6555 ~ 1 INAPPLICABLE 210 YES 1

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

2

3233

HCFSR23 5114-5115

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE

1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE
WITH A REPORTED CONDITION OF DEBILITY/PAIN (CODE 23)?

6555 -1 INAPPLICABLE 39 1 YES 3404 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR24 5116-5117

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE

1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH
A REPORTED MALE REPRODUCTIVE CONDITION (CODE 24)?

6555 -1 INAPPLICABLE 80 1 YES 3363 2 NO

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	HCF\$R25	5118-5119		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF MUSCULOSKELETAL PROBLEM OR INJURY (CODE 25)?
			6555 303 3140	-1 INAPPLICABLE 1 YES 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR26 5120-5121

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CIRCULATORY CONDITION (CODE 26)?

6555 -1 INAPPLICABLE

96 1 YES 3347 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR27 5122-5123

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE

1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH
A REPORTED FEMALE REPRODUCTIVE CONDITION (CODE 27)?

6555 -1 INAPPLICABLE

408 1 YES

3035 2 NO

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Desc	cription and Codes
	HCFSR28	5124-5125		1987 NHEFS HEAL	AVE AT LEAST ONE STAY RECORD ON THE TH CARE FACILITY STAY DATA TAPE O CONDITION OF MENTAL ILLNESS
			6555 81 3362	-1 1 2	INAPPLICABLE YES NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR29 5126-5127

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED NEUROLOGIC CONDITION (CODE 29)?

6555 -1 INAPPLICABLE 74 1 YES 3369 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR30 5128-5129

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED NUTRITIONAL CONDITION OR DEHYDRATION (CODE 30)?

6555 -1 INAPPLICABLE 28 1 YES 3415 2 NO

Ques No.	Variable Name	Column Number(s)	Counts	Variable Description and Codes	
	HCFSR31	5130-5131		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF BLEEDING OR BLOOD DISORDER (CODE 31)?	Ξ
			6555 45 3398	-1 INAPPLICABLE 1 YES 2 NO	

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR32 5132-5133

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED SKIN CONDITION (CODE 32)?

6555 -1 INAPPLICABLE

18 1 YES 3425 2 NO

INAPPLICABLE: SUBJECT DOES NOT HAVE ANY RECORDS ON THE 1987 HEALTH CARE FACILITY STAY FILE

HCFSR33 5134-5135

DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION NOT ELSEWHERE CODED (CODE 33)?

6555 -1 INAPPLICABLE YES

3181 2 NO

Ques No.	Variable Name 		ounts	Variable Description and Codes
	HCFSR34	5136-5137		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED NURSING HOME ADMISSION (CODE 34)?
			6555 375 3068	-1 INAPPLICABLE 1 YES 2 NO
	INAPPL HEALTH	ICABLE: SUBJE CARE FACILITY	ECT DOE / STAY	ES NOT HAVE ANY RECORDS ON THE 1987 FILE
	HCFSR35	5138-5139		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED HOSPITALIZATION AT DEATH (CODE 35)?
_			6555 318 3125	-1 INAPPLICABLE 1 YES 2 NO
	INAPPL HEALTH	ICABLE: SUBJE CARE FACILITY	CT DOE:	ES NOT HAVE ANY RECORDS ON THE 1987 FILE
	HCFSR36	5140-5141		DOES SUBJECT HAVE AT LEAST ONE STAY RECORD ON THE 1987 NHEFS HEALTH CARE FACILITY STAY DATA TAPE WITH A REPORTED CONDITION OF OTHER EYE DISORDERS (CODE 36)?
	THEODY		6555 60 3383	-1 INAPPLICABLE 1 YES 2 NO

Ques No.	Variable Name 	Column Number(s)	Counts	Variab	ble Description and Codes	
	HCFSR37	5142-5143		1987 NHE	BJECT HAVE AT LEAST ONE STAY RECORD ON THE EFS HEALTH CARE FACILITY STAY DATA TAPE REPORTED CONDITION OF FALLS (CODE 37)?	<u>IE</u>
			6555 74 3369	- 1 1 2	INAPPLICABLE YES NO	

-	Variable	Column		
No.	Name	Number(s)	Counts	Variable Description and Codes

CAUSEDTH 5144-5147

# UNDERLYING CAUSE OF DEATH

9526 - 1 INAPPLICABLE 441 0010-9999 ICD-9 CODE 31 0000 SUBJECT DECEASED BUT DOES NOT HAVE A DEATH CERTIFICATE ON THE 1987 NHEFS MORTALITY DATA TAPE

INAPPLICABLE: COL 12-13=1

THE SUBJECT'S UNDERLYING CAUSE OF DEATH IS EXTRACTED FROM POSITIONS 142-145 FROM THE 1987 NHEFS MORTALITY DATA FILE. FOR MORE INFORMATION ON THE UNDERLYING CAUSE OF DEATH, PLEASE CONSULT THE 1987 NHEFS MORTALITY DATA TAPE AND THE MANUAL OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH: BASED ON THE RECOMMENDATIONS OF THE NINTH REVISION CONFERENCE, 1975, AND ADOPTED BY THE TWENTY-NINTH WORLD HEALTH ASSEMBLY, 1977 (WORLD HEALTH ORGANIZATION).

THREE DIGIT ICD-9 CODES ARE CODED IN POSITIONS 5144-5146 WITH A BLANK IN POSITION 5147.

STRATUM

Ques No.	Variable Name 	Column Number(s)	Counts	Variable Description and Codes
	STRATUM	5148-5149		STRATUM

THIS VARIABLE IS EXTRACTED FROM NHANES I BASELINE TAPE POSITIONS 194-195. FOR MORE DETAILED INFORMATION CONCERNING THIS VARIABLE, SEE VITAL AND HEALTH STATISTICS, SERIES 1 - NUMBERS 10A, 10B, AND 14, AND THE DETAILED NOTES IN THE NHANES I PUBLIC USE DATA TAPE DOCUMENTATION.

PSU 5150-5152 <u>PSEUDO PRIMARY SAMPLING UNIT</u>

9998 1-235 PRIMARY SAMPLING UNIT

9998 1-35

THIS VARIABLE IS EXTRACTED FROM NHANES I BASELINE TAPE POSITIONS 196-198. FOR MORE DETAILED INFORMATION CONCERNING THIS VARIABLE, SEE VITAL AND HEALTH STATISTICS, SERIES 1 - NUMBERS 10A, 10B, AND 14, AND THE DETAILED NOTES IN THE NHANES I PUBLIC USE DATA TAPE DOCUMENTATION.

SUBSAMPL	5153-5154		NHANES 1	SUBSAMPLE
		4973	1	NUTRITION, LOCATIONS 1-65
		2630	2	DETAILED PERSONS, LOCATIONS 1-65
		2395	3	AUGMENTED SAMPLE PERSONS,
				LOCATIONS 66-100

THIS VARIABLE WAS CREATED FROM NHANES I BASELINE POSITIONS 170-187. IT IDENTIFIES WHICH COMPONENTS OF THE NHANES I BASELINE SURVEY EACH SUBJECT RECEIVED. FOR MORE DETAILED INFORMATION CONCERNING THESE THREE SUBGROUPS, SEE VITAL AND HEALTH STATISTICS, SERIES 1, NUMBERS 10A, 10B, AND 14.

Ques Variable Column

No. Name Number(s) Counts Variable Description and Codes

(5155-5190) SAMPLE WEIGHTS

FOR MORE DETAILED INFORMATION CONCERNING THESE VARIABLES, SEE VITAL AND HEALTH STATISTICS, SERIES 1, NUMBERS 10A, 10B, AND 14, AND THE DETAILED NOTES IN THE NHANES I PUBLIC USE DATA TAPE DOCUMENTATION.

SWGT1 5155-5160 <u>DETAILED PERSONS -- LOCATIONS 1-35</u>

8774 -1 INAPPLICABLE 1224 RANGE SAMPLE WEIGHT

INAPPLICABLE: SUBJECT NOT IN DETAILED SAMPLE, LOCATIONS 1-35

THIS VARIABLE IS EXTRACTED FROM NHANES I BASELINE TAPE POSITIONS 158-163.

SWGT2 5161-5166 ALL SAMPLE PERSONS -- LOCATIONS 1-35

6477 -1 INAPPLICABLE 3521 RANGE SAMPLE WEIGHT

INAPPLICABLE: SUBJECT NOT IN LOCATIONS 1-35

THIS VARIABLE IS EXTRACTED FROM NHANES I BASELINE TAPE POSITIONS 164-169.

SWGT3 5167-5172 <u>DETAILED\_PERSONS\_-- LOCATIONS\_1-65</u>

7368 -1 INAPPLICABLE 2630 RANGE SAMPLE WEIGHT

INAPPLICABLE: SUBJECT NOT IN DETAILED SAMPLE, LOCATIONS 1-65

THIS VARIABLE IS EXTRACTED FROM NHANES I BASELINE TAPE POSITIONS 170-175.

Ques Variable Column

No. Name Number(s) Counts Variable Description and Codes

SWGT4 5173-5178 ALL SAMPLE PERSONS -- LOCATIONS 1-65

2395 -1 INAPPLICABLE 7603 RANGE SAMPLE WEIGHT

INAPPLICABLE: SUBJECT NOT IN LOCATIONS 1-65

THIS VARIABLE IS EXTRACTED FROM NHANES I BASELINE TAPE POSITIONS 176-181.

SWGT5 5179-5184 DETAILED PERSONS -- LOCATIONS 66-100

7603 -1 INAPPLICABLE 2395 RANGE SAMPLE WEIGHT

INAPPLICABLE: SUBJECT NOT IN DETAILED SAMPLE, LOCATIONS 66-100.

THIS VARIABLE IS EXTRACTED FROM NHANES I BASELINE TAPE POSITIONS 182-187.

SWGT6 5185-5190 DETAILED PERSONS -- LOCATIONS 1-100

4973 -1 INAPPLICABLE 5025 RANGE SAMPLE WEIGHT

INAPPLICABLE: SUBJECT NOT IN DETAILED SAMPLE, LOCATIONS 1-100.

THIS VARIABLE IS EXTRACTED FROM NHANES I BASELINE TAPE POSITIONS 188-193.