REPRODUCTIVE HEALTH – RHQ
Target Group: Female SPs Ages 12+

RHQ.010   The next series of questions are about {your/SP's} reproductive history. I will begin by asking some questions about {your/SP's} period or menstrual cycle.

How old {were you/was SP} when {you/she} had {your/her} **first** menstrual period?

CODE "0" IF HAVEN'T STARTED YET.

CAPI INSTRUCTION:
SOFT EDIT VALUES: AGE ≤8 AND ≥ 25 YEARS.
ERROR MESSAGE: "UNLIKELY RESPONSE. PLEASE VERIFY."
HARD EDIT VALUES: AGE OF 1ST PERIOD CANNOT BE GREATER THAN CURRENT AGE.
ERROR MESSAGE: "AGE MENSTRUAL CYCLE STARTED CANNOT BE GREATER THAN AGE OF SP."
SOFT EDIT: DISPLAY EDIT WHEN AGE OF SP IS GREATER THAN OR EQUAL TO 20 AND RHQ.010 IS CODED '0'.
ERROR MESSAGE: "IT IS UNLIKELY THAT SP'S 20 OR OLDER WILL NOT HAVE BEGUN TO MENSTRUATE. PLEASE VERIFY."

|___|___|
ENTER AGE IN YEARS

REFUSED 77
DON'T KNOW 99

BOX 1

CHECK ITEM RHQ.015:
- IF PERIODS HAVEN'T STARTED (CODED '0'), GO TO END OF SECTION.
- IF PERIODS HAVE STARTED AND SP REPORTS AGE (CODED '1' - '76') IN RHQ.010, OR IF SP REFUSES AGE (CODED '77') IN RHQ.010, GO TO RHQ.031.
- OTHERWISE, CONTINUE.

RHQ.020   {Were you/Was SP} . . .

younger than 10,.. 1
10 to 12, ... 2
13 to 15, or 3
16 or older? 4
REFUSED 7
DON'T KNOW 9

RHQ.031   {Have you/Has SP} had **at least one menstrual period** in the **past 12 months**? (Please do not include bleedings caused by medical conditions, hormone therapy, or surgeries.)

SOFT EDIT: DISPLAY EDIT WHEN AGE OF SP IS GREATER THAN OR EQUAL TO 60 AND RHQ.031 IS CODED YES.
ERROR MESSAGE: "IT IS UNLIKELY THAT SPS AGED 60 YEARS OR OLDER WILL STILL BE MENSTRUATING. PLEASE VERIFY."

YES 1
NO 2 (RHQ.043)
REFUSED 7 (RHQ.060)
DON'T KNOW 9 (RHQ.060)

BOX 1A

CHECK ITEM RHQ.033:
- IF SP < 20 YEARS OLD AND RHQ.031=1, GO TO BOX 3.
- IF SP 20+ YEARS OLD AND RHQ.031=1, GO TO RHQ 282.
- OTHERWISE, CONTINUE.

RHQ.043   What is the reason that {you have/SP has} not had **a period** in the past 12 months?

HAND CARD RHQ 1

PREGNANCY... 1 (BOX 3)
BREAST FEEDING 2
HYSTERECTOMY.. 3
MENOPAUSE/CHANGE OF LIFE................ 7
OTHER... 9
REFUSED 77
DON'T KNOW 99

RHQ.282   {Have you/Has SP} had a hysterectomy, including a partial hysterectomy, that is, surgery to **remove** {your/her} uterus or womb?

MARK IF KNOWN. OTHERWISE ASK.

YES 1
NO 2 (RHQ.305)
REFUSED 7 (RHQ.305)
DON'T KNOW 9 (RHQ.305)

RHQ.291   How old {were you/was SP} when {you/she} had {your/her} (hysterectomy/uterus removed/womb removed)?

CAPI INSTRUCTION:
HARD EDIT: RHQ.291 MUST BE EQUAL TO OR LESS THAN AGE OF SP.
ERROR MESSAGE: "AGE CANNOT BE GREATER THAN AGE OF SP."

|___|___|___|
ENTER AGE IN YEARS

REFUSED 777
DON'T KNOW 999

RHQ.305   {Have you/Has SP} had **both** of {your/her} ovaries removed (either when {you/she} had {your/her} uterus removed or any other times)?

YES   1
NO..   2   (BOX 1B)
REFUSED   7   (RHQ.060)
DON'T KNOW   9   (RHQ.060)

RHQ.332   How old {were you/was SP} when {you/she} had {your/her} ovaries removed or last ovary removed if removed at different times?

CAPI INSTRUCTION:
HARD EDIT: RHQ.332 MUST BE EQUAL TO OR LESS THAN AGE OF SP.
ERROR MESSAGE: "AGE CANNOT BE GREATER THAN AGE OF SP."

|___|___|___|
ENTER AGE IN YEARS

REFUSED 777
DON'T KNOW 999

+---+
| **BOX 1B** |
| |
| **CHECK ITEM RHQ.334:** |
| ■ IF RHQ.031 = 1 AND RHQ.282 = 2 AND RHQ.305 = 2, GO TO BOX 3.|
| ■ OTHERWISE, CONTINUE. |
+---+

RHQ.060 About how old {were you/was SP} when {you/she} had {your/her} **last** menstrual period?

SOFT EDIT: DISPLAY EDIT WHEN RHQ.060 IS GREATER THAN 59.
ERROR MESSAGE: "IT IS UNLIKELY THAT AN SP WILL HAVE HER LAST MENSTRUAL PERIOD AFTER AGE 59. PLEASE VERIFY."

SOFT EDIT: RHQ.060 MUST BE LESS THAN OR EQUAL TO RHQ.291 OR RHQ.332.
ERROR MESSAGE: "AGE OF SP AT LAST MENSTRUAL PERIOD CANNOT BE GREATER THAN AGE OF SP AT HYSTERECTOMY OR AGE OF SP AT OOPHORECTOMY."

HARD EDIT: RHQ.060 MUST BE EQUAL TO OR LESS THAN AGE OF SP.
ERROR MESSAGE: "AGE OF SP AT LAST MENSTRUAL PERIOD CANNOT BE GREATER THAN AGE OF SP."

|___|___|
ENTER AGE IN YEARS

REFUSED 77
DON'T KNOW 99

BOX 2

CHECK ITEM RHQ.065:
- IF SP DOESN'T KNOW AGE AT LAST MENSTRUAL PERIOD (CODED '99') IN RHQ.060, CONTINUE.
- OTHERWISE, GO TO BOX 3.

RHQ.070 {Were you/Was SP} . . .

younger than 30,.. 1
30 to 34, ... 2
35 to 39, ... 3
40 to 44, ... 4
45 to 49, ... 5
50 to 54, or 6
55 or older? 7
REFUSED 77
DON'T KNOW 99

BOX 3

CHECK ITEM RHQ.072:
- IF SP IS 18-59 YEARS OLD, CONTINUE.
- OTHERWISE, GO TO RHQ.131.

RHQ.074 The next questions are about {your/SP's} pregnancy history.

{Have you/Has SP} ever attempted to become pregnant over a period of at least a year without becoming pregnant?

YES 1
NO 2
REFUSED 7
DON'T KNOW 9

RHQ.076 {Have you/Has SP} ever been to a doctor or other medical provider because {you have/she has} been unable to become pregnant?

YES 1
NO 2
REFUSED 7
DON'T KNOW 9

RHQ.078 {Have you/Has SP} ever been treated for an infection in {your/her} fallopian tubes, uterus or ovaries, also called a pelvic infection, pelvic inflammatory disease, or PID?

YES 1
NO 2
REFUSED 7
DON'T KNOW 9

RHQ.131 {Have you/Has SP} **ever** been pregnant? Please include (current pregnancy,) live births, miscarriages, stillbirths, tubal pregnancies and abortions.

MARK IF KNOWN. OTHERWISE ASK.

CAPI INSTRUCTION
IF SP IS AGED 12-17 OR 60+ DISPLAY {The next questions are about {your/SP's} pregnancy history.}

HELP SCREEN SHOULD READ: Miscarriage: Refers to a pregnancy that terminates naturally during the first 6 months of pregnancy. Stillbirth: Refers to a baby that is born dead after 7 or more months of pregnancy. Tubal Pregnancy: Refers to a pregnancy that occurs in the fallopian tube. Abortion: Refers to a pregnancy that is terminated during the first 6 months using induced methods. Methods include D&C, vacuum extraction, suction, and saline injections.

YES 1
NO 2 (RHQ.420)
REFUSED 7 (RHQ.420)
DON'T KNOW 9 (RHQ.420)

```
┌─────────────────────────────────────────────────────────────────────────────┐
│                                  BOX 6                                        │
│                                                                              │
│  CHECK ITEM RHQ.136:                                                         │
│  ■  IF RHQ.031 = 1 AND RHQ.282 = 2 AND RHQ.305 = 2, CONTINUE.                │
│  ■  IF RHQ.043 NOT EQUAL TO 3 OR 7 AND RHQ.282 NOT EQUAL TO 1 AND            │
│     RHQ.305 = 2, CONTINUE.                                                    │
│  ■  OTHERWISE, GO TO RHQ.160.                                                │
└─────────────────────────────────────────────────────────────────────────────┘
```

RHQ.143   {Are you/Is SP} pregnant **now**?

          MARK IF KNOWN. OTHERWISE ASK.

                         YES 1
                         NO 2
                         REFUSED 7
                         DON'T KNOW 9

RHQ.160   How many times {have you/has SP} been pregnant? ({Again, be/Be} sure to count all {your/her}
          pregnancies including (current pregnancy,) live births, miscarriages, stillbirths, tubal pregnancies, or
          abortions.)

          HELP SCREEN SHOULD READ: Miscarriage: Refers to a pregnancy that terminates naturally during the
          first 6 months of pregnancy. Stillbirth: Refers to a baby that is born dead after 7 or more months of
          pregnancy. Tubal Pregnancy: Refers to a pregnancy that occurs in the fallopian tube. Abortion: Refers to a
          pregnancy that is terminated during the first 6 months using induced methods. Methods include D&C,
          vacuum extraction, suction, and saline injections.

                         |___|___|
                         ENTER NUMBER OF PREGNANCIES

                         REFUSED 77
                         DON'T KNOW 99

RHQ.162   **During {any/your/SP's} pregnancy,** {were you/was SP} ever told by a doctor or other health professional
          that {you/she} had diabetes, sugar diabetes or gestational diabetes? Please do not include diabetes that
          {you/SP} may have known about before the pregnancy.

          CAPI INSTRUCTION:
          IF RHQ.160 = 1, DISPLAY {your/SP's}. OTHERWISE, DISPLAY {any}.

          HELP SCREEN SHOULD READ: Gestational diabetes is a form of diabetes or high blood sugar found in
          pregnant women.

                         YES 1
                         NO 2   (BOX 7)
                         BORDERLINE 3   (BOX 7)
                         REFUSED 7   (BOX 7)
                         DON'T KNOW 9   (BOX 7)

RHQ.163   How old {were you/was SP} when {you were/she was} **first** told {you/she} had diabetes **during a pregnancy**?

SOFT EDIT: IF RHQ.143 = 1 AND RHQ.160 = 1, THEN RHQ.163 MUST BE EQUAL TO THE AGE OF THE SP OR THE AGE OF THE SP MINUS 1.
ERROR MESSAGE: "IT IS UNLIKELY YOU WERE FIRST TOLD YOU HAD DIABETES AT THAT AGE SINCE THIS IS YOUR FIRST PREGNANCY. PLEASE VERIFY."

HARD EDIT: RHQ.163 MUST BE EQUAL TO OR LESS THAN AGE OF SP.
ERROR MESSAGE: "AGE CANNOT BE GREATER THAN AGE OF SP."

SOFT EDIT: RHQ.163 MUST BE EQUAL TO OR GREATER THAN 12.
ERROR MESSAGE: "UNLIKELY AGE. PLEASE VERIFY."

|___|___|
ENTER AGE IN YEARS

REFUSED 77
DON'T KNOW 99

BOX 7

CHECK ITEM RHQ.165:
- IF SP ONLY HAD ONE PREGNANCY (CODED '1') IN RHQ.160 AND CURRENTLY PREGNANT (CODED '1') IN RHQ.143, SKIP TO RHQ.420.
- OTHERWISE CONTINUE.

RHQ.166   How many vaginal deliveries {have you/has SP} had? {Please count stillbirths as well as live births}

COUNT THE NUMBER OF DELIVERIES, NOT THE NUMBER OF LIVE-BORN CHILDREN. FOR EXAMPLE, IF SP DELIVERED TWINS OR HAD ANY OTHER MULTIPLE BIRTH, COUNT AS A SINGLE DELIVERY.

HARD EDIT: RHQ.166 MUST BE EQUAL TO OR LESS THAN RHQ.160.
ERROR MESSAGE: "NUMBER OF VAGINAL DELIVERIES CANNOT BE GREATER THAN THE NUMBER OF PREGNANCIES."

SOFT EDIT: IF RHQ.143 = 1, THEN RHQ.166 MUST BE EQUAL TO OR LESS THAN RHQ.160 MINUS 1.
ERROR MESSAGE: "Since you are currently pregnant, it is unlikely that the number of vaginal deliveries is equal to or greater than the number of your pregnancies. Please verify."

|___|___|
ENTER NUMBER

REFUSED 77
DON'T KNOW 99

RHQ.169   How many cesarean deliveries {have you/has SP} had? (Cesarean deliveries are also known as C-sections.) (Please count stillbirths as well as live births.)

COUNT THE NUMBER OF DELIVERIES, NOT THE NUMBER OF LIVE-BORN CHILDREN. FOR EXAMPLE, IF SP DELIVERED TWINS OR HAD ANY OTHER MULTIPLE BIRTH, COUNT AS A SINGLE DELIVERY.

SOFT EDIT: SUM OF RHQ166 AND RHQ.169 MUST BE EQUAL TO OR LESS THAN RHQ160.
ERROR MESSAGE: "It is unlikely that the number of deliveries (vaginal and cesarean deliveries combined) is greater than the number of pregnancies. Please verify."

SOFT EDIT: IF CURRENTLY PREGNANT (CODED '1' IN RHQ143) THEN THE SUM OF RHQ166 AND RHQ169 SHOULD BE LESS THAN OR EQUAL TO RHQ160 MINUS 1.
ERROR MESSAGE: "Since SP is currently pregnant, it is unlikely that the number of vaginal and cesarean deliveries is equal to or greater than the number of pregnancies. Please verify."

HARD EDIT: RHQ.169 MUST BE EQUAL TO OR LESS THAN RHQ.160.
ERROR MESSAGE: "Number of cesarean deliveries cannot be greater than the number of pregnancies."

|___|___|
ENTER NUMBER

REFUSED 77
DON'T KNOW 99

RHQ.172 {Did {your/SP's} delivery/Did any of {your/SP's} deliveries} result in a baby that weighed 9 pounds (4082 g) or more at birth? (Please count stillbirths as well as live births.)

CAPI INSTRUCTION:
IF SP HAD ONE DELIVERY (SUM OF RHQ.166 AND RHQ.169 = 1), DISPLAY {YOUR DELIVERY}.
IF SP HAD MORE THAN ONE DELIVERY (SUM OF RHQ.166 AND RHQ.169 > 1), DISPLAY {ANY OF YOUR DELIVERIES}.

YES 1
NO 2 (RHQ.171)
REFUSED 7 (RHQ.171)
DON'T KNOW 9 (RHQ.171)

RHQ.173 How old {were you/was SP} when {you/she} delivered {a/the first} baby that weighed 9 pounds or more? (Please count stillbirths as well as live births.)

CAPI INSTRUCTION:
IF SP HAD ONE DELIVERY (SUM OF RHQ.166 AND RHQ.169 = 1), DISPLAY {a}. OTHERWISE, DISPLAY {the first}.

HARD EDIT: RHQ.173 MUST BE EQUAL TO OR LESS THAN AGE OF SP.
ERROR MESSAGE: "AGE CANNOT BE GREATER THAN AGE OF SP."

|___|___|
ENTER AGE IN YEARS

REFUSED 77
DON'T KNOW 99

RHQ.171 How many of {your/her} deliveries resulted {Did {your/her} delivery result} in a live birth?

CAPI INSTRUCTION:
IF SP HAD ONE DELIVERY (SUM OF RHQ.166 AND RHQ.169 = 1), REPLACE {How many of {your/her} deliveries resulted} WITH {Did {your/her} delivery result}.

FOR SINGLE DELIVERIES:
Yes = 1
No = 0

COUNT THE NUMBER OF TOTAL DELIVERIES, NOT NUMBER OF LIVE-BORN CHILDREN. FOR EXAMPLE, IF SP HAD TWINS OR OTHER MULTIPLE BIRTH, COUNT AS A SINGLE DELIVERY.

|___|___|
ENTER NUMBER OF DELIVERIES

REFUSED 77
DON'T KNOW 99

RHQ.180   How old {were you/was SP} at the time of {your/her} **first** live birth?

CAPI INSTRUCTION:
HARD EDIT: RHQ.180 MUST BE EQUAL TO OR LESS THAN AGE OF SP.
ERROR MESSAGE: "AGE OF SP AT FIRST DELIVERY CANNOT BE GREATER THAN AGE OF SP."
SOFT EDIT: DISPLAY EDIT WHEN RHQ.180 IS GREATER THAN OR EQUAL TO RHQ.010.
ERROR MESSAGE: "AGE OF SP AT FIRST LIVE BIRTH CANNOT BE LESS THAN AGE WHEN SP'S FIRST PERIOD STARTED.

|___|___| (RHQ.190)
ENTER AGE IN YEARS

REFUSED 77   (RHQ.190)
DON'T KNOW 99   (RHQ.190)

RHQ.190   How old {were you/was SP} at the time of {your/her} {**last**} live birth?

CAPI INSTRUCTION:
IF SP HAD MORE THAN 1 LIVE BIRTH (CODED >= 2) IN RHQ.171, DISPLAY {LAST}.

HARD EDIT: RHQ190 MUST BE EQUAL TO OR LESS THAN AGE OF SP.
ERROR MESSAGE: "AGE OF SP AT LAST DELIVERY CANNOT BE GREATER THAN AGE OF SP."

HARD EDIT: RHQ.190 CANNOT BE LESS THAN RHQ.180.
ERROR MESSAGE: "AGE OF SP AT LAST LIVE BIRTH CANNOT BE LESS THAN AGE OF SP AT FIRST LIVE BIRTH."

|___|___|
ENTER AGE IN YEARS

REFUSED 77
DON'T KNOW 99

BOX 9

CHECK ITEM RHQ.195:
- IF DIFFERENCE BETWEEN AGE AT TIME OF LAST DELIVERY IN RHQ.190 AND CURRENT AGE IS ZERO OR 1, CONTINUE.
- OTHERWISE, GO TO RHQ.420.

RHQ.197   How many months ago did {you/SP} have {your/her} baby?

|___|___|___|
ENTER NUMBER OF MONTHS

REFUSED 777
DON'T KNOW 999

RHQ.200   {Are you/Is SP} **now** breast feeding a child?

YES 1
NO 2
REFUSED 7
DON'T KNOW 9

RHQ.420   {Have you/Has SP} **ever** taken birth control pills for any reason?

YES 1
NO 2
REFUSED 7
DON'T KNOW 9

RHQ.540   {Have you/Has SP} **ever** used female hormones such as estrogen and progesterone? Please include any forms of prescription female hormones, such as pills, creams, patches, and injectables, but **do not** include birth control methods or use for infertility.

IN SITUATIONS OF HORMONE USE FOR NON-MENOPAUSAL CONDITIONS, CODE HRT USE AS "NO".

YES 1
NO .... 2 (BOX 24)
REFUSED .... 7 (BOX 24)
DON'T KNOW .... 9 (BOX 24)

RHQ.542   Which forms of female hormones {have you/has SP} used?

CODE ALL THAT APPLY

PILLS... 10
PATCHES.. 11
CREAM/SUPPOSITORY/INJECTION 12
OTHER 13
REFUSED 77
DON'T KNOW 99

RHQ.554   {Have you/Has SP} **ever** taken female hormone **pills** containing **estrogen only** (like Premarin)? (Do not include birth control pills.)

YES 1
NO 2 (RHQ.570)
REFUSED 7 (RHQ.570)
DON'T KNOW 9 (RHQ.570)

RHQ.560
Q/U

Not counting any time when {you/SP} stopped taking them, for how long **altogether** {did you take/did she take} pills containing estrogen only?

CODE "1" FOR LESS THAN 1 MONTH

|___|___|
ENTER NUMBER

REFUSED 77
DON'T KNOW 99

ENTER UNIT

MONTHS.. 1
YEARS 2
REFUSED 7
DON'T KNOW 9

RHQ.570

{Have you/Has SP} taken female hormone **pills** containing **both estrogen and progestin** (like Prempro, Premphase)? (Do not include birth control pills.)

YES 1
NO 2   (BOX 22)
REFUSED 7   (BOX 22)
DON'T KNOW 9   (BOX 22)

RHQ.576
Q/U

Not counting any time when {you/SP} stopped taking them, for how long **altogether** {did you take/did she take} pills containing both estrogen and progestin?

CODE "1" FOR LESS THAN 1 MONTH

|___|___|
ENTER NUMBER

REFUSED 77
DON'T KNOW 99

ENTER UNIT

MONTHS.. 1
YEARS 2
REFUSED 7
DON'T KNOW 9

BOX 22

CHECK ITEM RHQ.578:
IF SP USED PATCHES (CODE '11') IN RHQ.542, CONTINUE WITH RHQ.580.
OTHERWISE, GO TO BOX 24.

RHQ.580 {Have you/Has SP} **ever** used female hormone **patches** containing **estrogen only**?

YES 1
NO... 2 (RHQ.596)
REFUSED 7 (RHQ.596)
DON'T KNOW 9 (RHQ.596)

RHQ.586
Q/U
Not counting any time when {you/SP} stopped using them, for how long **altogether** {did you use/did she use} patches containing estrogen only?

CODE "1" FOR LESS THAN 1 MONTH

|___|___|
ENTER NUMBER

REFUSED 77
DON'T KNOW 99

ENTER UNIT

MONTHS 1
YEARS 2
REFUSED 7
DON'T KNOW 9

RHQ.596 {Have you/Has SP} used female hormone **patches** containing **both estrogen and progestin**?

YES 1
NO... 2 (BOX 24)
REFUSED .... 7 (BOX 24)
DON'T KNOW .... 9 (BOX 24)

RHQ.602
Q/U
Not counting any time when {you/SP} stopped using them, for how long **altogether** {did you use/did she use} patches containing both estrogen and progestin?

CODE "1" FOR LESS THAN 1 MONTH

|___|___|
ENTER NUMBER

REFUSED 77
DON'T KNOW 99

ENTER UNIT

MONTHS 1
YEARS 2
REFUSED 7
DON'T KNOW 9

FSQ.652   These next questions are about participation in programs for women with young children.

Did {you/SP} **personally** receive benefits from WIC, that is, the Women, Infants, and Children Program, in the **past 12 months**?

YES 1
NO.. 2 (END OF SECTION)
REFUSED .... 7 (END OF SECTION)
DON'T KNOW .... 9 (END OF SECTION)

FSQ.661   {Are you/Is SP} **now** receiving benefits from the WIC Program?

YES 1
NO 2
REFUSED 7
DON'T KNOW 9

FSQ.671
Q/U

Thinking about {your/SP's} {pregnancy/recent pregnancy/most recent pregnancy/most recent pregnancies}, how long {did you receive/have you been receiving/did she receive/has she been receiving} benefits from the WIC Program?

PROBE: We want to know about benefits meant just for {you/SP} that {you/SP} received for {your/her} {current pregnancy/child/last child/last child and during {your/her} current pregnancy}.

CAPI INSTRUCTION:
IF RHQ.143 = 1 AND RHQ.160 = 1, DISPLAY {PREGNANCY}.

IF RHQ.143 = 1 AND RHQ.160 DOES NOT EQUAL 1 AND RHQ.190 IS FILLED AND THE DIFFERENCE BETWEEN AGE AT TIME OF LAST DELIVERY IN RHQ.190 AND CURRENT AGE IS GREATER THAN 1, DISPLAY {PREGNANCY}.

IF RHQ.143 = 1 AND RHQ.160 DOES NOT EQUAL 1 AND RHQ.190 IS EMPTY AND RHQ.173 IS FILLED AND THE DIFFERENCE BETWEEN RHQ.173 AND CURRENT AGE IS GREATER THAN 1, DISPLAY {PREGNANCY}.

IF RHQ.197 = 1 - 12 AND RHQ.143 DOES NOT EQUAL 1 AND RHQ.160 = 1, DISPLAY {RECENT PREGNANCY}.

IF RHQ.197 = 1 - 12 AND RHQ.143 DOES NOT EQUAL 1 AND RHQ.160 IS GREATER THAN 1, DISPLAY {MOST RECENT PREGNANCY}.

OTHERWISE, DISPLAY {MOST RECENT PREGNANCIES}.

IF SP CURRENTLY RECEIVING WIC BENEFITS (CODED '1') IN FSQ.661, DISPLAY {HAVE YOU BEEN RECEIVING/HAS SHE BEEN RECEIVING}.

OTHERWISE, DISPLAY {DID YOU RECEIVE/DID SHE RECEIVE}.

IF RHQ.143 = 1 AND RHQ.160 = 1, DISPLAY {CURRENT PREGNANCY}.

IF RHQ.143 = 1 AND RHQ.160 DOES NOT EQUAL 1 AND RHQ.190 IS FILLED AND THE DIFFERENCE BETWEEN AGE AT TIME OF LAST DELIVERY IN RHQ.190 AND CURRENT AGE IS GREATER THAN 1, DISPLAY {CURRENT PREGNANCY}.

IF RHQ.143 = 1 AND RHQ.160 DOES NOT EQUAL 1 AND RHQ.190 IS EMPTY AND RHQ.173 IS FILLED AND THE DIFFERENCE BETWEEN RHQ.173 AND CURRENT AGE IS GREATER THAN 1, DISPLAY {CURRENT PREGNANCY}.

IF RHQ.197 = 1 - 12 AND RHQ.143 DOES NOT EQUAL 1 AND RHQ.160 = 1, DISPLAY {CHILD}.

IF RHQ.197 = 1 - 12 AND RHQ.143 DOES NOT EQUAL 1 AND RHQ.160 IS GREATER THAN 1, DISPLAY {LAST CHILD}.

OTHERWISE, DISPLAY {LAST CHILD AND DURING {YOUR/HER} CURRENT PREGNANCY}.

SOFT EDIT: FSQ.671 MUST BE EQUAL TO OR LESS THAN 24 MONTHS OR 2 YEARS.
ERROR MESSAGE: UNLIKELY RESPONSE. PLEASE VERIFY.

HARD EDIT: FSQ.671 MUST BE LESS THAN OR EQUAL TO DIFFERENCE BETWEEN SP'S CURRENT AGE AND RHQ.010.
ERROR MESSAGE: "LENGTH OF TIME SP RECEIVED BENEFITS CANNOT BE GREATER THAN THE DIFFERENCE BETWEEN SP'S CURRENT AGE AND AGE AT FIRST MENSTRUAL PERIOD."

|___|___|
ENTER QUANTITY

REFUSED 77
DON'T KNOW 99

ENTER UNIT

MONTHS 1
YEARS 2
REFUSED 7
DON'T KNOW 9