DIABETES - DIQ Target Group: SPs 1+

DIQ.010	{Other than during pregnancy, {have you/has SP}/{Have you/Has SP}} ever been told by a doctor or other health
	professional that {you have/{s/he/SP} has} diabetes or sugar diabetes?

CAPI INSTRUCTION:

IF SP AGE >= 16, DISPLAY "HAVE YOU" AND "YOU HAVE" IF SP AGE 12-15, DISPLAY "HAS {SP}" AND "S/HE HAS" IF SP AGE <12, DISPLAY "HAVE YOU" AND "{SP} HAS"

IF SP IS FEMALE AND AGE >= 20, DISPLAY "OTHER THAN DURING PREGNANCY, {HAVE YOU/HAS SP}".

YES	1	
NO	2	(BOX 4)
BORDERLINE OR PREDIABETES	3	(BOX 4)
REFUSED	7	(BOX 4)
DON'T KNOW	9	(BOX 4)

G/Q had diabet

DIQ.040

How old {was SP/were you} when a doctor or other health professional **first** told {you/him/her} that {you/s/he} had diabetes or sugar diabetes?

CAPI INSTRUCTION:

IF SP AGE >= 16, DISPLAY "WERE YOU" AND "YOU" AND "YOU" IF SP AGE 12-15, DISPLAY "WAS {SP}" AND "HIM/HER" AND "S/HE" IF SP AGE <12, DISPLAY "WAS {SP}" AND "YOU" AND "S/HE"

ENTER AGE IN YEARS	1	
LESS THAN 1 YEAR	2	(BOX 4)
REFUSED	7	(BOX 4)
DON'T KNOW	9	(BOX 4)

ENTER AGE IN YEARS

BOX 4

CHECK ITEM DIQ.159:

IF AGE < 12 OR DIQ.010 = 1 (YES) GO TO DIQ.050. IF AGE >= 12 AND DIQ.010 = 3, GO TO DIQ.170. OTHERWISE, CONTINUE.

DIQ.160	{Have you/Has SP} ever been told by a doctor or other health professional that {you have/SP has} any of the following: prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes or the {your/her/his} blood sugar is higher than normal but not high enough to be called diabetes or sugar diabetes?		
	HAND CARD DIQ1		
		YESNOREFUSEDDON'T KNOW	2 7
		TES, IMPAIRED FASTING GLUCOSE, IMPAIR DCCURS WHEN BLOOD SUGAR (GLUCOS NOUGH TO BE DIABETES.	
DIQ.170	Q.170 {Have you/Has SP} ever been told by a doctor or other health professional that {you have/s/he h conditions or a medical or family history that increases {your/his/her} risk for diabetes?		
		YESNOREFUSEDDON'T KNOW	2 7
DIQ.172	{Do you/Does SP} feel {you/h	e/she} could be at risk for diabetes or prediabet	es?
		YES	1 2 (DIQ.180) 7 (DIQ.180) 9 (DIQ.180)

DIQ.175 OS Why {Do you/Does SP} think {you are/he is/she is} at risk for diabetes or prediabetes?

[Anything else?]

INTERVIEWER INSTRUCTION: DO NOT READ. CODE ALL THAT APPLY.

CAPI INSTRUCTION: IF RESPONDENT ANSWERS "OTHER", ALLOW ENTRY OF RESPONSE UP TO 250 CHARACTERS.

HAND CARD DIQ2

FAMILY HISTORY	10
OVERWEIGHT	11
AGE	12
POOR DIET	13
RACE	14
HAD A BABY THAT WEIGHED OVER 9 LBS. AT	
BIRTH	15
LACK OF PHYSICAL ACTIVITY OR SEDENTARY	
LIFESTYLE	
HIGH BLOOD PRESSURE	
HIGH BLOOD SUGAR	18
HIGH CHOLESTEROL	
HYPOGLYCEMIC	20
EXTREME HUNGER	21
TINGLING/NUMBNESS IN HANDS OR FEET	22
BLURRED VISION	
INCREASED FATIGUE	24
ANYONE COULD BE AT RISK	
DOCTOR WARNING	26
OTHER, SPECIFY	27
GESTATIONAL DIABETES	28
FREQUENT URINATION	29
THIRST	30
REFUSAL	77
DON'T KNOW	99

DIQ.180 {Have you/Has SP} had a blood test for high blood sugar or diabetes within the past three years?

INTERVIEWER INSTRUCTION: DO NOT INCLUDE URINE TESTS

YES	1
NO	2
REFUSED	7
DON'T KNOW	С

		YES
	HELP SCREEN: Insulin: A chemical used patient.	d in the treatment of diabetes. Typically, insulin is administered with a syringe by the
DIQ.060 G/Q/U	For how long {have you,	/has SP} been taking insulin?
		ENTER NUMBER (OF MONTHS OR YEARS) 1 LESS THAN 1 MONTH
		 ENTER NUMBER (OF MONTHS OR YEARS) REFUSED
		ENTER UNIT
		 MONTHS 1 YEARS 2
	HELP SCREEN: Insulin: A chemical used patient.	d in the treatment of diabetes. Typically, insulin is administered with a syringe by the
		BOX 0
		65: c) OR DIQ.160 = 1 (YES) OR DIQ.010 = 3, CONTINUE. O END OF SECTION.
DIQ.070	{Is SP/Are you} now tak agents or oral hypoglyce	ing diabetic pills to lower {{his/her}/your} blood sugar? These are sometimes called oral emic agents.
		YES

1	_	\sim	v	•
	Б	u	X	~

CHECK ITEM DIQ.229:

IF DIQ.010 = 3 OR DIQ.160 = 1 (YES), GO TO END OF SECTION. OTHERWISE, CONTINUE.

DIQ.230 When was the last time {you/SP} saw a diabetes nurse educator or dietitian or nutritionist for {your/his/her} diabetes? Do not include doctors or other health professionals.

INTERVIEWER INSTRUCTION: CODE 5 FOR NEVER. IF RESPONDENT ANSWERS "TODAY" OR A PERIOD LESS THAN A MONTH, CODE 1 – 1 YEAR AGO OR LESS.

1 YEAR AGO OR LESS	1
MORE THAN 1 YEAR AGO BUT NO MORE	
THAN 2 YEARS AGO	2
MORE THAN 2 YEARS AGO BUT NO MORE	
THAN 5 YEARS AGO	3
MORE THAN 5 YEARS AGO	4
NEVER	5
REFUSED	7
DON'T KNOW	9

HELP SCREEN: A diabetes nurse educator is a nurse who teaches people with diabetes and who is knowledgeable about the day-to-day aspects of diabetes self-care, such as, use of diabetes medications, checking and controlling blood glucose levels, managing weight through diet and physical activity, and maintaining a healthy pregnancy if diabetes is present.

DIQ.240 Is there **one** doctor or other health professional {you usually see/SP usually sees} for {your/his/her} diabetes? Do not include specialists to whom {you have/SP has} been referred such as diabetes educators, dieticians or foot and eye doctors.

YES	1	
NO	2	(DIQ.260)
REFUSED	7	(DIQ.260)
DON'T KNOW	9	(DIQ.260)

HELP SCREEN: A diabetes nurse educator is a nurse who teaches people with diabetes and who is knowledgeable about the day-to-day aspects of diabetes self-care, such as, use of diabetes medications, checking and controlling blood glucose levels, managing weight though diet and physical activity, and maintaining a healthy pregnancy if diabetes is present.

DIQ.250 G/Q	How many times {have you/has SP} seen this doctor or other health professional in the past 12 months?
0 , Q	
	ENTER NUMBER OF TIMES
	CAPI INSTRUCTION:
	HARD EDIT: DO NOT ALLOW 0.
	NONE 2
	REFUSED7777
	DON'T KNOW9999
	BOX 9
	CHECK ITEM DIQ.369:
	IF DIQ.250 = 2 (NONE), CONTINUE.
	OTHERWISE, GO TO BOX 10.
	THAT THE SP HAS SEEN THEIR USUAL DOCTOR OR OTHER HEALTH PROFESSIONAL. THIS IS AN UNLIKELY RESPONSE. IS THIS CORRECT? YES
	BOX 10
	CHECK ITEM DIQ.379:
	IF DIQ.250 = 100 OR MORE, CONTINUE.
	OTHERWISE, GO TO DIQ.260.
DIQ.380	INTERVIEWER: YOU HAVE ENTERED A VALUE THAT IS OUTSIDE THE EXPECTED RANGE FOR THE NUMBER OF TIMES IN THE PAST 12 MONTHS THAT THE SP HAS SEEN THEIR USUAL DOCTOR OR OTHER HEALTH PROFESSIONAL. THIS IS AN UNLIKELY RESPONSE. IS THIS CORRECT?
	YES

DIQ.260 G/Q/U

How often {do you check your/does SP check his/her} blood for glucose or sugar? Include times when checked by a family member or friend, but do not include times when checked by a doctor or other health professional.

INTERVIEWER INSTRUCTION: DO NOT INCLUDE URINE TESTS.

		ENTER NUMBER OF TIMES NEVER UNABLE TO DO ACTIVITY (BLIND) REFUSED DON'T KNOW	2 3 7	(DIQ.275)
		ENTER NUMBER OF TIMES		
		CAPI INSTRUCTION: SOFT EDIT 7 OR MOR		
		REFUSED		` ,
		ENTER UNIT		
		PER DAY PER WEEK PER MONTH PER YEAR	2	
DIQ.275	for the past 3 months, and usu	AT-ED) hemoglobin or the "A one C" test measure ually ranges between 5.0 and 13.9. During the pa your/SP's} glycosylated hemoglobin or "A one C	ast ′	-
		YES NO REFUSED DON'T KNOW	2 7	(BOX 10A)
DIQ.280	What was {your/SP's} last "A	one C" level?		
	CAPI INSTRUCTION: SOFT EDIT FOR ANY NUMB	ER LESS THAN 5 OR MORE THAN 14.		
		. ENTER VALUE		
		REFUSED		

DIQ.291	What does {your/SP's} doctor or other health professional say {your/his/her} "A one C" level should be? (Pick the lowest level recommended by {your/his/her} health care professional.)			
	HAND CARD DIQ3			
		LESS THAN 6 1 LESS THAN 7 2 LESS THAN 8 3 LESS THAN 9 4 LESS THAN 10 5 PROVIDER DID NOT SPECIFY GOAL 6 REFUSED 77 DON'T KNOW 99		
	BOX 10A			
	CHECK ITEM DIQ.295: IF AGE <12, GO TO END OF SECTION. OTHERWISE, CONTINUE.			
DIQ.300 S/D	Blood pressure is usually gir pressure in numbers?	ven as one number over another. What was {your/SP's} most recent blood		
		_ OVER SYSTOLIC DIASTOLIC ENTER VALUES		
		CAPI INSTRUCTION: SYSTOLIC RANGE: 0-776 SOFT EDIT: 80-200. DIASTOLIC RANGE: 0-776 SOFT EDIT: 0-150.		
		REFUSED		

G/S/D ENTER VALUES 1 PROVIDER DID NOT SPECIFY GOAL 2 (DIQ.320) REFUSED...... 7 (DIQ.320) |__|_| OVER |__|_| SYSTOLIC DIASTOLIC **ENTER VALUES** INTERVIEWER INSTRUCTION: IF RANGE GIVEN, RECORD UPPER VALUE OF RANGE. CAPI INSTRUCTION: SYSTOLIC RANGE: 0-776 SOFT EDIT: 80-200. DIASTOLIC RANGE: 0-776 SOFT EDIT: 0-150. REFUSED...... 777 DIQ.320 One part of total serum cholesterol in {your/SP's} blood is a bad cholesterol, called LDL, which builds up and G/Q clogs {your/his/her} arteries. What was {your/his/her} most recent LDL cholesterol number? ENTER VALUE 1 NEVER HEARD OF LDL 2 (DIQ.341) REFUSED...... 7 **ENTER VALUE** CAPI INSTRUCTION: RANGE: 0-776 SOFT EDIT: 40-250. REFUSED...... 777

What does {your/SP's} doctor or other health professional say {your/his/her} blood pressure should be?

DIQ.310

DIQ.330 G/Q	What does {your/SP's} doctor or other health professional say {your/his/her} LDL cholesterol should be			
		ENTER VALUE		
		 ENTER VALUE		
		INTERVIEWER INSTRUCTION: IF RANGE GIVEN, RECORD UPPER VALUE OF RANGE.		
		CAPI INSTRUCTION: RANGE: 0-776 SOFT EDIT: 40-250.		
		REFUSED 777 DON'T KNOW 999		
DIQ.341 G/Q	During the past 12 months, {your/SP's} feet for any sores	about how many times has a doctor or other health professional checked or irritations?		
		ENTER NUMBER OF TIMES		
		 ENTER NUMBER OF TIMES		
		CAPI INSTRUCTION: HARD EDIT: DO NOT ALLOW 0.		
		REFUSED		

	professional.				
		ENTER NUMBER OF TIMES NONE REFUSED DON'T KNOW	7 (DIQ.360)		
		CAPI INSTRUCTION: HARD EDIT: DO NOT ALLOW 0.			
		 ENTER NUMBER OF TIMES			
		REFUSED	•		
		ENTER UNIT			
		PER DAY PER WEEK PER MONTH PER YEAR	3		
DIQ.360	When was the last time {you/SP} had an eye exam in which the pupils were dilated? This would have made {you/SP} temporarily sensitive to bright light.				
		LESS THAN 1 MONTH	1		
		1-12 MONTHS	2		
		13-24 MONTHS	3		
			4		
		NEVER			
		REFUSED DON'T KNOW	7 9		
DIQ.080	Has a doctor ever told {you/SP} that diabetes has affected {your/his/her} eyes or that {you/s/he} had retinopathy (ret-in-op-ath-ee)?				
		YES	1		
			2		
		REFUSED	7		
		DON'T KNOW			
	HELP SCREEN:				

How often {do you check your feet/does SP check (his/her) feet} for sores or irritations? Include times when

checked by a family member or friend, but do not include times when checked by a doctor or other health

DIQ.350

G/Q/U

Diabetes: A glandular disease that impairs the ability of the body to use sugar and causes sugar to appear abnormally in the urine. Common symptoms are persistent thirst and excessive discharge of urine. Do <u>not</u> include

Retinopathy: Any disorder of the retina.

gestational diabetes or diabetes that was only present during pregnancy. Also, do <u>not</u> include self-diagnosed diabetes, pre-diabetes or high sugar.

Doctor: The term refers to both medical doctors (M.D.s) and osteopathic physicians (D.O.s). It includes general practitioners as well as specialists. It does not include persons who do not have an M.D. or D.O. degree, such as dentists, oral surgeons, chiropractors, podiatrists, Christian Science healers, opticians, optometrists, psychologists, etc.

HELP SCREEN FOR DIQ.010/040:

Diabetes: A glandular disease that impairs the ability of the body to use sugar and causes sugar to appear abnormally in the urine. Common symptoms are persistent thirst and excessive discharge of urine. Do <u>not</u> include gestational diabetes or diabetes that was only present during pregnancy. Also, do <u>not</u> include self-diagnosed diabetes, pre-diabetes or high sugar.

Doctor: The term refers to both medical doctors (M.D.s) and osteopathic physicians (D.O.s). It includes general practitioners as well as specialists. It does not include persons who do not have an M.D. or D.O. degree, such as dentists, oral surgeons, chiropractors, podiatrists, Christian Science healers, opticians, optometrists, psychologists, etc.

Other Health (Care) Professional: A person entitled by training and experience and possibly licensure to assist a doctor and who works with one or more medical doctors. Examples include: doctor's assistants, nurse practitioners, nurses, lab technicians, and technicians who administer shots (i.e., allergy shots). Also include paramedics, medics and physical therapists working with or in a doctor's office. Do <u>not</u> include: dentists, oral surgeons, chiropractors, chiropodists, podiatrists, naturopaths, Christian Science healers, opticians, optometrists, and psychologists or social workers.