

8/9/04

Questionnaire:SP

CARDIOVASCULAR DISEASE – CDQ
Target Group: SPs 40+

CDQ.001 {Have you/Has SP} ever had any pain or discomfort in {your/her/his} chest?

YES 1
 NO 2 (CDQ.010)
 REFUSED 7 (CDQ.010)
 DON'T KNOW 9 (CDQ.010)

CDQ.002 {Do you/Does she/Does he} get it when {you/she/he} {walk/walks} uphill or {hurry/hurries}?

YES 1
 NO 2 (CDQ.008)
 NEVER WALKS UPHILL OR HURRIES..... 3
 REFUSED 7 (CDQ.008)
 DON'T KNOW 9 (CDQ.008)

CDQ.003 {Do you/Does she/Does he} get it when {you/she/he} {walk/walks} at an ordinary pace on level ground?

YES 1
 NO 2
 REFUSED 7
 DON'T KNOW 9

BOX 1

CHECK ITEM CDQ.003A:
 IF 'YES' (CODE '1') IN CDQ.002 OR CDQ.003, CONTINUE.
 OTHERWISE, GO TO CDQ.008.

CDQ.004 What {do you/does she/does he} do if {you/she/he} get it while {you/she/he} are walking? {Do you/Does she/Does he} stop or slow down, or continue at the same pace?

CODE "STOP OR SLOW DOWN" IF SP CARRIES ON AFTER TAKING NITROGLYCERINE.

STOP OR SLOW DOWN 1
 CONTINUE AT THE SAME PACE 2 (CDQ.008)
 REFUSED 7 (CDQ.008)
 DON'T KNOW 9 (CDQ.008)

CDQ.005 If {you/she/he} {stand/stands} still, what happens to it? Is the pain or discomfort relieved or not relieved?

RELIEVED..... 1
 NOT RELIEVED 2 (CDQ.008)
 REFUSED 7 (CDQ.008)
 DON'T KNOW 9 (CDQ.008)

CDQ.006 How soon is the pain relieved? Would you say . . .

10 minutes or less or	1
more than 10 minutes?	2 (CDQ.008)
REFUSED	7 (CDQ.008)
DON'T KNOW	9 (CDQ.008)

CDQ.009 Please look at this card and show me where the pain or discomfort is located.

CODE ALL THAT APPLY.
 PROBE FOR ADDITIONAL AREAS.

HAND CARD CDQ1

1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
REFUSED	77
DON'T KNOW	99

CDQ.008 Have {you/she/he} ever had a severe pain across the front of {your/her/his} chest lasting for half an hour or more?

YES	1
NO	2
REFUSED	7
DON'T KNOW	9

CDQ.010 {Have you/Has SP} had shortness of breath either when hurrying on the level or walking up a slight hill?

YES	1
NO	2
REFUSED	7
DON'T KNOW	9

<p>BOX 2</p> <p>OMITTED</p>
