

Dataset Name	N	Translated	Label	Untr - Youth	Untr - Parent	Untr - Combined
YDQA	1	YDQA01	Trouble concentrating more than briefly		PAD001	
YDQA	2	YDQA01A	Trouble concentrating 6 months or longer		PAD001A	
YDQA	3	YDQA01B	Trouble concentrating at home		PAD001B	
YDQA	4	YDQA01C	Trouble concentrating school, other		PAD001C	
YDQA	5	YDQA01D	Trouble concentrating last month		PAD001D	
YDQA	6	YDQA02	Avoid things that require attention		PAD002	
YDQA	7	YDQA02A	Avoid attention required 6 months, longer		PAD002A	
YDQA	8	YDQA02B	Avoid attention required at home		PAD002B	
YDQA	9	YDQA02C	Avoid attention required school, other		PAD002C	
YDQA	10	YDQA02D	Avoid attention required last month		PAD002D	
YDQA	11	YDQA03	Dislike doing things require attention		PAD003	
YDQA	12	YDQA03A	Dislike attention require 6 mos. , longer		PAD003A	
YDQA	13	YDQA03B	Dislike attention require at home		PAD003B	
YDQA	14	YDQA03C	Dislike attention require school, other		PAD003C	
YDQA	15	YDQA03D	Dislike attention require last month		PAD003D	
YDQA	16	YDAAN01	Were any * responses coded in q 2 or 3?		PADN01	
YDQA	17	YDQA04	Could not focus other happen past year		PAD004	
YDQA	18	YDQA04A	Could not focus other happen 6 months		PAD004A	
YDQA	19	YDQA04B	Could not focus other happen at home		PAD004B	
YDQA	20	YDQA04C	Could not focus other happen other		PAD004C	
YDQA	21	YDQA04D	Could not focus other happen month		PAD004D	
YDQA	22	YDQA05	Disorganized in past year		PAD005	
YDQA	23	YDQA05A	Disorganized 6 months, longer		PAD005A	
YDQA	24	YDQA05B	Disorganized at home		PAD005B	
YDQA	25	YDQA05C	Disorganized school, other		PAD005C	
YDQA	26	YDQA05D	Disorganized last month		PAD005D	
YDQA	27	YDQA06	Trouble finishing homework in past year		PAD006	
YDQA	28	YDQA06A	Trouble finish work 6 months, longer		PAD006A	
YDQA	29	YDQA06B	Trouble finish work at home		PAD006B	
YDQA	30	YDQA06C	Trouble finish work school, other		PAD006C	
YDQA	31	YDQA06D	Trouble finish work last month		PAD006D	
YDQA	32	YDQA07	Often lost things in last year		PAD007	
YDQA	33	YDQA07A	Often lost things 6 months, longer		PAD007A	
YDQA	34	YDQA07B	Often lost things at home		PAD007B	
YDQA	35	YDQA07C	Often lost things school, other		PAD007C	
YDQA	36	YDQA07D	Often lost things last month		PAD007D	

YDQA	37	YDQA08	Forgot what they were supposed to do		PAD008	
YDQA	38	YDQA08A	Forget supposed to do 6 months, longer		PAD008A	
YDQA	39	YDQA08B	Forget supposed to do at home		PAD008B	
YDQA	40	YDQA08C	Forget supposed to do school, other		PAD008C	
YDQA	41	YDQA08D	Forget supposed to do last month		PAD008D	
YDQA	42	YDQA09	Often made mistakes - hard to be careful		PAD009	
YDQA	43	YDQA09A	Made careless mistakes 6 months, longer		PAD009A	
YDQA	44	YDQA09B	Made careless mistakes at home		PAD009B	
YDQA	45	YDQA09C	Made careless mistakes school, other		PAD009C	
YDQA	46	YDQA09D	Made careless mistakes last month		PAD009D	
YDQA	47	YDQA10	Often not listen when people speaking		PAD010	
YDQA	48	YDQA10A	Not listen people speaking 6 months, lon		PAD010A	
YDQA	49	YDQA10B	Not listen people speaking at home		PAD010B	
YDQA	50	YDQA10C	Not listen people speaking school, other		PAD010C	
YDQA	51	YDQA10D	Not listen people speaking last month		PAD010D	
YDQA	52	YDQA10E	Not listen people speaking hearing bad		PAD010E	
YDQA	53	YDQA10G	Not listen hearing bad diagnosed doctor		PAD010G	
YDQA	54	YDQA11	Start activities without finishing them		PAD011	
YDQA	55	YDQA11A	Start not finish things 6 months, longer		PAD011A	
YDQA	56	YDQA11B	Start not finish things at home		PAD011B	
YDQA	57	YDQA11C	Start not finish things school, other		PAD011C	
YDQA	58	YDQA11D	Start not finish things last month		PAD011D	
YDQA	59	YDQA12Y	Age when first had trouble concentrating		PAD012Y	
YDQA	60	YDQA12Z	Grade when first had trouble concentrate		PAD012Z	
YDQA	61	YDQA12A	First trouble concentrate more than year		PAD012A	
YDQA	62	YDQA12B	First trouble concentrate no problem		PAD012B	
YDQA	63	YDQA12C	Trouble concentrate no problem 6 mos.		PAD012C	
YDQA	64	YDQA12DY	Age trouble concentrate now		PAD012DY	
YDQA	65	YDQA12DZ	Grade trouble concentrate now		PAD012DZ	
YDQA	66	YDQA12E	Trouble concentrate over year ago		PAD012E	
YDQA	67	YDQA13Y	Age trouble concentrating began problems		PAD013Y	
YDQA	68	YDQA13Z	Grade trouble concentrate began problems		PAD013Z	
YDQA	69	YDQA14	Trouble concentrate K-1 grades		PAD014	
YDQA	70	YDQA15	Caretaker annoyed by trouble concentrate		PAD015	
YDQA	71	YDQA15A	How often caretaker annoyed		PAD015A	

YDQA	72	YDQA16	Trouble concentrate prevent family thing		PAD016	
YDQA	73	YDQA16A	How often family thing prevented		PAD016A	
YDQA	74	YDQA17	Trouble concentrate prevent peer things		PAD017	
YDQA	75	YDQA17A	How often peer thing prevented		PAD017A	
YDQA	76	YDQA18	Problem worst, schoolwork difficult		PAD018	
YDQA	77	YDQA18A	How bad work problems		PAD018A	
YDQA	78	YDQA19	Trouble concentrating annoyed teacher		PAD019	
YDQA	79	YDQA19A	How often teacher/boss annoyed		PAD019A	
YDQA	80	YDQA20	Trouble concentrating made upset		PAD020	
YDQA	81	YDQA20A	How bad make you feel		PAD020A	
YDQA	82	YDQA21	Ever more trouble concentrate since 5		PAD021	
YDQA	83	YDQA21AY	Age when trouble worst		PAD021AY	
YDQA	84	YDQA21AZ	Grade when trouble worst		PAD021AZ	
YDQA	85	YDQA22	More active than usual past year		PAD022	
YDQA	86	YDQA22A	More active than usual 6 months, longer		PAD022A	
YDQA	87	YDQA22B	More active than usual at home		PAD022B	
YDQA	88	YDQA22C	More active than usual school, other		PAD022C	
YDQA	89	YDQA22D	More active than usual last month		PAD022D	
YDQA	90	YDQA23	Fidgety/restless in past year		PAD023	
YDQA	91	YDQA23A	Fidgety/restless 6 months, longer		PAD023A	
YDQA	92	YDQA23B	Fidgety/restless at home		PAD023B	
YDQA	93	YDQA23C	Fidgety/restless school, other		PAD023C	
YDQA	94	YDQA23D	Fidgety/restless last month		PAD023D	
YDQA	95	YDQA24	Left seat often when was not supposed to		PAD024	
YDQA	96	YDQA24A	Left seat often 6 months, longer		PAD024A	
YDQA	97	YDQA24B	Left seat often at home		PAD024B	
YDQA	98	YDQA24C	Left seat often school, other		PAD024C	
YDQA	99	YDQA24D	Left seat often last month		PAD024D	
YDQA	100	YDQA25	Often active when should not past year		PAD025	
YDQA	101	YDQA25A	Often active should not 6 months, longer		PAD025A	
YDQA	102	YDQA25B	Often active should not at home		PAD025B	
YDQA	103	YDQA25C	Often active should not school, other		PAD025C	
YDQA	104	YDQA25D	Often active should not last month		PAD025D	
YDQA	105	YDQA26	Always restless in past year		PAD026	
YDQA	106	YDQA26A	Always restless 6 months, longer		PAD026A	
YDQA	107	YDQA26B	Always restless at home		PAD026B	
YDQA	108	YDQA26C	Always restless school, other		PAD026C	

YDQA	109	YDQA26D	Always restless last month		PAD026D	
YDQA	110	YDAAN02	Were any * responses coded in q 25 - 26?		PADN02	
YDQA	111	YDQA27	Often talk much more than other past yr		PAD027	
YDQA	112	YDQA27A	Often talk more 6 months, longer		PAD027A	
YDQA	113	YDQA27B	Often talk more at home		PAD027B	
YDQA	114	YDQA27C	Often talk more school, other		PAD027C	
YDQA	115	YDQA27D	Often talk more last month		PAD027D	
YDQA	116	YDQA28	Often much noisier playing than others		PAD028	
YDQA	117	YDQA28A	Often much noisier 6 months, longer		PAD028A	
YDQA	118	YDQA28B	Often much noisier at home		PAD028B	
YDQA	119	YDQA28C	Often much noisier school, other		PAD028C	
YDQA	120	YDQA28D	Often much noisier last month		PAD028D	
YDQA	121	YDQA29	Often interrupted busy others past year		PAD029	
YDQA	122	YDQA29A	Often interrupted busy 6 months, longer		PAD029A	
YDQA	123	YDQA29B	Often interrupted busy at home		PAD029B	
YDQA	124	YDQA29C	Often interrupted busy school, other		PAD029C	
YDQA	125	YDQA29D	Often interrupted busy last month		PAD029D	
YDQA	126	YDQA30	Often butt in on what other do past year		PAD030	
YDQA	127	YDQA30A	Often butt in 6 months, longer		PAD030A	
YDQA	128	YDQA30B	Often butt in at home		PAD030B	
YDQA	129	YDQA30C	Often butt in school, other		PAD030C	
YDQA	130	YDQA30D	Often butt in last month		PAD030D	
YDQA	131	YDAAN03	Was a * response coded in q 29 or 30?		PADN03	
YDQA	132	YDQA31	Answer before whole question past year		PAD031	
YDQA	133	YDQA31A	Answer before whole question 6 mo., more		PAD031A	
YDQA	134	YDQA31B	Answer before whole question at home		PAD031B	
YDQA	135	YDQA31C	Answer before whole question other		PAD031C	
YDQA	136	YDQA31D	Answer before whole question last month		PAD031D	
YDQA	137	YDQA32	Often trouble wait for turns past year		PAD032	
YDQA	138	YDQA32A	Trouble turn wait 6 months, longer		PAD032A	
YDQA	139	YDQA32B	Trouble turn wait at home		PAD032B	
YDQA	140	YDQA32C	Trouble turn wait school, other		PAD032C	
YDQA	141	YDQA32D	Trouble turn wait last month		PAD032D	
YDQA	142	YDQA33	In danger past year by not thinking		PAD033	
YDQA	143	YDQA33B	Did suddenly without thinking		PAD033B	

YDQA	144	YDQA33C	Did danger things 6 months or more		PAD033C	
YDQA	145	YDQA33D	At home danger things without thinking		PAD033D	
YDQA	146	YDQA33E	At other danger things without thinking		PAD033E	
YDQA	147	YDQA33F	Did danger things past month		PAD033F	
YDQA	148	YDQA34Y	Age when started to be overactive		PAD034Y	
YDQA	149	YDQA34Z	Grade when started to be overactive		PAD034Z	
YDQA	150	YDQA34A	Overactive over year ago		PAD034A	
YDQA	151	YDQA34B	Since start ever not overactive		PAD034B	
YDQA	152	YDQA34C	Not overactive last for 6 months or more		PAD034C	
YDQA	153	YDQA34DY	Age current overactivity started		PAD034DY	
YDQA	154	YDQA34DZ	Grade current overactivity started		PAD034DZ	
YDQA	155	YDQA34E	Resume overactivity over year ago		PAD034E	
YDQA	156	YDQA35Y	Age being overactive started problems		PAD035Y	
YDQA	157	YDQA35Z	Grade being overactive started problems		PAD035Z	
YDQA	158	YDQA36	Overactive caused problems in K-1 grade		PAD036	
YDQA	159	YDQA37	Caretakers became upset by overactivity		PAD037	
YDQA	160	YDQA37A	How often caretaker upset		PAD037A	
YDQA	161	YDQA38	Overactivity prevented family things		PAD038	
YDQA	162	YDQA38A	How often overactive stop family thing		PAD038A	
YDQA	163	YDQA39	Overactivity prevented peer things		PAD039	
YDQA	164	YDQA39A	How often overactive stop peer thing		PAD039A	
YDQA	165	YDQA40	Problem at worst interfered with school		PAD040	
YDQA	166	YDQA40A	How bad school problem		PAD040A	
YDQA	167	YDQA41	Teachers/boss annoyed by overactivity		PAD041	
YDQA	168	YDQA41A	How often teachers/boss annoyed		PAD041A	
YDQA	169	YDQA42	Overacting made upset		PAD042	
YDQA	170	YDQA42A	How bad overactive make you feel		PAD042A	
YDQA	171	YDQA43	Ever more overactive than now, since 5		PAD043	
YDQA	172	YDQA43AY	Age when overactivity worst		PAD043AY	
YDQA	173	YDQA43AZ	Grade when overactivity worst		PAD043AZ	
YDQA	174	YDQA44	Medication in past year for overactivity		PAD044	
YDQA	175	YDQA44B	Take medicine most of time past year		PAD044B	
YDQA	176	YDQA44C	Take medicine most of time past month		PAD044C	
YDQA	177	YDQA45	Seen someone for help at hospital/other		PAD045	
YDQA	178	YDQA45A	Appointment made for help		PAD045A	
YDQA	179	YDDAA1AY	Fails to give close attention Y		PADA1AY	
YDQA	180	YDDAA1BY	Difficulty sustaining attention Y		PADA1BY	

YDQA	181	YDDAA1CY	Does not listen Y		PADA1CY	
YDQA	182	YDDAA1DY	Fails to follow through instructions Y		PADA1DY	
YDQA	183	YDDAA1EY	Difficulty organizing tasks Y		PADA1EY	
YDQA	184	YDDAA1FY	Avoid task requiring sustained attent Y		PADA1FY	
YDQA	185	YDDAA1GY	Loses things Y		PADA1GY	
YDQA	186	YDDAA1HY	Easily distract by extraneous stimuli Y		PADA1HY	
YDQA	187	YDDAA1IY	Forgetful Y		PADA1IY	
YDQA	188	YDDAA1Y	Inattention Y		PADA1Y	
YDQA	189	YDDAA2AY	Fidgets Y		PADA2AY	
YDQA	190	YDDAA2BY	Leaves seat Y		PADA2BY	
YDQA	191	YDDAA2CY	Runs about or climbs excessively Y		PADA2CY	
YDQA	192	YDDAA2DY	Difficulty playing quietly Y		PADA2DY	
YDQA	193	YDDAA2EY	Often on the go/driven by a motor Y		PADA2EY	
YDQA	194	YDDAA2FY	Talks excessively Y		PADA2FY	
YDQA	195	YDDAA2GY	Blurts out answers Y		PADA2GY	
YDQA	196	YDDAA2HY	Difficulty awaiting turn Y		PADA2HY	
YDQA	197	YDDAA2IY	Interrupts or intrudes Y		PADA2IY	
YDQA	198	YDDAA2Y	Hyperactivity-impulsivity Y		PADA2Y	
YDQA	199	YDDAAY	Either inattention or hyperactivity Y		PADAY	
YDQA	200	YDDAB1	Inattention -- Onset before age 7		PADB1	
YDQA	201	YDDAB2	Hyperactivity-impulsivity -- before 7		PADB2	
YDQA	202	YDDAB	Onset before age 7		PADB	
YDQA	203	YDDAC1Y	Inattention -- Impairment in 2 or more Y		PADC1Y	
YDQA	204	YDDAC2Y	Hyperactivity-impulsivity - Impairment Y		PADC2Y	
YDQA	205	YDDACY	Impairment in two or more settings Y		PADCY	
YDQA	206	YDDA1Y	Inattention type Y		PAD1Y	
YDQA	207	YDDA2Y	Hyperactive type Y		PAD2Y	
YDQA	208	YDDA3Y	Combined type Y		PAD3Y	
YDQA	209	YDDAY	Any type Y		PADY	
YDQA	210	YDDA1YM	Inattention type MODIFIED WITHOUT AGE		PAD1YM	
YDQA	211	YDDA2YM	Hyperactive type MODIFIED WITHOUT AGE		PAD2YM	
YDQA	212	YDDA3YM	Combined type MODIFIED WITHOUT AGE		PAD3YM	
YDQA	213	YDDAYM	Any type MODIFIED WITHOUT AGE		PADYM	
YDQA	214	YDDAA1AM	Fails to give close attention M		PADA1AM	

YDQA	215	YDDAA1BM	Difficulty sustaining attention M		PADA1BM	
YDQA	216	YDDAA1CM	Does not listen M		PADA1CM	
YDQA	217	YDDAA1DM	Fails to follow through instructions M		PADA1DM	
YDQA	218	YDDAA1EM	Difficulty organizing tasks M		PADA1EM	
YDQA	219	YDDAA1FM	Avoid task requiring sustained attent M		PADA1FM	
YDQA	220	YDDAA1GM	Loses things M		PADA1GM	
YDQA	221	YDDAA1HM	Easily distract by extraneous stimuli M		PADA1HM	
YDQA	222	YDDAA1IM	Forgetful M		PADA1IM	
YDQA	223	YDDAA1M	Inattention M		PADA1M	
YDQA	224	YDDAA2AM	Fidgets M		PADA2AM	
YDQA	225	YDDAA2BM	Leaves seat M		PADA2BM	
YDQA	226	YDDAA2CM	Runs about or climbs excessively M		PADA2CM	
YDQA	227	YDDAA2DM	Difficulty playing quietly M		PADA2DM	
YDQA	228	YDDAA2EM	Often on the go/driven by a motor M		PADA2EM	
YDQA	229	YDDAA2FM	Talks excessively M		PADA2FM	
YDQA	230	YDDAA2GM	Blurts out answers M		PADA2GM	
YDQA	231	YDDAA2HM	Difficulty awaiting turn M		PADA2HM	
YDQA	232	YDDAA2IM	Interrupts or intrudes M		PADA2IM	
YDQA	233	YDDAA2M	Hyperactivity-impulsivity M		PADA2M	
YDQA	234	YDDAAM	Either inattention or hyperactivity M		PADAM	
YDQA	235	YDDAC1M	Inattention -- Impairment in 2 or more M		PADC1M	
YDQA	236	YDDAC2M	Hyperactivity-impulsivity - Impairment M		PADC2M	
YDQA	237	YDDACM	Impairment in two or more settings M		PADCM	
YDQA	238	YDDA1M	Inattention type M		PAD1M	
YDQA	239	YDDA2M	Hyperactive type M		PAD2M	
YDQA	240	YDDA3M	Combined type M		PAD3M	
YDQA	241	YDDAM	Any type M		PADM	
YDQA	242	YDDAIMA1	Intermediate rating -- caretakers became		PADIMA1	
YDQA	243	YDDAIMA2	Intermediate rating -- family		PADIMA2	
YDQA	244	YDDAIMA3	Intermediate rating -- peers		PADIMA3	
YDQA	245	YDDAIMA4	Intermediate rating -- schoolwork		PADIMA4	
YDQA	246	YDDAIMA5	Intermediate rating -- teacher/boss		PADIMA5	
YDQA	247	YDDAIMA6	Intermediate rating -- felt bad/upset		PADIMA6	
YDQA	248	YDDAIMA	Impairment A -- at least one intermed.		PADIMA	
YDQA	249	YDDAYIMA	Impairment A -- last year -- 1 inter.		PADYIMA	
YDQA	250	YDDAMIMA	Impairment A -- last month -- 1 inter.		PADMIMA	
YDQA	251	YDDAIMB	Impairment B -- at least two intermed.		PADIMB	

YDQA	252	YDDAYIMB	Impairment B -- last year -- 2 inter.		PADYIMB	
YDQA	253	YDDAMIMB	Impairment B -- last month -- 2 inter.		PADMIMB	
YDQA	254	YDDAIMC1	Severe rating -- caretakers became annoy		PADIMC1	
YDQA	255	YDDAIMC2	Severe rating -- family		PADIMC2	
YDQA	256	YDDAIMC3	Severe rating -- peers		PADIMC3	
YDQA	257	YDDAIMC4	Severe rating -- schoolwork		PADIMC4	
YDQA	258	YDDAIMC5	Severe rating -- teacher/boss		PADIMC5	
YDQA	259	YDDAIMC6	Severe rating -- felt bad/upset		PADIMC6	
YDQA	260	YDDAIMC	Impairment C -- at least one Severe		PADIMC	
YDQA	261	YDDAYIMC	Impairment C -- last year -- 1 severe		PADYIMC	
YDQA	262	YDDAMIMC	Impairment C -- last month -- 1 severe		PADMIMC	
YDQA	263	YDDAYIMD	Impairment D -- last year -- B or C		PADYIMD	
YDQA	264	YDDAMIMD	Impairment D -- last month -- B or C		PADMIMD	
YDQA	265	YDDACR1Y	ADHD type 1 Criteria - Past Year		PADCRT1Y	
YDQA	266	YDDACR1M	ADHD type 1 Criteria - Past Month		PADCRT1M	
YDQA	267	YDDACR2Y	ADHD type 2 Criteria - Past Year		PADCRT2Y	
YDQA	268	YDDACR2M	ADHD type 2 Criteria - Past Month		PADCRT2M	
YDQA	269	YDDACR3Y	ADHD type 3 Criteria - Past Year		PADCRT3Y	
YDQA	270	YDDACR3M	ADHD type 3 Criteria - Past Month		PADCRT3M	
YDQA	271	YDDASYMP	ADHD Symptom Count		PADSYMP	
YDQA	272	YDDATSYM	Attention deficit Symptom Count		PATSYMP	
YDQA	273	YDDAHSYM	Hyperactivity Symptom Count		PAHSYMP	
YDQC	1	YDQC01	Ever stolen from people living with them		PCD001	
YDQC	2	YDQC02	Ever shoplifted		PCD002	
YDQC	3	YDQC03	Ever stolen from someone absent		PCD003	
YDQC	4	YDQC04	Check/credit card fraud		PCD004	
YDQC	5	YDQC05	Had symptoms from Qs 1-4 in past year		PCD005	
YDQC	6	YDQC05A	Symptoms Qs 1-4 more than once past year		PCD005A	
YDQC	7	YDQC05B	Symptoms Qs 1-4 > 5 times past year		PCD005B	
YDQC	8	YDQC05C	Symptoms Qs 1-4 > 10 times past year		PCD005C	
YDQC	9	YDQC05D	Get more than \$20		PCD005D	
YDQC	10	YDQC05E	Get more than \$5		PCD005E	
YDQC	11	YDQC05F	Symptoms Qs 1-4 in last 6 months		PCD005F	
YDQC	12	YDQC06Y	Age first experienced symptoms Qs 1-4		PCD006Y	
YDQC	13	YDQC06Z	Grade first experienced symptoms Qs 1-4		PCD006Z	
YDQC	14	YDQC07	Ever snatched purse or jewelry		PCD007	

YDQC	15	YDQC08	Ever held someone up or attempted same		PCD008	
YDQC	16	YDQC09	Ever threatened someone to steal		PCD009	
YDQC	17	YDQC10	Had symptoms from Qs 7-9 in past year		PCD010	
YDQC	18	YDQC10A	Symptoms Qs 7-9 more than once past year		PCD010A	
YDQC	19	YDQC10B	Symptoms Qs 7-9 > 5 times past year		PCD010B	
YDQC	20	YDQC10C	Symptoms Qs 7-9 > 10 times past year		PCD010C	
YDQC	21	YDQC10D	Symptoms Qs 7-9 in last 6 months		PCD010D	
YDQC	22	YDQC11Y	Age first experienced symptoms Qs 7-9		PCD011Y	
YDQC	23	YDQC11Z	Grade first experienced symptoms Qs 7-9		PCD011Z	
YDQC	24	YDQC12	Ever in trouble by missing curfew 2 hour		PCD012	
YDQC	25	YDQC12A	Ever trouble missing curfew past year		PCD012A	
YDQC	26	YDQC12B	Trouble miss curfew year more than once		PCD012B	
YDQC	27	YDQC12C	Trouble miss curfew more than 5 times		PCD012C	
YDQC	28	YDQC12D	Trouble miss curfew more than 10 times		PCD012D	
YDQC	29	YDQC12E	Trouble miss curfew past 6 months		PCD012E	
YDQC	30	YDQC12FY	Age first missed curfew		PCD012FY	
YDQC	31	YDQC12FZ	Grade first missed curfew		PCD012FZ	
YDQC	32	YDACN01	Was a * coded YDQC12C or 13- in YDQC12Fy		PCDN01	
YDQC	33	YDQC13	Ever run away from home overnight		PCD013	
YDQC	34	YDQC13A	Ever run away overnight past year		PCD013A	
YDQC	35	YDQC13B	Ever run away overnight more than once		PCD013B	
YDQC	36	YDQC13C	Run away overnight more than 5 times		PCD013C	
YDQC	37	YDQC13D	Run away overnight more than 10 times		PCD013D	
YDQC	38	YDQC13E	Run away at least 2 weeks		PCD013E	
YDQC	39	YDQC13F	Run away overnight last 6 months		PCD013F	
YDQC	40	YDQC13GY	Age first time ran away overnight		PCD013GY	
YDQC	41	YDQC13GZ	Grade first time ran away overnight		PCD013GZ	
YDQC	42	YDACN02	Were any * responses coded in q 13?		PCDN02	
YDQC	43	YDQC14	Ever lied to get money or something else		PCD014	
YDQC	44	YDQC15	Lied to not pay debt or avoid something		PCD015	
YDQC	45	YDQC16	Lied to get out of something past year		PCD016	
YDQC	46	YDQC16A	Lied more than once past year		PCD016A	
YDQC	47	YDQC16B	Lied more than five times past year		PCD016B	
YDQC	48	YDQC16C	Lied more than ten times past year		PCD016C	
YDQC	49	YDQC16D	Lied last six months		PCD016D	

YDQC	50	YDQC17Y	Age first lied to get out of something		PCD017Y	
YDQC	51	YDQC17Z	Grade first lied to get out of something		PCD017Z	
YDQC	52	YDQC18	Ever skipped school/work		PCD018	
YDQC	53	YDQC18A	Skip school/work past year		PCD018A	
YDQC	54	YDQC18B	Skip school more than once past year		PCD018B	
YDQC	55	YDQC18C	Skip school more than 5 times past year		PCD018C	
YDQC	56	YDQC18D	Skip school more than 10 times past year		PCD018D	
YDQC	57	YDQC18E	Skip school/work nervous/afraid		PCD018E	
YDQC	58	YDQC18F	Skip school/work stay home		PCD018F	
YDQC	59	YDQC18G	Skip school/work last 6 months		PCD018G	
YDQC	60	YDQC18HY	Age first skipped school/work		PCD018HY	
YDQC	61	YDQC18HZ	Grade first skipped school/work		PCD018HZ	
YDQC	62	YDACN03	Was a * coded in 18C 13- in 18Hy/z?		PCDN03	
YDQC	63	YDQC19	Ever broken into a house/building/car		PCD019	
YDQC	64	YDQC19A	Break in past year		PCD019A	
YDQC	65	YDQC19B	Break in more than once in past year		PCD019B	
YDQC	66	YDQC19C	Break in more than 5 times in past year		PCD019C	
YDQC	67	YDQC19D	Break in more than 10 times in past year		PCD019D	
YDQC	68	YDQC19E	Break in past 6 months		PCD019E	
YDQC	69	YDQC19FY	Age of first break in		PCD019FY	
YDQC	70	YDQC19FZ	Grade of first break in		PCD019FZ	
YDQC	71	YDQC20	Broken something in a place on purpose		PCD020	
YDQC	72	YDQC20A	Broken thing in past year		PCD020A	
YDQC	73	YDQC20B	Broken thing more than once in past year		PCD020B	
YDQC	74	YDQC20C	Broken thing over 5 times in past year		PCD020C	
YDQC	75	YDQC20D	Broken thing over 10 times in past year		PCD020D	
YDQC	76	YDQC20E	Broken thing in past 6 months		PCD020E	
YDQC	77	YDQC20FY	Age of first broken thing		PCD020FY	
YDQC	78	YDQC20FZ	Grade of first broken thing		PCD020FZ	
YDQC	79	YDQC21	Broken someone else things on purpose		PCD021	
YDQC	80	YDQC21A	Broken others thing on purpose		PCD021A	
YDQC	81	YDQC21B	Broken others more than once past year		PCD021B	
YDQC	82	YDQC21C	Broken others over 5 times in past year		PCD021C	
YDQC	83	YDQC21D	Broken others over 10 times past year		PCD021D	
YDQC	84	YDQC21E	Broken others in past 6 months		PCD021E	
YDQC	85	YDQC21FY	Age of first broken others		PCD021FY	
YDQC	86	YDQC21FZ	Grade of first broken others		PCD021FZ	

YDQC	87	YDACN04	Were any * responses coded in q 20 ?		PCDN04	
YDQC	88	YDQC22	Ever started fire without permission		PCD022	
YDQC	89	YDQC22A	Ever started harmful fire		PCD022A	
YDQC	90	YDQC22B	Ever intentionally started harmful fire		PCD022B	
YDQC	91	YDQC22C	Started harmful fire past year		PCD022C	
YDQC	92	YDQC22D	Start harmful fire past year over once		PCD022D	
YDQC	93	YDQC22E	Start harmful fire year over 5 times		PCD022E	
YDQC	94	YDQC22F	Start harmful fire year over 10 times		PCD022F	
YDQC	95	YDQC22G	Start harmful fire past 6 months		PCD022G	
YDQC	96	YDQC22HY	Age first set harmful fire		PCD022HY	
YDQC	97	YDQC22HZ	Grade first set harmful fire		PCD022HZ	
YDQC	98	YDQC23	Ever by intent physical cruel to animal		PCD023	
YDQC	99	YDQC23A	Ever cruel to animal in past year		PCD023A	
YDQC	100	YDQC23B	Cruel to animal past year over once		PCD023B	
YDQC	101	YDQC23C	Cruel to animal year over 5 times		PCD023C	
YDQC	102	YDQC23D	Cruel to animal year over 10 times		PCD023D	
YDQC	103	YDQC23E	Cruel to animal past six months		PCD023E	
YDQC	104	YDQC23FY	Age first cruel to animal		PCD023FY	
YDQC	105	YDQC23FZ	Grade first cruel to animal		PCD023FZ	
YDQC	106	YDQC24	Ever had sexual experience with another		PCD024	
YDQC	107	YDQC24A	Ever coerced another sexually		PCD024A	
YDQC	108	YDQC24B	Ever coerced another sexually past year		PCD024B	
YDQC	109	YDQC24C	Coerced another sexually year over once		PCD024C	
YDQC	110	YDQC24D	Coerce other sexually year over 5 times		PCD024D	
YDQC	111	YDQC24E	Coerce other sexually year over 10 times		PCD024E	
YDQC	112	YDQC24F	Coerce other sexually past 6 months		PCD024F	
YDQC	113	YDQC24GY	Age first coerced other sexually		PCD024GY	
YDQC	114	YDQC24GZ	Grade first coerced other sexually		PCD024GZ	
YDQC	115	YDQC25	Bully one smaller who would not resist		PCD025	
YDQC	116	YDQC25A	Bully only brother or sister		PCD025A	
YDQC	117	YDQC25B	Bully other than brother or sister		PCD025B	
YDQC	118	YDQC25C	Bully in past year		PCD025C	
YDQC	119	YDQC25D	Bully more than once in past year		PCD025D	
YDQC	120	YDQC25E	Bully over 5 times in past year		PCD025E	
YDQC	121	YDQC25F	Bully over 10 times in past year		PCD025F	
YDQC	122	YDQC25G	Bully in past 6 months		PCD025G	
YDQC	123	YDQC25HY	Age first bullied someone		PCD025HY	

YDQC	124	YDQC25HZ	Grade first bullied someone		PCD025HZ	
YDQC	125	YDQC26	Ever threaten person/frighten on purpose		PCD026	
YDQC	126	YDQC26A	Threaten/frighten person past year		PCD026A	
YDQC	127	YDQC26B	Threaten/frighten past year over once		PCD026B	
YDQC	128	YDQC26C	Threaten/frighten year over 5 times		PCD026C	
YDQC	129	YDQC26D	Threaten/frighten year over 10 times		PCD026D	
YDQC	130	YDQC26E	Threaten/frighten person past 6 months		PCD026E	
YDQC	131	YDQC26FY	Age first threaten/frighten person		PCD026FY	
YDQC	132	YDQC26FZ	Grade first threaten/frighten person		PCD026FZ	
YDQC	133	YDACN05A	Was a * response coded in q 25-26?		PCDN05A	
YDQC	134	YDACN05B	Was a + response coded in q 25-26?		PCDN05B	
YDQC	135	YDQC27	Ever in physical fight one hurt/possible		PCD027	
YDQC	136	YDQC27A	Ever started fight one hurt/possible		PCD027A	
YDQC	137	YDQC27B	Start fight one hurt/possible past year		PCD027B	
YDQC	138	YDQC27C	Fights with brother/sister		PCD027C	
YDQC	139	YDQC27D	Fights with other than brother/sister		PCD027D	
YDQC	140	YDQC27E	Start fight over once past year		PCD027E	
YDQC	141	YDQC27F	Start fight over 5 times past year		PCD027F	
YDQC	142	YDQC27G	Start fight over 10 times past year		PCD027G	
YDQC	143	YDQC27H	Start fight past six months		PCD027H	
YDQC	144	YDQC27IY	Age first started fight		PCD027IY	
YDQC	145	YDQC27IZ	Grade first started fight		PCD027IZ	
YDQC	146	YDQC28	Ever try hurt badly/be physically cruel		PCD028	
YDQC	147	YDQC28A	Only been cruel when in fight		PCD028A	
YDQC	148	YDQC28B	Cruel when not in fight		PCD028B	
YDQC	149	YDQC28C	Cruel when not in fight past year		PCD028C	
YDQC	150	YDQC28D	Cruel not in fight past year over once		PCD028D	
YDQC	151	YDQC28E	Cruel not in fight year over 5 times		PCD028E	
YDQC	152	YDQC28F	Cruel not in fight year over 10 times		PCD028F	
YDQC	153	YDQC28G	Cruel not in fight past 6 months		PCD028G	
YDQC	154	YDQC28HY	Age first cruel to person		PCD028HY	
YDQC	155	YDQC28HZ	Grade first cruel to person		PCD028HZ	
YDQC	156	YDQC29	Ever hurt someone with a weapon		PCD029	
YDQC	157	YDQC29A	Hurt someone with a weapon past year		PCD029A	
YDQC	158	YDQC29B	Threaten someone with a weapon past year		PCD029B	
YDQC	159	YDQC29C	Threaten one with weapon year over once		PCD029C	

YDQC	160	YDQC29D	Threaten with weapon year over 5 times		PCD029D	
YDQC	161	YDQC29E	Threaten with weapon year over 10 times		PCD029E	
YDQC	162	YDQC29F	Threaten with weapon past 6 months		PCD029F	
YDQC	163	YDQC29GY	Age first threaten with weapon		PCD029GY	
YDQC	164	YDQC29GZ	Grade first threaten with weapon		PCD029GZ	
YDQC	165	YDQC29HY	Age first hurt with weapon		PCD029HY	
YDQC	166	YDQC29HZ	Grade first hurt with weapon		PCD029HZ	
YDQC	167	YDQC29I	Hurt one with weapon year over once		PCD029I	
YDQC	168	YDQC29J	Threaten with weapon year over once		PCD029J	
YDQC	169	YDQC29K	Threaten with weapon year over 5 times		PCD029K	
YDQC	170	YDQC29L	Threaten with weapon year over 10 times		PCD029L	
YDQC	171	YDQC29M	Threaten with weapon past 6 months		PCD029M	
YDQC	172	YDQC29NY	Age first threaten with weapon		PCD029NY	
YDQC	173	YDQC29NZ	Grade first threaten with weapon		PCD029NZ	
YDQC	174	YDQC29OY	Age first hurt with weapon		PCD029OY	
YDQC	175	YDQC29OZ	Grade first hurt with weapon		PCD029OZ	
YDQC	176	YDQC29P	Hurt with weapon year over 5 times		PCD029P	
YDQC	177	YDQC29Q	Hurt with weapon year over 10 times		PCD029Q	
YDQC	178	YDQC29R	Hurt with weapon past 6 months		PCD029R	
YDQC	179	YDQC29SY	Age first hurt with weapon		PCD029SY	
YDQC	180	YDQC29SZ	Grade first hurt with weapon		PCD029SZ	
YDQC	181	YDQC29T	Ever threaten person with weapon		PCD029T	
YDQC	182	YDQC29U	Threaten person with weapon past year		PCD029U	
YDQC	183	YDQC29V	Threaten person with weapon over once		PCD029V	
YDQC	184	YDQC29W	Threaten person weapon over 5 times		PCD029W	
YDQC	185	YDQC29X	Threaten person weapon over 10 times		PCD029X	
YDQC	186	YDQC29Y	Threaten person weapon past 6 months		PCD029Y	
YDQC	187	YDQC29ZY	Age first threaten person with weapon		PCD029ZY	
YDQC	188	YDQC29ZZ	Grade first threaten person with weapon		PCD029ZZ	
YDQC	189	YDQC30	Caretakers very upset by child actions		PCD030	
YDQC	190	YDQC30A	How often caretaker upset child action		PCD030A	
YDQC	191	YDQC31	Misbehavior prevented family things		PCD031	
YDQC	192	YDQC31A	How often misbehavior stop family thing		PCD031A	
YDQC	193	YDQC32	Misbehavior prevented peer things		PCD032	
YDQC	194	YDQC32A	How often misbehavior stop peer thing		PCD032A	
YDQC	195	YDQC33	Problem at worst made schoolwork hard		PCD033	
YDQC	196	YDQC33A	How bad problems with schoolwork/work		PCD033A	

YDQC	197	YDQC34	Behavior cause teachers/boss to be upset		PCD034	
YDQC	198	YDQC34A	How often behavior upset teachers/boss		PCD034A	
YDQC	199	YDQC35	Behaviors upset them when problem worst		PCD035	
YDQC	200	YDQC35A	How much behavior upset them		PCD035A	
YDQC	201	YDQC36	Ever school expulsion for misbehavior		PCD036	
YDQC	202	YDQC36A	Number schools expelled for misbehavior		PCD036A	
YDQC	203	YDQC36B	Expelled from school past year		PCD036B	
YDQC	204	YDQC36C	Expelled from school for drugs		PCD036C	
YDQC	205	YDQC36D	Expelled from school for fighting		PCD036D	
YDQC	206	YDQC36E	Expelled from school teacher violence		PCD036E	
YDQC	207	YDQC36F	Expelled from school skipping class		PCD036F	
YDQC	208	YDQC36G	Expelled from school other things		PCD036G	
YDQC	209	YDQC37	Ever school suspension for misbehavior		PCD037	
YDQC	210	YDQC38	Ever had an in-school suspension		PCD038	
YDQC	211	YDQC38A	Number of school suspensions		PCD038A	
YDQC	212	YDQC38B	Suspension in past year		PCD038B	
YDQC	213	YDQC38C	Suspension for drugs		PCD038C	
YDQC	214	YDQC38D	Suspension for fighting		PCD038D	
YDQC	215	YDQC38E	Suspension teacher violence		PCD038E	
YDQC	216	YDQC38F	Suspension skipping class		PCD038F	
YDQC	217	YDQC38G	Suspension other things		PCD038G	
YDQC	218	YDQC39	Ever been in trouble with the police		PCD039	
YDQC	219	YDQC39A	Ever been arrested		PCD039A	
YDQC	220	YDQC39B	Been arrested more than once		PCD039B	
YDQC	221	YDQC39C	Number of times arrested		PCD039C	
YDQC	222	YDQC39DY	Age first time arrested		PCD039DY	
YDQC	223	YDQC39DZ	Grade first time arrested		PCD039DZ	
YDQC	224	YDQC39EY	Age last time arrested		PCD039EY	
YDQC	225	YDQC39EZ	Grade last time arrested		PCD039EZ	
YDQC	226	YDQC39F	Last time arrested past year		PCD039F	
YDQC	227	YDQC39KY	Age arrested by police		PCD039KY	
YDQC	228	YDQC39KZ	Grade arrested by police		PCD039KZ	
YDQC	229	YDQC39L	Arrest in past year		PCD039L	
YDQC	230	YDQC39N	Past year police trouble not arrested		PCD039N	
YDQC	231	YDDC39AR	In trouble with the police in last year		PCD039AR	
YDQC	232	YDQC40	Ever fired for theft/not do what asked		PCD040	

YDQC	233	YDQC40A	Fired in past year		PCD040A	
YDQC	234	YDQC41	Seen someone at hospital/other for help		PCD041	
YDQC	235	YDQC41A	Appointment at hospital/other for help		PCD041A	
YDQC	236	YDQC43	Ever at least 3 misbehaviors in 1 month		PCD043	
YDQC	237	YDQC43AY	Age when first happened		PCD043AY	
YDQC	238	YDQC43AZ	Grade when first happened		PCD043AZ	
YDQC	239	YDQC43B	Then secretly steal from others		PCD043B	
YDQC	240	YDQC43C	Then attack/threaten others to steal		PCD043C	
YDQC	241	YDQC43D	Then stay out past curfew		PCD043D	
YDQC	242	YDQC43E	Then run away from home overnight		PCD043E	
YDQC	243	YDQC43F	Then often lie for advantage		PCD043F	
YDQC	244	YDQC43G	Then often skip school/work		PCD043G	
YDQC	245	YDQC43H	Then break into building/car		PCD043H	
YDQC	246	YDQC43I	Then break things by intent		PCD043I	
YDQC	247	YDQC43J	Then start fire to damage/hurt person		PCD043J	
YDQC	248	YDQC43K	Then physically cruel to animals		PCD043K	
YDQC	249	YDQC43L	Then force sex on someone		PCD043L	
YDQC	250	YDQC43M	Then often a bully or threaten/frighten		PCD043M	
YDQC	251	YDQC43N	Then start more than one fight		PCD043N	
YDQC	252	YDQC43O	Then hurt/be cruel to other		PCD043O	
YDQC	253	YDQC43P	Then use weapon to threaten/hurt		PCD043P	
YDQC	254	YDDCA1Y	Past year: bullies, threatens, others		PCDA1Y	
YDQC	255	YDDCA1M	Past 6 months: bullies, threatens others		PCDA1M	
YDQC	256	YDDCA2Y	Past year: initiates physical fights		PCDA2Y	
YDQC	257	YDDCA2M	Past 6 months: initiates physical fights		PCDA2M	
YDQC	258	YDDCA3Y	Past year: used a weapon		PCDA3Y	
YDQC	259	YDDCA3M	Past 6 months: used a weapon		PCDA3M	
YDQC	260	YDDCA4Y	Past year: physically cruel to people		PCDA4Y	
YDQC	261	YDDCA4M	Past 6 mo.: physically cruel to people		PCDA4M	
YDQC	262	YDDCA5Y	Past year: physically cruel to animals		PCDA5Y	
YDQC	263	YDDCA5M	Past 6 mos.: physically cruel to animals		PCDA5M	
YDQC	264	YDDCA6Y	Past year: stolen with confrontation		PCDA6Y	
YDQC	265	YDDCA6M	Past 6 months: stolen with confrontation		PCDA6M	
YDQC	266	YDDCA7Y	Past year: forced sex		PCDA7Y	
YDQC	267	YDDCA7M	Past 6 months: forced sex		PCDA7M	
YDQC	268	YDDCA8Y	Past year: fire setting		PCDA8Y	
YDQC	269	YDDCA8M	Past 6 months: fire setting		PCDA8M	

YDQC	270	YDDCA9Y	Past year: destroyed property		PCDA9Y	
YDQC	271	YDDCA9M	Past 6 months: destroyed property		PCDA9M	
YDQC	272	YDDCA10Y	Past year: broken into building or car		PCDA10Y	
YDQC	273	YDDCA10M	Past 6 months: broken into building, car		PCDA10M	
YDQC	274	YDDCA11Y	Past year: lie for benefit, avoid cost		PCDA11Y	
YDQC	275	YDDCA11M	Past 6 mo.: lie for benefit, avoid cost		PCDA11M	
YDQC	276	YDDCA12Y	Past year: stolen without confrontation		PCDA12Y	
YDQC	277	YDDCA12M	Past 6 months: steal without confront		PCDA12M	
YDQC	278	YDDCA13Y	Past year: stays out late		PCDA13Y	
YDQC	279	YDDCA13M	Past 6 months: stays out late		PCDA13M	
YDQC	280	YDDCA14Y	Past year: run away from home		PCDA14Y	
YDQC	281	YDDCA14M	Past 6 months: run away from home		PCDA14M	
YDQC	282	YDDCA15Y	Past year: truant		PCDA15Y	
YDQC	283	YDDCA15M	Past 6 months: truant		PCDA15M	
YDQC	284	YDDCAY	Past year: repeat/persist in behavior		PCDAY	
YDQC	285	YDDCAM	Past 6 mo.: repeat/persist in behavior		PCDAM	
YDQC	286	YDDCY	Past year: conduct disorder diagnosis		PCDY	
YDQC	287	YDDCM	Past 6 mo.: conduct disorder diagnosis		PCDM	
YDQC	288	YDDCW	Whole Life: diag. for conduct disorder		PCDW	
YDQC	289	YDDCIMA1	Intermediate rating -- caretakers became		PCDIMA1	
YDQC	290	YDDCIMA2	Intermediate rating -- family		PCDIMA2	
YDQC	291	YDDCIMA3	Intermediate rating -- peers		PCDIMA3	
YDQC	292	YDDCIMA4	Intermediate rating -- schoolwork		PCDIMA4	
YDQC	293	YDDCIMA5	Intermediate rating -- teacher/boss		PCDIMA5	
YDQC	294	YDDCIMA6	Intermediate rating -- felt bad/upset		PCDIMA6	
YDQC	295	YDDCIMA	Impairment A -- at least one intermed.		PCDIMA	
YDQC	296	YDDCYIMA	Impairment A -- last year -- 1 inter.		PCDYIMA	
YDQC	297	YDDCMIMA	Impairment A -- last 6 months -- 1 inter		PCDMIMA	
YDQC	298	YDDCIMB	Impairment B -- at least two intermed.		PCDIMB	
YDQC	299	YDDCYIMB	Impairment B -- last year -- 2 inter.		PCDYIMB	
YDQC	300	YDDCMIMB	Impairment B -- last 6 months -- 2 inter		PCDMIMB	
YDQC	301	YDDCIMC1	Severe rating -- caretakers became annoy		PCDIMC1	
YDQC	302	YDDCIMC2	Severe rating -- family		PCDIMC2	
YDQC	303	YDDCIMC3	Severe rating -- peers		PCDIMC3	
YDQC	304	YDDCIMC4	Severe rating -- schoolwork		PCDIMC4	
YDQC	305	YDDCIMC5	Severe rating -- teacher/boss		PCDIMC5	
YDQC	306	YDDCIMC6	Severe rating -- felt bad/upset		PCDIMC6	

YDQC	307	YDDCIMC	Impairment C -- at least one Severe		PCDIMC	
YDQC	308	YDDCYIMC	Impairment C -- last year -- 1 severe		PCDYIMC	
YDQC	309	YDDCMIMC	Impairment C -- last 6 mos -- 1 severe		PCDMIMC	
YDQC	310	YDDCYIMD	Impairment D -- last year -- B or C		PCDYIMD	
YDQC	311	YDDCMIMD	Impairment D -- last 6 months -- B or C		PCDMIMD	
YDQC	312	YDDCCRITY	CD Criteria Count - Last Year		PCDCRITY	
YDQC	313	YDDCCRTM	CD Criteria Count - Last 6 Months		PCDCRITM	
YDQC	314	YDDCSYMP	CD Symptom Count - Whole Life		PCDSYMP	
YDQC	315	YDDCPSYM	CD Symptom Count - Last Year		PCPSYMP	
YDQD	1	YDQD01	Time in past year often very upset	YMD001	PMD001	
YDQD	2	YDQD01A	Sad or depressed long time each day	YMD001A	PMD001A	
YDQD	3	YDQD01B	Sad or depressed most of the day	YMD001B	PMD001B	
YDQD	4	YDQD01C	Sad or depressed almost every day	YMD001C	PMD001C	
YDQD	5	YDQD01D	Two weeks in a row sad almost daily	YMD001D	PMD001D	
YDQD	6	YDQD01E	Feel better if something good happened	YMD001E	PMD001E	
YDQD	7	YDQD01F	Sad or depressed last four weeks	YMD001F	PMD001F	
YDQD	8	YDQD02	Nothing fun/lack interest/sad past year	YMD002	PMD002	
YDQD	9	YDQD02A	Nothing fun almost every day	YMD002A	PMD002A	
YDQD	10	YDQD02B	Two weeks in row no fun almost every day	YMD002B	PMD002B	
YDQD	11	YDQD02C	Nothing fun lasts four weeks	YMD002C	PMD002C	
YDQD	12	YDQD03	Often grouchy,little things create anger	YMD003	PMD003	
YDQD	13	YDQD03A	Grouchy and irritable long time each day	YMD003A	PMD003A	
YDQD	14	YDQD03B	Grouchy and irritable most of the day	YMD003B	PMD003B	
YDQD	15	YDQD03C	Grouchy and irritable almost every day	YMD003C	PMD003C	
YDQD	16	YDQD03D	Two weeks in a row grouchy almost daily	YMD003D	PMD003D	
YDQD	17	YDQD03E	Grouchy and irritable last four weeks	YMD003E	PMD003E	
YDQD	18	YDADN01	Were any * or [ ] resp. coded in q1-q3?	YMDN01	PMDN01	
YDQD	19	YDADN02	Was there a * response coded in q1 - q3?	YMDN02	PMDN02	
YDQD	20	YDQD04	Lost weight in last year	YMD004	PMD004	
YDQD	21	YDQD04A	Dieting to lose weight	YMD004A	PMD004A	
YDQD	22	YDQD04B	Lose weight without dieting	YMD004B	PMD004B	
YDQD	23	YDQD04C	Lose weight others notice	YMD004C	PMD004C	
YDQD	24	YDQD04D	Lose weight when sad or depressed	YMD004D	PMD004D	
YDQD	25	YDQD04E	Lost weight last four weeks	YMD004E	PMD004E	
YDQD	26	YDQD05	Appetite loss or ate lot less last year	YMD005	PMD005	
YDQD	27	YDQD05A	Lose appetite when sad or depressed	YMD005A	PMD005A	
YDQD	28	YDQD05B	Lose appetite two weeks or longer	YMD005B	PMD005B	

YDQD	29	YDQD05C	Lost appetite last four weeks	YMD005C	PMD005C	
YDQD	30	YDQD06	Gained a lot of weight in last year	YMD006	PMD006	
YDQD	31	YDQD06A	Gain weight others notice	YMD006A	PMD006A	
YDQD	32	YDQD06B	Gain weight when sad or depressed	YMD006B	PMD006B	
YDQD	33	YDQD06C	Gain weight last four weeks	YMD006C	PMD006C	
YDQD	34	YDQD07	Hungrier/ate more than usual last year	YMD007	PMD007	
YDQD	35	YDQD07A	Hungrier than normal when sad/depressed	YMD007A	PMD007A	
YDQD	36	YDQD07B	Hungrier than normal two weeks or longer	YMD007B	PMD007B	
YDQD	37	YDQD07C	Hungrier than normal last four weeks	YMD007C	PMD007C	
YDQD	38	YDADN03A	Was there a * response coded in q4-7?	YMDN03A	PMDN03A	
YDQD	39	YDADN03B	Was there a # response coded in q4-7?	YMDN03B	PMDN03B	
YDQD	40	YDQD08	Trouble sleeping in last year	YMD008	PMD008	
YDQD	41	YDQD08A	Trouble sleeping different from usual	YMD008A	PMD008A	
YDQD	42	YDQD08B	Trouble sleeping when sad or depressed	YMD008B	PMD008B	
YDQD	43	YDQD08C	Trouble sleeping two weeks or longer	YMD008C	PMD008C	
YDQD	44	YDQD08D	Trouble sleeping last four weeks	YMD008D	PMD008D	
YDQD	45	YDQD09	Slept more in day than usual last year	YMD009	PMD009	
YDQD	46	YDQD09A	Slept more when sad or depressed	YMD009A	PMD009A	
YDQD	47	YDQD09B	Slept more two weeks or longer	YMD009B	PMD009B	
YDQD	48	YDQD09C	Slept more last four weeks	YMD009C	PMD009C	
YDQD	49	YDADN04A	Was there a * response coded in q8 - q9?	YMDN04A	PMDN04A	
YDQD	50	YDADN04B	Was there a # response coded in q8 - q9?	YMDN04B	PMDN04B	
YDQD	51	YDQD10	Walking/talking much slower in past year	YMD010	PMD010	
YDQD	52	YDQD10AA	Ever say [he/she] felt slowed down?	PMD01	PMD010A	
YDQD	53	YDQD10A	Move slower others notice	YMD010A		
YDQD	54	YDQD10B	Move slower when sad or depressed	YMD010B	PMD010B	
YDQD	55	YDQD10C	Move slower two weeks or longer	YMD010C	PMD010C	
YDQD	56	YDQD10D	Move slower last four weeks	YMD010D	PMD010D	
YDQD	57	YDQD11	Restless in past year	YMD011	PMD011	
YDQD	58	YDQD11AA	Ever say felt restless like this?		PMD011A	
YDQD	59	YDQD11A	Restless different from usual	YMD011A	PMD011B	
YDQD	60	YDQD11B	Restless others notice	YMD011B		
YDQD	61	YDQD11C	Restless when sad or depressed	YMD011C	PMD011C	
YDQD	62	YDQD11D	Restless two weeks or longer	YMD011D	PMD011D	
YDQD	63	YDQD11E	Restless last four weeks	YMD011E	PMD011E	
YDQD	64	YDADN05A	Was there a * response coded in q10-11?	YMDN05A	PMDN05A	
YDQD	65	YDADN05B	Was there a # response coded in q10-11?	YMDN05B	PMDN05B	

YDQD	66	YDQD12	Less energy in the last year	YMD012	PMD012	
YDQD	67	YDQD12A	Less energy when sad or depressed	YMD012A	PMD012A	
YDQD	68	YDQD12B	Less energy two weeks or longer	YMD012B	PMD012B	
YDQD	69	YDQD12C	Less energy last four weeks	YMD012C	PMD012C	
YDQD	70	YDQD13	Doing even little things tire last year	YMD013	PMD013	
YDQD	71	YDQD13A	Tired different from usual	YMD013A	PMD013A	
YDQD	72	YDQD13B	Tired when sad or depressed	YMD013B	PMD013B	
YDQD	73	YDQD13C	Tired two weeks or longer	YMD013C	PMD013C	
YDQD	74	YDQD13D	Tired last four weeks	YMD013D	PMD013D	
YDQD	75	YDADN06A	Was there a * response coded in q12-13?	YMDN06A	PMDN06A	
YDQD	76	YDADN06B	Was there a # response coded in q12-13?	YMDN06B	PMDN06B	
YDQD	77	YDQD14	Arms and legs felt heavy in past year	YMD014	PMD014	
YDQD	78	YDQD14A	Limbs felt heavy when sad or depressed	YMD014A	PMD014A	
YDQD	79	YDQD14B	Limbs felt heavy two weeks or longer	YMD014B	PMD014B	
YDQD	80	YDQD14C	Limbs felt heavy last four weeks	YMD014C	PMD014C	
YDQD	81	YDQD15	Blamed self for bad things in past year	YMD015	PMD015	
YDQD	82	YDQD15A	Blamed self different from usual	YMD015A	PMD015A	
YDQD	83	YDQD15B	Blamed self when sad or depressed	YMD015B	PMD015B	
YDQD	84	YDQD15C	Blamed self two weeks or longer	YMD015C	PMD015C	
YDQD	85	YDQD15D	Blamed self last four weeks	YMD015D	PMD015D	
YDQD	86	YDQD16	Perform less/less pretty/smart past year	YMD016	PMD016	
YDQD	87	YDQD16A	Feel bad about self different from usual	YMD016A	PMD016A	
YDQD	88	YDQD16B	Feel bad about self when sad/depressed	YMD016B	PMD016B	
YDQD	89	YDQD16C	Feel bad about self two weeks or longer	YMD016C	PMD016C	
YDQD	90	YDQD16D	Feel bad about self last four weeks	YMD016D	PMD016D	
YDQD	91	YDADN07A	Was there a * response coded in q15-16?	YMDN07A	PMDN07A	
YDQD	92	YDADN07B	Was there a # response coded in q15-16?	YMDN07B	PMDN07B	
YDQD	93	YDQD17	Could not think well as usual past year	YMD017	PMD017	
YDQD	94	YDQD17A	Thinking impaired when sad or depressed	YMD017A	PMD017A	
YDQD	95	YDQD17B	Thinking impaired two weeks or longer	YMD017B	PMD017B	
YDQD	96	YDQD17C	Thinking impaired last four weeks	YMD017C	PMD017C	
YDQD	97	YDQD18	Trouble concentrate school/other year	YMD018	PMD018	
YDQD	98	YDQD18A	Trouble concentrating different usual	YMD018A	PMD018A	
YDQD	99	YDQD18B	Trouble concentrating when sad/depressed	YMD018B	PMD018B	
YDQD	100	YDQD18C	Trouble concentrating two weeks/longer	YMD018C	PMD018C	
YDQD	101	YDQD18D	Trouble concentrating last four weeks	YMD018D	PMD018D	

YDQD	102	YDQD19	Often hard to make decision in past year	YMD019	PMD019	
YDQD	103	YDQD19A	Decisions difficult different from usual	YMD019A	PMD019A	
YDQD	104	YDQD19B	Decisions difficult when sad/depressed	YMD019B	PMD019B	
YDQD	105	YDQD19C	Decisions difficult two weeks or longer	YMD019C	PMD019C	
YDQD	106	YDQD19D	Decisions difficult last four weeks	YMD019D	PMD019D	
YDQD	107	YDADN08A	Was there a * response coded in q17-19?	YMDN08A	PMDN08A	
YDQD	108	YDADN08B	Was there a # response coded in q17-19?	YMDN08B	PMDN08B	
YDQD	109	YDQD20	Often death thoughts in past year	YMD020	PMD020	
YDQD	110	YDQD20A	Often death thoughts differ from usual	YMD020A	PMD020A	
YDQD	111	YDQD20B	Often death thoughts when sad/depressed	YMD020B	PMD020B	
YDQD	112	YDQD20C	Often death thoughts two weeks/longer	YMD020C	PMD020C	
YDQD	113	YDQD20D	Often death thoughts last four weeks	YMD020D	PMD020D	
YDQD	114	YDQD21	Talked seriously about suicide past year	YMD021	PMD021	
YDQD	115	YDQD21A	Think about suicide many times past year	YMD021A	PMD021A	
YDQD	116	YDQD21B	Make suicide plan in past year	YMD021B	PMD021B	
YDQD	117	YDQD21C	Think about suicide while sad/depressed	YMD021C	PMD021C	
YDQD	118	YDQD21D	Think about suicide last four weeks	YMD021D	PMD021D	
YDQD	119	YDQD21E	Suicide thought many times last 4 weeks	YMD021E	PMD021E	
YDQD	120	YDQD21F	Exact plan for suicide	YMD021F	PMD021F	
YDQD	121	YDQD22	Ever in whole life made suicide attempt	YMD022	PMD022	
YDQD	122	YDQD22A	Number of suicide attempts	YMD022A	PMD022A	
YDQD	123	YDQD22B	Attempted suicide past year	YMD022B	PMD022B	
YDQD	124	YDQD22C	Number of suicide attempts past year	YMD022C	PMD022C	
YDQD	125	YDQD22E	Seek professional assistance	YMD022E	PMD022E	
YDQD	126	YDQD22F	Attempt suicide while sad or depressed	YMD022F	PMD022F	
YDQD	127	YDQD22G	Attempt suicide last four weeks	YMD022G	PMD022G	
YDQD	128	YDADN09A	Was there a * response coded in q20-22?	YMDN09A	PMDN09A	
YDQD	129	YDADN09B	Was there a # response coded in q20-22?	YMDN09B	PMDN09B	
YDQD	130	YDADN10	Were three or more [ ] responses coded?	YMDN10	PMDN10	
YDQD	131	YDQD23Y	Age first felt like nothing was fun	YMD023Y	PMD023Y	
YDQD	132	YDQD23Z	Grade first felt like nothing was fun	YMD023Z	PMD023Z	
YDQD	133	YDQD23A	More than a year ago	YMD023A	PMD023A	
YDQD	134	YDQD23B	Since first time, ever a time not sad	YMD023B	PMD023B	
YDQD	135	YDQD23C	Time not sad last more than two months	YMD023C	PMD023C	
YDQD	136	YDQD23DY	Age when sadness/depression resumed	YMD023DY	PMD023DY	
YDQD	137	YDQD23DZ	Grade when sadness/depression resumed	YMD023DZ	PMD023DZ	

YDQD	138	YDQD23E	Resumed sadness more than year ago	YMD023E	PMD023E	
YDQD	139	YDQD24	Sadness began after death someone close	YMD024	PMD024	
YDQD	140	YDDD24B	When did person die	YMD024B_R	PMD024B_R	
YDQD	141	YDQD24C	Sad/depressed longer than two months	YMD024C	PMD024C	
YDQD	142	YDQD24D	Sad/depressed before person died	YMD024D	PMD024D	
YDQD	143	YDQD24E	Sad/depressed in past year	YMD024E	PMD024E	
YDQD	144	YDQD24F	Sad/depressed more than two weeks	YMD024F	PMD024F	
YDQD	145	YDQD25	Vary depression/better past two years	YMD025	PMD025	
YDQD	146	YDQD25A	Become sad/depressed same time each year	YMD025A	PMD025A	
YDQD	147	YDQD25B	Time depression began winter/fall	YMD025B	PMD025B	
YDQD	148	YDQD25C	Stay depressed until spring/summer	YMD025C	PMD025C	
YDQD	149	YDQD25D	Began improvement in spring/summer	YMD025D	PMD025D	
YDQD	150	YDQD25E	Become hyper/excited in spring/summer	YMD025E	PMD025E	
YDQD	151	YDQD25F	Sad start other times year, spring/summer	YMD025F	PMD025F	
YDQD	152	YDQD25G	Spring/summer periods last least 2 weeks	YMD025G	PMD025G	
YDQD	153	YDQD25H	Periods in spring/summer	YMD025H	PMD025H	
YDQD	154	YDQD25I	Stay depressed until fall/winter	YMD025I	PMD025I	
YDQD	155	YDQD25J	Began improvement in fall/winter	YMD025J	PMD025J	
YDQD	156	YDQD25K	Become hyper/excited in fall/winter	YMD025K	PMD025K	
YDQD	157	YDQD25L	Become sad other times year, fall/winter	YMD025L	PMD025L	
YDQD	158	YDQD25M	Fall/winter periods last two weeks, more	YMD025M	PMD025M	
YDQD	159	YDQD26	Caretakers upset problem worst past year	YMD026	PMD026	
YDQD	160	YDQD26A	How often parents became upset	YMD026A	PMD026A	
YDQD	161	YDQD27	Being sad prevented do family things MD	YMD027	PMD027	
YDQD	162	YDQD27A	How often prevented family activities	YMD027A	PMD027A	
YDQD	163	YDQD28	Being sad prevented doing peer things	YMD028	PMD028	
YDQD	164	YDQD28A	How often prevented peer activities	YMD028A	PMD028A	
YDQD	165	YDQD29	Problems worst cause school difficulty	YMD029	PMD029	
YDQD	166	YDQD29A	How severe were problems with schoolwork	YMD029A	PMD029A	
YDQD	167	YDQD30	Sadness cause teacher/boss annoyance	YMD030	PMD030	
YDQD	168	YDQD30A	How often teacher upset	YMD030A	PMD030A	
YDQD	169	YDQD31	Felt bad/upset about sadness/depression	YMD031	PMD031	
YDQD	170	YDQD31A	How severe was sadness	YMD031A	PMD031A	
YDQD	171	YDQD32	Seen professional for help past year	YMD032	PMD032	

YDQD	172	YDQD32A	Appoint. to see professional for help MD	YMD032A	PMD032A	
YDQD	173	YDQD34	More grouchy than now since age of five	YMD034	PMD034	
YDQD	174	YDQD34AY	Age when more depressed	YMD034AY	PMD034AY	
YDQD	175	YDQD34AZ	Grade when more depressed	YMD034AZ	PMD034AZ	
YDQD	176	YDQD35	Seemed sad a lot of the time past year	YMD035	PMD035	
YDQD	177	YDQD35A	Sad/depressed at least whole year	YMD035A	PMD035A	
YDQD	178	YDQD35B	Sad/depressed more than okay last year	YMD035B	PMD035B	
YDQD	179	YDQD35C	Sad/depressed at least two years	YMD035C	PMD035C	
YDQD	180	YDQD35D	Sad/depressed days most of day	YMD035D	PMD035D	
YDQD	181	YDQD35E	When sad, feel better if good happened	YMD035E	PMD035E	
YDQD	182	YDQD35F	Sad/depressed at least four weeks	YMD035F	PMD035F	
YDQD	183	YDQD36	Grouchy lot of the time in past year	YMD036	PMD036	
YDQD	184	YDQD36A	Grouchy/irritable at least whole year	YMD036A	PMD036A	
YDQD	185	YDQD36B	Grouchy/irritable more days than not	YMD036B	PMD036B	
YDQD	186	YDQD36C	Grouchy/irritable at least two years	YMD036C	PMD036C	
YDQD	187	YDQD36D	Grouchy/irritable days most of day	YMD036D	PMD036D	
YDQD	188	YDQD36E	Grouchy/irritable at least four weeks	YMD036E	PMD036E	
YDQD	189	YDQD37	Eats less when sad in past year	YMD037	PMD037	
YDQD	190	YDQD37A	Eat more sad/grouchy/depressed past year	YMD037A	PMD037A	
YDQD	191	YDQD38	Sleep trouble when depressed	YMD038	PMD038	
YDQD	192	YDQD38A	Sleeping too much when depressed	YMD038A	PMD038A	
YDQD	193	YDQD39	Has no energy when sad/depressed	YMD039	PMD039	
YDQD	194	YDQD40	People dislike, cannot do right when sad	YMD040	PMD040	
YDQD	195	YDQD41	Attention problem school/work when sad	YMD041	PMD041	
YDQD	196	YDQD41A	Decision difficult when sad	YMD041A	PMD041A	
YDQD	197	YDQD42	Feels life hopeless when sad/depressed	YMD042	PMD042	
YDQD	198	YDQD42A	When grouchy, feel nothing good happen	YMD042A	PMD042A	
YDQD	199	YDQD43	Tearful sad/depressed/grouchy/irritable	YMD043	PMD043	
YDQD	200	YDQD44	Nothing fun when sad,even usual	YMD044	PMD044	
YDQD	201	YDQD45	Bored when sad	YMD045	PMD045	
YDQD	202	YDQD46	Everyday things hard when sad/depressed	YMD046	PMD046	
YDQD	203	YDQD47	Talk much about past bad things when sad	YMD047	PMD047	
YDQD	204	YDQD48	Wants to be alone when sad/grouchy	YMD048	PMD048	
YDQD	205	YDQD49	Talks a lot less when sad/depressed	YMD049	PMD049	

YDQD	206	YDQD50	During past year times when felt better	YMD050	PMD050	
YDQD	207	YDQD50A	Felt better for two months or longer	YMD050A	PMD050A	
YDQD	208	YDQD51Y	Age when first year of grouchy occurred	YMD051Y	PMD051Y	
YDQD	209	YDQD51Z	Grade first year of grouchy occurred	YMD051Z	PMD051Z	
YDQD	210	YDQD51A	Grouchy/irritable more than a year ago	YMD051A	PMD051A	
YDQD	211	YDQD51B	Grouchy/irritable went away completely	YMD051B	PMD051B	
YDQD	212	YDQD51C	Grouchy disappeared at least two months	YMD051C	PMD051C	
YDQD	213	YDQD51DY	Age when feelings started this time	YMD051DY	PMD051DY	
YDQD	214	YDQD51DZ	Grade when feelings started this time	YMD051DZ	PMD051DZ	
YDQD	215	YDQD51E	Began grouchy more than year ago	YMD051E	PMD051E	
YDQD	216	YDQD52	Problem worst caretakers became upset	YMD052	PMD052	
YDQD	217	YDQD52A	How often did caretakers become upset	YMD052A	PMD052A	
YDQD	218	YDQD53	Being sad prevented do family things DY	YMD053	PMD053	
YDQD	219	YDQD53A	How often grouchy stop family activities	YMD053A	PMD053A	
YDQD	220	YDQD54	Being sad stop doing things with peers	YMD054	PMD054	
YDQD	221	YDQD54A	How often grouchy stop peer activities	YMD054A	PMD054A	
YDQD	222	YDQD55	Being sad cause problems school/work	YMD055	PMD055	
YDQD	223	YDQD55A	Severity school problems grouchy cause	YMD055A	PMD055A	
YDQD	224	YDQD56	Being sad made teachers/bosses annoyed	YMD056	PMD056	
YDQD	225	YDQD56A	How often did grouchy annoy teachers	YMD056A	PMD056A	
YDQD	226	YDQD57	Felt bad/upset when problems were worst	YMD057	PMD057	
YDQD	227	YDQD57A	How bad make you feel	YMD057A	PMD057A	
YDQD	228	YDQD58	Been to see a professional for help	YMD058	PMD058	
YDQD	229	YDQD58A	Appoint. to see professional for help DY	YMD058A	PMD058A	
YDQD	230	YDQD60	Gets very upset when left out	YMD060	PMD060	
YDQD	231	YDQD60A	Stay upset for more than a day	YMD060A	PMD060A	
YDQD	232	YDQD60B	Dropped a friend for leaving you out	YMD060B	PMD060B	
YDQD	233	YDQD60C	Drop 2, more friends for leaving you out	YMD060C	PMD060C	
YDQD	234	YDDDA1Y	Depressed mood or irritable mood MD Y	YMDA1Y	PMDA1Y	BMDA1Y
YDQD	235	YDDDA2Y	Diminished interest or pleasure Y	YMDA2Y	PMDA2Y	BMDA2Y
YDQD	236	YDDDA3Y	Weight loss or gain or appetite change Y	YMDA3Y	PMDA3Y	BMDA3Y
YDQD	237	YDDDA4Y	Insomnia or hypersomnia MD Y	YMDA4Y	PMDA4Y	BMDA4Y
YDQD	238	YDDDA5Y	Psychomotor agitation or retardation Y	YMDA5Y	PMDA5Y	BMDA5Y
YDQD	239	YDDDA6Y	Fatigue or loss of energy Y	YMDA6Y	PMDA6Y	BMDA6Y
YDQD	240	YDDDA7Y	Worthlessness or guilt Y	YMDA7Y	PMDA7Y	BMDA7Y
YDQD	241	YDDDA8Y	Thinking problems, indecisiveness Y	YMDA8Y	PMDA8Y	BMDA8Y

YDQD	242	YDDDA9Y	Thoughts of death, suicidal ideation Y	YMDA9Y	PMDA9Y	BMDA9Y
YDQD	243	YDDDAY	Five symptoms same 2-week period Y	YMDAY	PMDAY	BMDAY
YDQD	244	YDDDA1M	Depressed mood or irritable mood MD M	YMDA1M	PMDA1M	BMDA1M
YDQD	245	YDDDA2M	Diminished interest or pleasure M	YMDA2M	PMDA2M	BMDA2M
YDQD	246	YDDDA3M	Weight loss or gain or appetite change M	YMDA3M	PMDA3M	BMDA3M
YDQD	247	YDDDA4M	Insomnia or hypersomnia MD M	YMDA4M	PMDA4M	BMDA4M
YDQD	248	YDDDA5M	Psychomotor agitation or retardation M	YMDA5M	PMDA5M	BMDA5M
YDQD	249	YDDDA6M	Fatigue or loss of energy M	YMDA6M	PMDA6M	BMDA6M
YDQD	250	YDDDA7M	Worthlessness or guilt M	YMDA7M	PMDA7M	BMDA7M
YDQD	251	YDDDA8M	Thinking problems, indecisiveness M	YMDA8M	PMDA8M	BMDA8M
YDQD	252	YDDDA9M	Thoughts of death, suicidal ideation M	YMDA9M	PMDA9M	BMDA9M
YDQD	253	YDDDAM	Five symptoms same 2-week period M	YMDAM	PMDAM	BMDAM
YDQD	254	YDDDIMA1	Intermediate rating -- caretakers MD	YMDIMA1	PMDIMA1	
YDQD	255	YDDDIMA2	Intermediate rating -- family MD	YMDIMA2	PMDIMA2	
YDQD	256	YDDDIMA3	Intermediate rating -- peers MD	YMDIMA3	PMDIMA3	
YDQD	257	YDDDIMA4	Intermediate rating -- schoolwork MD	YMDIMA4	PMDIMA4	
YDQD	258	YDDDIMA5	Intermediate rating -- teacher/boss MD	YMDIMA5	PMDIMA5	
YDQD	259	YDDDIMA6	Intermediate rating -- felt bad/upset MD	YMDIMA6	PMDIMA6	
YDQD	260	YDDDIMA	Impairment A -- 1 intermediat MD	YMDIMA	PMDIMA	
YDQD	261	YDDDEY	Criteria E Y MD	YMDEY	PMDEY	BMDEY
YDQD	262	YDDDY	Past Year: major depression diagnosis	YMDY	PMDY	BMDY
YDQD	263	YDDDEM	Criteria E M MD	YMDEM	PMDEM	BMDM
YDQD	264	YDDDM	Past Month: major depression diagnosis	YMDM	PMDM	BMDM
YDQD	265	YDDYAY	Depressed mood or irritable mood DY Y	YDYAY	PDYAY	BDYAY
YDQD	266	YDDYAM	Depressed mood or irritable mood DY M	YDYAM	PDYAM	BDYAM
YDQD	267	YDDYB1	Poor appetite or overeating	YDYB1	PDYB1	BDYB1
YDQD	268	YDDYB2	Insomnia or hypersomnia	YDYB2	PDYB2	BDYB2
YDQD	269	YDDYB3	Low energy or fatigue	YDYB3	PDYB3	BDYB3
YDQD	270	YDDYB4	Low self esteem	YDYB4	PDYB4	BDYB4
YDQD	271	YDDYB5	Poor concentration, decision difficulty	YDYB5	PDYB5	BDYB5
YDQD	272	YDDYB6	Feelings of hopelessness	YDYB6	PDYB6	BDYB6
YDQD	273	YDDYBY	Two symptoms when depressed Y	YDYBY	PDYBY	BDYBY
YDQD	274	YDDYBM	Two symptoms when depressed M	YDYBM	PDYBM	BDYBM
YDQD	275	YDDYC	Not without symptoms more than 2 months	YDYC	PDYC	BDYC
YDQD	276	YDDYDY	Not major depression Y	YDYDY	PDYDY	BDYDY
YDQD	277	YDDYDM	Not major depression M	YDYDM	PDYDM	BDYDM

YDQD	278	YDDYY	Past Year: dysthymic disorder diagnosis	YDYY	PDYY	BDYY
YDQD	279	YDDYM	Past Month: dysthymic disorder diagnosis	YDYM	PDYM	BDYM
YDQD	280	YDDDYIMA	Impairment A -- last year -- 1 inter.MD	YMDYIMA	PMDYIMA	
YDQD	281	YDDDMIMA	Impairment A -- last month -- 1 inter.MD	YMDMIMA	PMDMIMA	
YDQD	282	YDDDIMB	Impairment B -- at least two intermed.MD	YMDIMB	PMDIMB	
YDQD	283	YDDDYIMB	Impairment B -- last year -- 2 inter.MD	YMDYIMB	PMDYIMB	
YDQD	284	YDDDMIMB	Impairment B -- last month -- 2 inter.MD	YMDMIMB	PMDMIMB	
YDQD	285	YDDDIMC1	Severe rating -- caretakers MD	YMDIMC1	PMDIMC1	
YDQD	286	YDDDIMC2	Severe rating -- family MD	YMDIMC2	PMDIMC2	
YDQD	287	YDDDIMC3	Severe rating -- peers MD	YMDIMC3	PMDIMC3	
YDQD	288	YDDDIMC4	Severe rating -- schoolwork MD	YMDIMC4	PMDIMC4	
YDQD	289	YDDDIMC5	Severe rating -- teacher/boss MD	YMDIMC5	PMDIMC5	
YDQD	290	YDDDIMC6	Severe rating -- felt bad/upset MD	YMDIMC6	PMDIMC6	
YDQD	291	YDDDIMC	Impairment C -- at least one Severe MD	YMDIMC	PMDIMC	
YDQD	292	YDDDYIMC	Impairment C -- last year -- 1 severe MD	YMDYIMC	PMDYIMC	
YDQD	293	YDDDMIMC	Impairment C -- last month - 1 severe MD	YMDMIMC	PMDMIMC	
YDQD	294	YDDDYIMD	Impairment D -- last year -- B or C MD	YMDYIMD	PMDYIMD	
YDQD	295	YDDDMIMD	Impairment D -- last month -- B or C MD	YMDMIMD	PMDMIMD	
YDQD	296	YDDYIMA1	Intermediate rating -- caretakers DY	YDYIMA1	PDYIMA1	
YDQD	297	YDDYIMA2	Intermediate rating -- family DY	YDYIMA2	PDYIMA2	
YDQD	298	YDDYIMA3	Intermediate rating -- peers DY	YDYIMA3	PDYIMA3	
YDQD	299	YDDYIMA4	Intermediate rating -- schoolwork DY	YDYIMA4	PDYIMA4	
YDQD	300	YDDYIMA5	Intermediate rating -- teacher/boss DY	YDYIMA5	PDYIMA5	
YDQD	301	YDDYIMA6	Intermediate rating -- felt bad/upset DY	YDYIMA6	PDYIMA6	
YDQD	302	YDDYIMA	Impairment A -- 1 intermediat DY	YDYIMA	PDYIMA	
YDQD	303	YDDYYIMA	Impairment A -- last year -- 1 inter.DY	YDYYIMA	PDYYIMA	
YDQD	304	YDDYMIMA	Impairment A -- last month -- 1 inter.DY	YDYMIMA	PDYMIMA	
YDQD	305	YDDYIMB	Impairment B -- at least two intermed.DY	YDYIMB	PDYIMB	
YDQD	306	YDDYYIMB	Impairment B -- last year -- 2 inter.DY	YDYYIMB	PDYYIMB	
YDQD	307	YDDYMIMB	Impairment B -- last month -- 2 inter.DY	YDYMIMB	PDYMIMB	
YDQD	308	YDDYIMC1	Severe rating -- caretakers DY	YDYIMC1	PDYIMC1	
YDQD	309	YDDYIMC2	Severe rating -- family DY	YDYIMC2	PDYIMC2	
YDQD	310	YDDYIMC3	Severe rating -- peers DY	YDYIMC3	PDYIMC3	
YDQD	311	YDDYIMC4	Severe rating -- schoolwork DY	YDYIMC4	PDYIMC4	
YDQD	312	YDDYIMC5	Severe rating -- teacher/boss DY	YDYIMC5	PDYIMC5	
YDQD	313	YDDYIMC6	Severe rating -- felt bad/upset DY	YDYIMC6	PDYIMC6	

YDQD	314	YDDYIMC	Impairment C -- at least one Severe DY	YDYIMC	PDYIMC	
YDQD	315	YDDYYIMC	Impairment C -- last year -- 1 severe DY	YDYYIMC	PDYYIMC	
YDQD	316	YDDYMIMC	Impairment C -- last month - 1 severe DY	YDYMIMC	PDYMIMC	
YDQD	317	YDDYYIMD	Impairment D -- last year -- B or C DY	YDYYIMD	PDYYIMD	
YDQD	318	YDDYMIMD	Impairment D -- last month -- B or C DY	YDYMIMD	PDYMIMD	
YDQD	319	YDDDCRTY	Major Depressive Crit count - Past Year	YMDCRITY	PMDCRITY	BMDCRITY
YDQD	320	YDDDCRTM	Major Depressive Crit count - Past Month	YMDCRITM	PMDCRITM	BMDCRITM
YDQD	321	YDDYCRTY	Dysthymia Criteria count - Past Year	YDYCRITY	PDYCRITY	BDYCRITY
YDQD	322	YDDYCRTM	Dysthymia Criteria count - Past Month	YDYCRITM	PDYCRITM	BDYCRITM
YDQD	323	YDDDSYMP	Major Depressive Disorder Symptom Count	YMDSYMP	PMDSYMP	
YDQE	1	YDQE01Z	Height - centimeters	YEA001Z	PEA001Z	
YDQE	2	YDAEN01	Was height measured for study?	YEAN01	PEAN01	
YDQE	3	YDQE02L	Current weight - lbs	YEA002L	PEA002L	
YDQE	4	YDAEN02	Was weight measured for study?	YEAN02	PEAN02	
YDQE	5	YDQE03L	Lowest weight in last year - lbs	YEA003L	PEA003L	
YDQE	6	YDAEN03	Child underweight?	YEAN03	PEAN03	
YDQE	7	YDQE04	Others worried person too thin last year	YEA004	PEA004	
YDQE	8	YDQE04A	Other worried person too thin past month	YEA004A	PEA004A	
YDQE	9	YDAEN04	Was a * coded in YDAEN03 or YDQE04?	YEAN04	PEAN04	
YDQE	10	YDQE05	Light, but worry about fat	YEA005	PEA005	
YDQE	11	YDQE05A	Worry nearly daily about becoming fat	YEA005A	PEA005A	
YDQE	12	YDQE05B	Worry make other thoughts difficult	YEA005B	PEA005B	
YDQE	13	YDQE05C	Worry cause weight control effort	YEA005C	PEA005C	
YDQE	14	YDQE05D	Worry cause control effort past month	YEA005D	PEA005D	
YDQE	15	YDQE06	Said were fat when weighed least	YEA006	PEA006	
YDQE	16	YDQE06A	Did you think you were too thin?	YEA006A	PEA006A	
YDQE	17	YDQE07	Currently say they are overweight	YEA007	PEA007	
YDQE	18	YDQE07A	Do you think you are too thin?	YEA007A	PEA007A	
YDQE	19	YDQE08	Said low weight caused health problems	YEA008	PEA008	
YDQE	20	YDQE09	Says weight could cause health problems	YEA009	PEA009	
YDQE	21	YDQE10	Often felt bad about self, felt fat	YEA010	PEA010	
YDQE	22	YDQE10A	Losing weight most important	YEA010A	PEA010A	
YDQE	23	YDQE10B	Lose weight important thinnest past year	YEA010B	PEA010B	
YDQE	24	YDQE10C	Lose weight important thinnest past mo.	YEA010C	PEA010C	
YDQE	25	YDQE11	Food obsessions for periods in past year	YEA011	PEA011	
YDQE	26	YDQE11A	Food obsess, problem think of other	YEA011A	PEA011A	

YDQE	27	YDQE11B	Food obsess,problem think of other month	YEA011B	PEA011B	
YDQE	28	YDQE12	Eating binge in the last year	YEA012	PEA012	
YDQE	29	YDQE12A	During binge, eat more than most	YEA012A	PEA012A	
YDQE	30	YDQE12B	During binge, eat more in short time	YEA012B	PEA012B	
YDQE	31	YDQE12C	Unable to stop from eat too much	YEA012C	PEA012C	
YDQE	32	YDQE12D	Eating binge 2/week last year	YEA012D	PEA012D	
YDQE	33	YDQE12E	Eating binge 2/week last year for 3 mos.	YEA012E	PEA012E	
YDQE	34	YDQE12F	Eating binge 2/week last month	YEA012F	PEA012F	
YDQE	35	YDQE13	Often refused fattening foods past year	YEA013	PEA013	
YDQE	36	YDQE13A	Refuse fattening food most days 3 months	YEA013A	PEA013A	
YDQE	37	YDQE13B	Refuse fattening food thinnest past year	YEA013B	PEA013B	
YDQE	38	YDQE13C	Refuse fattening food most days past mo.	YEA013C	PEA013C	
YDQE	39	YDQE14	Thrown up on purpose in past year	YEA014	PEA014	
YDQE	40	YDQE14A	Thrown up past year to control weight	YEA014A	PEA014A	
YDQE	41	YDQE14B	Thrown up on purpose past year 2/week	YEA014B	PEA014B	
YDQE	42	YDQE14C	Thrown up on purpose 2/week 3 months	YEA014C	PEA014C	
YDQE	43	YDQE14D	Thrown up on purpose when thinnest	YEA014D	PEA014D	
YDQE	44	YDQE14E	Throw up on purpose, last 4 weeks	YEA014E	PEA014E	
YDQE	45	YDQE15	Taken antiweight pills in past year	YEA015	PEA015	
YDQE	46	YDQE15B	Took antiweight pills 2/week	YEA015B	PEA015B	
YDQE	47	YDQE15C	Took antiweight pills 2/week 3 months	YEA015C	PEA015C	
YDQE	48	YDQE15D	Took antiweight pills when thinnest	YEA015D	PEA015D	
YDQE	49	YDQE15E	Took antiweight pills last month	YEA015E	PEA015E	
YDQE	50	YDQE16	Took laxative measures much past year	YEA016	PEA016	
YDQE	51	YDQE16B	Took laxative measures to control weight	YEA016B	PEA016B	
YDQE	52	YDQE16C	Laxatives to control weight for 3 months	YEA016C	PEA016C	
YDQE	53	YDQE16D	Laxatives to control weight at thinnest	YEA016D	PEA016D	
YDQE	54	YDQE16E	Laxatives control weight thinnest month	YEA016E	PEA016E	
YDQE	55	YDQE16F	Laxative frequency past month	YEA016F	PEA016F	
YDQE	56	YDQE16G	Laxative 2/week. last month	YEA016G	PEA016G	
YDQE	57	YDQE17	Time in past year fasted for 24 hours	YEA017	PEA017	
YDQE	58	YDQE17A	Was fasting for weight control	YEA017A	PEA017A	
YDQE	59	YDQE17B	Eat no food 2 days/week	YEA017B	PEA017B	
YDQE	60	YDQE17C	Eat no food 2 days/week 3 months	YEA017C	PEA017C	
YDQE	61	YDQE17D	Eat no food 2 days/week thinnest	YEA017D	PEA017D	

YDQE	62	YDQE17E	Eat no food full day past month	YEA017E	PEA017E	
YDQE	63	YDQE18	Exercise much past year control weight	YEA018	PEA018	
YDQE	64	YDQE18A	Exercise interfere other things	YEA018A	PEA018A	
YDQE	65	YDQE18B	Exercise interfere other 2 days/week	YEA018B	PEA018B	
YDQE	66	YDQE18C	Exercise interfere 2 days/week 3 months	YEA018C	PEA018C	
YDQE	67	YDQE18D	Exercise interfere when thinnest	YEA018D	PEA018D	
YDQE	68	YDQE18E	Exercise interfere last month	YEA018E	PEA018E	
YDQE	69	YDAEN05	Were any deltas coded in q 14-18?	YEAN05	PEAN05	
YDQE	70	YDQE19	Antiweight measures, 3 months past year	YEA019	PEA019	
YDQE	71	YDQE20	Has started to menstruate	YEA020	PEA020	
YDQE	72	YDQE20A	Menstrual periods regular	YEA020A	PEA020A	
YDQE	73	YDQE20B	Menstrual periods regular over year	YEA020B	PEA020B	
YDQE	74	YDQE20C	Miss 3 menstrual periods in row year	YEA020C	PEA020C	
YDQE	75	YDQE20D	Miss 3 menstrual periods thinnest	YEA020D	PEA020D	
YDQE	76	YDQE20E	Menstrual period last 3 months	YEA020E	PEA020E	
YDQE	77	YDQE20F	Take birth control pill	YEA020F	PEA020F	
YDQE	78	YDQE20G	Birth cntl pill almost every month year	YEA020G	PEA020G	
YDQE	79	YDQE20H	Not on pill menstruate	YEA020H	PEA020H	
YDQE	80	YDQE20I	When not menstruate very thin	YEA020I	PEA020I	
YDQE	81	YDQE21Y	Age people began worry he/she too thin	YEA021Y	PEA021Y	
YDQE	82	YDQE21Z	Grade people began worry he/she too thin	YEA021Z	PEA021Z	
YDQE	83	YDQE21A	More than year ago to thin	YEA021A	PEA021A	
YDQE	84	YDQE21B	Ever time were not thin, stopped	YEA021B	PEA021B	
YDQE	85	YDQE21C	Time stopped more than 2 months to thin	YEA021C	PEA021C	
YDQE	86	YDQE21DY	Age too thin last year	YEA021DY	PEA021DY	
YDQE	87	YDQE21DZ	Grade too thin last year	YEA021DZ	PEA021DZ	
YDQE	88	YDQE21E	Resume too thin over year ago	YEA021E	PEA021E	
YDQE	89	YDQE22Y	Age began actively trying to lose weight	YEA022Y	PEA022Y	
YDQE	90	YDQE22Z	Grade began actively try to lose weight	YEA022Z	PEA022Z	
YDQE	91	YDQE22A	More than year ago symptoms	YEA022A	PEA022A	
YDQE	92	YDQE22B	Ever time stopped	YEA022B	PEA022B	
YDQE	93	YDQE22C	Time stopped more than 2 months symptoms	YEA022C	PEA022C	
YDQE	94	YDQE22DY	Age started doing things again	YEA022DY	PEA022DY	
YDQE	95	YDQE22DZ	Grade started doing things again	YEA022DZ	PEA022DZ	
YDQE	96	YDQE22E	Resume over year ago	YEA022E	PEA022E	
YDQE	97	YDQE23	Caretaker upset by weight control effort	YEA023	PEA023	

YDQE	98	YDQE23A	How often caretaker upset	YEA023A	PEA023A	
YDQE	99	YDQE24	Weight control prevented family things	YEA024	PEA024	
YDQE	100	YDQE24A	How often family things prevented	YEA024A	PEA024A	
YDQE	101	YDQE25	Weight control prevented peer things	YEA025	PEA025	
YDQE	102	YDQE25A	How often peer things prevented	YEA025A	PEA025A	
YDQE	103	YDQE26	Weight control cause schoolwork problems	YEA026	PEA026	
YDQE	104	YDQE26A	How bad school problems	YEA026A	PEA026A	
YDQE	105	YDQE27	Weight control cause teachers/boss upset	YEA027	PEA027	
YDQE	106	YDQE27A	How often teachers/boss upset	YEA027A	PEA027A	
YDQE	107	YDQE28	Felt bad weight control problems worst	YEA028	PEA028	
YDQE	108	YDQE28A	How bad make you feel	YEA028A	PEA028A	
YDQE	109	YDQE29	Got help last year from professional	YEA029	PEA029	
YDQE	110	YDQE29A	Appointment with professional	YEA029A	PEA029A	
YDQE	111	YDQE31	Since 5 ever more worry weight than now	YEA031	PEA031	
YDQE	112	YDQE31AY	Age more worried about weight	YEA031AY	PEA031AY	
YDQE	113	YDQE31AZ	Grade more worried about weight	YEA031AZ	PEA031AZ	
YDQE	114	YDDEWKG1	Calculated current weight - kilograms	YWKG1	PWKG1	
YDQE	115	YDDEWKG	Calc. lowest weight in last year. - kg	YWKG	PWKG	
YDQE	116	YDDEHCM	Calculated height - centimeters	YHCM	PHCM	
YDQE	117	YDDEBMI	Body mass index, lowest in last year	BMI_Y	BMI_P	BMI_C
YDQE	118	YDDEBMIM	Body mass index, current month	BMIM_Y	BMIM_P	
YDQE	119	YDDEUW	Underweight flag, last year	YUNDERW	PUNDERW	BUNDERW
YDQE	120	YDDEUWM	Underweight flag, last month	YUNDERWM	PUNDERWM	BUNDERWM
YDQE	121	YDDEAXAY	Refusal to maintain body weight Y	YAXAY	PAXAY	BAXAY
YDQE	122	YDDEAXAM	Refusal to maintain body weight M	YAXAM	PAXAM	BAXAM
YDQE	123	YDDEAXBY	Intense fear of becoming fat Y	YAXBY	PAXBY	BAXBY
YDQE	124	YDDEAXBM	Intense fear of becoming fat M	YAXBM	PAXBM	BAXBM
YDQE	125	YDDEAXCY	Disturb experience,self-evaluate,deny Y	YAXCY	PAXCY	BAXCY
YDQE	126	YDDEAXCM	Disturb experience,self-evaluate,deny M	YAXCM	PAXCM	BAXCM
YDQE	127	YDDEAXDY	Amenorrhea Y	YAXDY	PAXDY	BAXDY
YDQE	128	YDDEAXDM	Amenorrhea M	YAXDM	PAXDM	BAXDM
YDQE	129	YDDEAXY	Past year: anorexia nervosa diagnosis	YAXY	PAXY	BAXY
YDQE	130	YDDEAXM	Past month: anorexia nervosa diagnosis	YAXM	PAXM	BAXM
YDQE	131	YDDEBUAY	Recurrent episodes of binge eating Y	YBUAY	PBUAY	BBUAY
YDQE	132	YDDEBUAM	Recurrent episodes of binge eating M	YBUAM	PBUAM	BBUAM

YDQE	133	YDDEBUBY	Compensatory behavior Y	YBUBY	PBUBY	BBUBY
YDQE	134	YDDEBUBM	Compensatory behavior M	YBUBM	PBUBM	BBUBM
YDQE	135	YDDEBUCY	Binge eat compensation 2/week,3 months Y	YBUCY	PBUCY	BBUCY
YDQE	136	YDDEBUCM	Binge eat compensation 2/week,3 months M	YBUCM	PBUCM	BBUCM
YDQE	137	YDDEBUDY	Self-evaluation influenced by weight Y	YBUDY	PBUDY	BBUDY
YDQE	138	YDDEBUDM	Self-evaluation influenced by weight M	YBUDM	PBUDM	BBUDM
YDQE	139	YDDEBUEY	Anorexia not positive Y	YBUEY	PBUEY	BBUEY
YDQE	140	YDDEBUEM	Anorexia not positive M	YBUEM	PBUEM	BBUEM
YDQE	141	YDDEBUY	Past year: diagnosis for bulimia	YBUY	PBUY	BBUY
YDQE	142	YDDEBUM	Past month: diagnosis for bulimia	YBUM	PBUM	BBUM
YDQE	143	YDDEY	Past year: diagnosis for either	YEAY	PEAY	BEAY
YDQE	144	YDDEM	Past month: diagnosis for either	YEAM	PEAM	BEAM
YDQE	145	YDDEIMA1	Intermediate rating -- caretakers became	YEAIMA1	PEAIMA1	
YDQE	146	YDDEIMA2	Intermediate rating -- family	YEAIMA2	PEAIMA2	
YDQE	147	YDDEIMA3	Intermediate rating -- peers	YEAIMA3	PEAIMA3	
YDQE	148	YDDEIMA4	Intermediate rating -- schoolwork	YEAIMA4	PEAIMA4	
YDQE	149	YDDEIMA5	Intermediate rating -- teacher/boss	YEAIMA5	PEAIMA5	
YDQE	150	YDDEIMA6	Intermediate rating -- felt bad/upset	YEAIMA6	PEAIMA6	
YDQE	151	YDDEIMA	Impairment A -- at least one intermed.	YEAIMA	PEAIMA	
YDQE	152	YDDEYIMA	Impairment A -- last year -- 1 inter.	YEAYIMA	PEAYIMA	
YDQE	153	YDDEMIMA	Impairment A -- last month -- 1 inter.	YEAMIMA	PEAMIMA	
YDQE	154	YDDEIMB	Impairment B -- at least two intermed.	YEAIMB	PEAIMB	
YDQE	155	YDDEYIMB	Impairment B -- last year -- 2 inter.	YEAYIMB	PEAYIMB	
YDQE	156	YDDEMIMB	Impairment B -- last month -- 2 inter.	YEAMIMB	PEAMIMB	
YDQE	157	YDDEIMC1	Severe rating -- caretakers annoyed	YEAIMC1	PEAIMC1	
YDQE	158	YDDEIMC2	Severe rating -- family	YEAIMC2	PEAIMC2	
YDQE	159	YDDEIMC3	Severe rating -- peers	YEAIMC3	PEAIMC3	
YDQE	160	YDDEIMC4	Severe rating -- schoolwork	YEAIMC4	PEAIMC4	
YDQE	161	YDDEIMC5	Severe rating -- teacher/boss	YEAIMC5	PEAIMC5	
YDQE	162	YDDEIMC6	Severe rating -- felt bad/upset	YEAIMC6	PEAIMC6	
YDQE	163	YDDEIMC	Impairment C -- at least one Severe	YEAIMC	PEAIMC	
YDQE	164	YDDEYIMC	Impairment C -- last year -- 1 severe	YEAYIMC	PEAYIMC	
YDQE	165	YDDEMIMC	Impairment C -- last month -- 1 severe	YEAMIMC	PEAMIMC	
YDQE	166	YDDEYIMD	Impairment D -- last year -- B or C	YEAYIMD	PEAYIMD	
YDQE	167	YDDEMIMD	Impairment D -- last month -- B or C	YEAMIMD	PEAMIMD	

YDQE	168	YDDEACRY	Anorexia Nervosa Count, Past Year	YAXCRITY	PAXCRITY	BAXCRITY
YDQE	169	YDDCDAP	Criterion D is Applicable	YAXCDAP	PAXCDAP	BAXCDAP
YDQE	170	YDDEBCRY	Bulimia Nervosa Count, Past Year	YBUCRITY	PBUCRITY	BBUCRITY
YDQE	171	YDDEACRM	Anorexia Nervosa Count, Past Month	YAXCRITM	PAXCRITM	BAXCRITM
YDQE	172	YDDEBCRM	Bulimia Nervosa Count, Past Month	YBUCRITM	PBUCRITM	BBUCRITM
YDQE	173	YDDESYMP	Eating Disorders Symptom Count	YEASYMP	PEASYMP	
YDQG	1	YDQG01	School worries	YGA001		
YDQG	2	YDQG01A	Unnecessary school worries	YGA001A		
YDQG	3	YDQG01B	Continuing school worries	YGA001B		
YDQG	4	YDQG01C	Ask others about school worries	YGA001C		
YDQG	5	YDQG01D	School worries in last 4 weeks	YGA001D		
YDQG	6	YDQG02	Sports/activity worries	YGA002		
YDQG	7	YDQG02A	Unnecessary sports worries	YGA002A		
YDQG	8	YDQG02B	Continuing sports worries	YGA002B		
YDQG	9	YDQG02C	Ask others about sports worries	YGA002C		
YDQG	10	YDQG02D	Sports worries in last 4 weeks	YGA002D		
YDQG	11	YDQG03	Project/activity small mistake worries	YGA003		
YDQG	12	YDQG03A	Unnecessary project worries	YGA003A		
YDQG	13	YDQG03B	Continuing project worries	YGA003B		
YDQG	14	YDQG03C	Ask others about project worries	YGA003C		
YDQG	15	YDQG03D	Project worries in last 4 weeks	YGA003D		
YDQG	16	YDQG04	Timeliness worries	YGA004		
YDQG	17	YDQG04A	Unnecessary timeliness worries	YGA004A		
YDQG	18	YDQG04B	Continuing timeliness worries	YGA004B		
YDQG	19	YDQG04C	Ask others about timeliness worries	YGA004C		
YDQG	20	YDQG04D	Timeliness worries in last 4 weeks	YGA004D		
YDQG	21	YDQG05	Illness worries	YGA005		
YDQG	22	YDQG05A	Unnecessary illness worries	YGA005A		
YDQG	23	YDQG05B	Continuing illness worries	YGA005B		
YDQG	24	YDQG05C	Ask others about illness worries	YGA005C		
YDQG	25	YDQG05D	Illness worries in last 4 weeks	YGA005D		
YDQG	26	YDQG06	Worried 4 days/week	YGA006		
YDQG	27	YDQG06A	Worried 4 days/week for 6 months	YGA006A		
YDQG	28	YDQG07	Muscle tension	YGA007		
YDQG	29	YDQG07A	Muscle tension for 6 months	YGA007A		
YDQG	30	YDQG07B	Muscle tension last 4 weeks	YGA007B		
YDQG	31	YDQG08	Restless/keyed up	YGA008		

YDQG	32	YDQG08A	Restless/keyed up for 6 months	YGA008A		
YDQG	33	YDQG08B	Restless/keyed up last 4 weeks	YGA008B		
YDQG	34	YDQG09	Tired easily	YGA009		
YDQG	35	YDQG09A	Tired easily for 6 months	YGA009A		
YDQG	36	YDQG09B	Tired easily last 4 weeks	YGA009B		
YDQG	37	YDQG10	Focus trouble	YGA010		
YDQG	38	YDQG10A	Focus trouble for 6 months	YGA010A		
YDQG	39	YDQG10B	Focus trouble last 4 weeks	YGA010B		
YDQG	40	YDQG11	Blank mind	YGA011		
YDQG	41	YDQG11A	Blank mind for 6 months	YGA011A		
YDQG	42	YDQG11B	Blank mind last 4 weeks	YGA011B		
YDQG	43	YDAGN01	Was a yes response coded in Q 10 or 11 ?	YGAN01		
YDQG	44	YDQG12	Sleep problems	YGA012		
YDQG	45	YDQG12A	Sleep problems for 6 months	YGA012A		
YDQG	46	YDQG12B	Sleep problems last 4 weeks	YGA012B		
YDQG	47	YDQG13	Irritability problems	YGA013		
YDQG	48	YDQG13A	Irritability problems for 6 months	YGA013A		
YDQG	49	YDQG13B	Irritability problems last 4 weeks	YGA013B		
YDQG	50	YDQG14Y	Age when major worries began	YGA014Y		
YDQG	51	YDQG14Z	Grade when major worries began	YGA014Z		
YDQG	52	YDQG14A	Worries began over year ago	YGA014A		
YDQG	53	YDQG14B	Worries ceased	YGA014B		
YDQG	54	YDQG14C	Worries ceased longer than 2 months	YGA014C		
YDQG	55	YDQG14DY	Age when worries restarted	YGA014DY		
YDQG	56	YDQG14DZ	Grade when worries restarted	YGA014DZ		
YDQG	57	YDQG14E	Restarted worrying over a year ago	YGA014E		
YDQG	58	YDQG15	Caretakers upset	YGA015		
YDQG	59	YDQG15A	Caretakers upset frequency	YGA015A		
YDQG	60	YDQG16	Family activities prevented	YGA016		
YDQG	61	YDQG16A	Family activities prevented frequency	YGA016A		
YDQG	62	YDQG17	Peer activities prevented	YGA017		
YDQG	63	YDQG17A	Peer activities prevented frequency	YGA017A		
YDQG	64	YDQG18	School/work problems	YGA018		
YDQG	65	YDQG18A	School/work problems intensity	YGA018A		
YDQG	66	YDQG19	School/work superiors upset	YGA019		
YDQG	67	YDQG19A	School/work superiors upset frequency	YGA019A		

YDQG	68	YDQG20	Upset about worrying	YGA020		
YDQG	69	YDQG20A	Upset about worrying intensity	YGA020A		
YDQG	70	YDQG21	In last year seen professional	YGA021		
YDQG	71	YDQG21A	Appointment with professional	YGA021A		
YDQG	72	YDQG23	Difficulty relaxing	YGA023		
YDQG	73	YDQG23A	Difficulty relaxing past year	YGA023A		
YDQG	74	YDQG23B	Difficulty relaxing for 6 months	YGA023B		
YDQG	75	YDQG23C	Difficulty relaxing last 4 weeks	YGA023C		
YDQG	76	YDQG24	Worried about mistakes	YGA024		
YDQG	77	YDQG24A	Worried about mistakes for 6 months	YGA024A		
YDQG	78	YDQG24B	Worried about mistakes last 4 weeks	YGA024B		
YDQG	79	YDQG25	Appeared a fool	YGA025		
YDQG	80	YDQG25A	Appeared a fool for 6 months	YGA025A		
YDQG	81	YDQG25B	Appeared a fool last 4 weeks	YGA025B		
YDQG	82	YDQG26	Wanted to be liked	YGA026		
YDQG	83	YDQG26A	Wanted to be liked for 6 months	YGA026A		
YDQG	84	YDQG26B	Wanted to be liked last 4 weeks	YGA026B		
YDQG	85	YDQG27	Many headaches	YGA027		
YDQG	86	YDQG27A	Headaches while ill	YGA027A		
YDQG	87	YDQG27B	Headaches while not ill	YGA027B		
YDQG	88	YDQG27C	Headaches for 6 months	YGA027C		
YDQG	89	YDQG27D	Headaches last 4 weeks	YGA027D		
YDQG	90	YDQG28	Many stomachaches	YGA028		
YDQG	91	YDQG28A	Stomachaches while ill	YGA028A		
YDQG	92	YDQG28B	Stomachaches while not ill	YGA028B		
YDQG	93	YDQG28C	Stomachaches for 6 months	YGA028C		
YDQG	94	YDQG28D	Stomachaches for last 4 weeks	YGA028D		
YDQG	95	YDQG29	Many other aches	YGA029		
YDQG	96	YDQG29A	Other aches while ill	YGA029A		
YDQG	97	YDQG29B	Other aches while not ill	YGA029B		
YDQG	98	YDQG29C	Other aches for 6 months	YGA029C		
YDQG	99	YDQG29D	Other aches last 4 weeks	YGA029D		
YDQG	100	YDQG30	Since age of 5 worrying worse than now	YGA030		
YDQG	101	YDQG30AY	Since age 5 worry worse than now - age	YGA030AY		
YDQG	102	YDQG30AZ	Since age 5 worry worse than now - grade	YGA030AZ		
YDQG	103	YDDGAY	Anxiety, multiple causes, year	YGAAY		
YDQG	104	YDDGAM	Anxiety, multiple causes, month	YGAAM		

YDQG	105	YDDGBY	Control difficult, year	YGABY		
YDQG	106	YDDGBM	Control difficult, month	YGABM		
YDQG	107	YDDGCV	Somatic symptoms, year	YGACV		
YDQG	108	YDDGC1Y	Restlessness, year	YGAC1Y		
YDQG	109	YDDGC2Y	Easily fatigued, year	YGAC2Y		
YDQG	110	YDDGC3Y	Concentration difficulty, year	YGAC3Y		
YDQG	111	YDDGC4Y	Irritability, year	YGAC4Y		
YDQG	112	YDDGC5Y	Muscle tension, year	YGAC5Y		
YDQG	113	YDDGC6Y	Sleep problems, year	YGAC6Y		
YDQG	114	YDDGCM	Somatic symptoms, month	YGACM		
YDQG	115	YDDGC1M	Restlessness, month	YGAC1M		
YDQG	116	YDDGC2M	Easily fatigued, month	YGAC2M		
YDQG	117	YDDGC3M	Concentration difficulty, month	YGAC3M		
YDQG	118	YDDGC4M	Irritability, month	YGAC4M		
YDQG	119	YDDGC5M	Muscle tension, month	YGAC5M		
YDQG	120	YDDGC6M	Sleep problems, month	YGAC6M		
YDQG	121	YDDGY	Generalized anxiety disorder, year	YGAY		
YDQG	122	YDDGM	Generalized anxiety disorder, month	YGAM		
YDQG	123	YDDGIMA	Impairment A -- at least one intermed	YGAIMA		
YDQG	124	YDDGIMA1	Intermediate rating -- caretakers	YGAIMA1		
YDQG	125	YDDGIMA2	Intermediate rating -- family	YGAIMA2		
YDQG	126	YDDGIMA3	Intermediate rating -- peers	YGAIMA3		
YDQG	127	YDDGIMA4	Intermediate rating -- schoolwork	YGAIMA4		
YDQG	128	YDDGIMA5	Impairment Level A-19	YGAIMA5		
YDQG	129	YDDGIMA6	Intermediate rating --Felt bad/upset	YGAIMA6		
YDQG	130	YDDGIMB	Impairment B -- at least two intermed.	YGAIMB		
YDQG	131	YDDGIMC	Impairment C -- at least one severe	YGAIMC		
YDQG	132	YDDGIMC1	Severe rating -- caretakers became annoy	YGAIMC1		
YDQG	133	YDDGIMC2	Severe rating -- family	YGAIMC2		
YDQG	134	YDDGIMC3	Severe rating -- peers	YGAIMC3		
YDQG	135	YDDGIMC4	Severe rating -- schoolwork	YGAIMC4		
YDQG	136	YDDGIMC5	Severe rating -- teacher/boss	YGAIMC5		
YDQG	137	YDDGIMC6	Severe rating -- felt bad/upset	YGAIMC6		
YDQG	138	YDDGYIMA	Impairment A -- last year -- 1 inter.	YGAYIMA		
YDQG	139	YDDGYIMB	Impairment B -- last year -- 2 inter.	YGAYIMB		
YDQG	140	YDDGYIMC	Impairment C -- last year -- 1 severe	YGAYIMC		
YDQG	141	YDDGYIMD	Impairment D -- last year -- B or C	YGAYIMD		

YDQG	142	YDDGMIMA	Impairment A -- last month -- 1 inter.	YGAMIMA		
YDQG	143	YDDGMIMB	Impairment B -- last month -- 2 inter.	YGAMIMB		
YDQG	144	YDDGMIMC	Impairment C -- last month -- 1 severe	YGAMIMC		
YDQG	145	YDDGMIMD	Impairment D -- last month -- B or C	YGAMIMD		
YDQG	146	YDDGCRIY	Gen Anx Criteria Count, Last Year	YGACRITY		
YDQG	147	YDDGCRIM	Gen Anx Criteria Count, Last Month	YGACRITM		
YDQG	148	YDDGSYMP	Generalized Anxiety Symptom Count	YGASYMP		
YDQL	1	YDQL01	Ever wet the bed since age of 5		PEL001	
YDQL	2	YDQL01A	Ever wet the bed past year		PEL001A	
YDQL	3	YDQL01B	Ever wet the bed past year 3, more times		PEL001B	
YDQL	4	YDQL01C	Ever wet bed past year 3 months row		PEL001C	
YDQL	5	YDQL01D	Ever wet bed 2/week for many weeks row		PEL001D	
YDQL	6	YDQL01E	Ever wet bed 2/week for 3 months		PEL001E	
YDQL	7	YDQL01F	Ever wet bed 2/week for last month		PEL001F	
YDQL	8	YDQL01G	Ever wet bed 2, more times last month		PEL001G	
YDQL	9	YDQL01H	Ever wet bed last month at all		PEL001H	
YDQL	10	YDQL01I	Ever wet bed 2/month for 3 months row		PEL001I	
YDQL	11	YDQL01J	Ever wet bed 2/month for last month		PEL001J	
YDQL	12	YDQL01K	Ever wet bed last month		PEL001K	
YDQL	13	YDQL01L	Ever wet bed last four weeks		PEL001L	
YDQL	14	YDQL02	Medical problem past year cause wet bed		PEL002	
YDQL	15	YDQL02B	Doctor say medical problem cause wet bed		PEL002B	
YDQL	16	YDQL03	Life ever entire year without wet bed		PEL003	
YDQL	17	YDQL03AY	Age started bed wetting this time		PEL003AY	
YDQL	18	YDQL03AZ	Grade started bed wetting this time		PEL003AZ	
YDQL	19	YDQL03B	Resume bed wetting over year ago		PEL003B	
YDQL	20	YDQL04	Caretakers annoyed bed wetting at worst		PEL004	
YDQL	21	YDQL04A	How often caretaker annoy at bed wetting		PEL004A	
YDQL	22	YDQL05	Bed wetting prevented family things		PEL005	
YDQL	23	YDQL05A	How often bed wetting stop family thing		PEL005A	
YDQL	24	YDQL06	Bed wetting prevented peer things		PEL006	
YDQL	25	YDQL06A	How often bed wetting stop peer thing		PEL006A	
YDQL	26	YDQL07	Bed wetting cause school problems		PEL007	
YDQL	27	YDQL07A	How bad bed wetting school problem		PEL007A	
YDQL	28	YDQL08	Bed wetting cause teachers/Boss annoy		PEL008	
YDQL	29	YDQL08A	How often bed wet cause superior annoy		PEL008A	

YDQL	30	YDQL09	Felt bad about bed wetting when worst		PEL009	
YDQL	31	YDQL09A	How bad bed wetting make you feel		PEL009A	
YDQL	32	YDQL10	Sought help hospital/other bed wetting		PEL010	
YDQL	33	YDQL10A	Appointment hospital/other bed wetting		PEL010A	
YDQL	34	YDQL12	Taken bedwetting medication past year		PEL012	
YDQL	35	YDQL13	Since 5 time bed wetting twice/week,more		PEL013	
YDQL	36	YDQL13A	Bed wetting 2/week for 3 months in row		PEL013A	
YDQL	37	YDQL13B	Bed wetting cause serious problems		PEL013B	
YDQL	38	YDQL13C	Bed wetting make you unhappy		PEL013C	
YDQL	39	YDQL13D	See doctor/other about bed wetting		PEL013D	
YDQL	40	YDQL13EY	Age stopped wetting bed		PEL013EY	
YDQL	41	YDQL13EZ	Grade stopped wetting bed		PEL013EZ	
YDQL	42	YDQL13F	Before then whole year no bed wetting		PEL013F	
YDQL	43	YDQL13GY	Age resumed wetting bed		PEL013GY	
YDQL	44	YDQL13GZ	Grade resumed wetting bed		PEL013GZ	
YDQL	45	YDQL14	Ever wet pants during day since age 5		PEL014	
YDQL	46	YDQL14A	Ever wet pants past year		PEL014A	
YDQL	47	YDQL14B	Ever wet pants past year 3, more times		PEL014B	
YDQL	48	YDQL14C	Ever wet pants past year 3 months row		PEL014C	
YDQL	49	YDQL14D	Ever wet pants 2/week for many weeks row		PEL014D	
YDQL	50	YDQL14E	Ever wet pants 2/week for 3 months		PEL014E	
YDQL	51	YDQL14F	Ever wet pants 2/week for last month		PEL014F	
YDQL	52	YDQL14G	Ever wet pants 2, more times last month		PEL014G	
YDQL	53	YDQL14H	Ever wet pants last month at all		PEL014H	
YDQL	54	YDQL14I	Ever wet pants 2/month for 3 months row		PEL014I	
YDQL	55	YDQL14J	Ever wet pants 2/month for last month		PEL014J	
YDQL	56	YDQL14K	Ever wet pants last month		PEL014K	
YDQL	57	YDQL14L	Ever wet pants last four weeks		PEL014L	
YDQL	58	YDQL15	Health problem make pants wet past year		PEL015	
YDQL	59	YDQL15B	Doctor say health problem make wet pants		PEL015B	
YDQL	60	YDQL16	Gone whole year without wet pants, life		PEL016	
YDQL	61	YDQL16AY	Age resumed wetting pants		PEL016AY	
YDQL	62	YDQL16AZ	Grade resumed wetting pants		PEL016AZ	
YDQL	63	YDQL16B	Resumed wetting pants over year ago		PEL016B	

YDQL	64	YDQL17	When wet pants worst, caretakers upset		PEL017	
YDQL	65	YDQL17A	How often caretaker annoy at pants wet		PEL017A	
YDQL	66	YDQL18	Wet pants prevented doing family things		PEL018	
YDQL	67	YDQL18A	How often pants wet stop family thing		PEL018A	
YDQL	68	YDQL19	Wet pants prevented doing peer things		PEL019	
YDQL	69	YDQL19A	How often pants wet stop peer thing		PEL019A	
YDQL	70	YDQL20	Wetting pants made school/work difficult		PEL020	
YDQL	71	YDQL20A	How bad pants wetting school problem		PEL020A	
YDQL	72	YDQL21	Pants wetting cause teacher/boss annoy		PEL021	
YDQL	73	YDQL21A	How often pants wet cause superior annoy		PEL021A	
YDQL	74	YDQL22	Felt very bad/upset about wetting pants		PEL022	
YDQL	75	YDQL22A	How bad pants wetting make you feel		PEL022A	
YDQL	76	YDQL23	Past year get help from a hospital/other		PEL023	
YDQL	77	YDQL23A	Appointment for help from hospital/other		PEL023A	
YDQL	78	YDQL25	Medicated for wetting pants last year		PEL025	
YDQL	79	YDQL26	Ever wet pants twice a week since 5		PEL026	
YDQL	80	YDQL26A	Pants wetting 2/week for 3 months in row		PEL026A	
YDQL	81	YDQL26B	Pants wetting cause serious problems		PEL026B	
YDQL	82	YDQL26C	Pants wetting make you unhappy		PEL026C	
YDQL	83	YDQL26D	See doctor/other about pants wetting		PEL026D	
YDQL	84	YDQL26EY	Age stopped wetting pants		PEL026EY	
YDQL	85	YDQL26EZ	Grade stopped wetting pants		PEL026EZ	
YDQL	86	YDQL26F	Before then whole year no pants wetting		PEL026F	
YDQL	87	YDQL26GY	Age resumed wetting pants again		PEL026GY	
YDQL	88	YDQL26GZ	Grade resumed wetting pants again		PEL026GZ	
YDQL	89	YDQL27	Had bowel movement not in toilet since 4		PEL027	
YDQL	90	YDQL27A	Soiled self past year		PEL027A	
YDQL	91	YDQL27B	Soiled self only when ill		PEL027B	
YDQL	92	YDQL27C	Soiled self every month for 6 months		PEL027C	
YDQL	93	YDQL27D	Soiled self every month for 3 months		PEL027D	
YDQL	94	YDQL27E	Soiled self past month		PEL027E	
YDQL	95	YDQL28	Health problem make pants soil past year		PEL028	
YDQL	96	YDQL28B	Doctor say health problem cause		PEL028B	
YDQL	97	YDQL29	Gone an entire year without soiling self		PEL029	
YDQL	98	YDQL29AY	Age resumed soiling self		PEL029AY	
YDQL	99	YDQL29AZ	Grade resumed soiling self		PEL029AZ	

YDQL	100	YDQL29B	Resumed soiling self over year ago		PEL029B	
YDQL	101	YDQL30	When soil pants worst, caretakers upset		PEL030	
YDQL	102	YDQL30A	How often caretaker annoy at soiling		PEL030A	
YDQL	103	YDQL31	Pants soiling prevent family things		PEL031	
YDQL	104	YDQL31A	How often soiling prevent family things		PEL031A	
YDQL	105	YDQL32	Pants soiling prevent peer things		PEL032	
YDQL	106	YDQL32A	How often soiling prevent peer things		PEL032A	
YDQL	107	YDQL33	Pants soiling cause school/work problems		PEL033	
YDQL	108	YDQL33A	How bad pants soil school problem		PEL033A	
YDQL	109	YDQL34	Soiling self cause teacher/boss upset		PEL034	
YDQL	110	YDQL34A	How often soiling cause superior annoy		PEL034A	
YDQL	111	YDQL35	Felt very bad/upset about soiling self		PEL035	
YDQL	112	YDQL35A	How bad pants soiling make you feel		PEL035A	
YDQL	113	YDQL36	Seen hospital/other for help last year		PEL036	
YDQL	114	YDQL36A	Doctor say problem constipation caused		PEL036A	
YDQL	115	YDQL36B	Appointment set up for soiling problem		PEL036B	
YDQL	116	YDQL38	Medication for soiling pants last year		PEL038	
YDQL	117	YDQL39	Time since 4 soiled self once/month,more		PEL039	
YDQL	118	YDQL39A	Pants soil 1/month for 3 months in row		PEL039A	
YDQL	119	YDQL39B	Pants soiling cause serious problems		PEL039B	
YDQL	120	YDQL39C	Pants soiling make you unhappy		PEL039C	
YDQL	121	YDQL39D	See doctor/other about pants soiling		PEL039D	
YDQL	122	YDQL39EY	Age stopped soiling pants		PEL039EY	
YDQL	123	YDQL39EZ	Grade stopped soiling pants		PEL039EZ	
YDQL	124	YDQL39F	Before then whole year no pants soiling		PEL039F	
YDQL	125	YDQL39GY	Age resumed soiling pants		PEL039GY	
YDQL	126	YDQL39GZ	Grade resumed soiling pants		PEL039GZ	
YDQL	127	YDDLNAY	Repeated voiding N Y		PENNAY	
YDQL	128	YDDLDAY	Repeated voiding D Y		PENDAY	
YDQL	129	YDDLNAM	Repeated voiding N M		PENNAM	
YDQL	130	YDDLDM	Repeated voiding D M		PENDAM	
YDQL	131	YDDLNB	Frequency of twice/week 3 months N Y		PENNB	
YDQL	132	YDDLDB	Frequency of twice/week 3 months D Y		PENDB	
YDQL	133	YDDLNB	Frequency of twice/week 3 months N M		PENNBM	
YDQL	134	YDDLDB	Frequency of twice/week 3 months D M		PENDBM	
YDQL	135	YDDLNCY	Age is at least 5 years N Y		PENNCY	

YDQL	136	YDDLNCM	Age is at least 5 years N M		PENNCM	
YDQL	137	YDDLDCY	Age is at least 5 years D Y		PENDCY	
YDQL	138	YDDLDCM	Age is at least 5 years D M		PENDCM	
YDQL	139	YDDLNDY	Not due to substance, medical cndt N Y		PENNDY	
YDQL	140	YDDLDDY	Not due to substance, medical cndt D Y		PENDDY	
YDQL	141	YDDLNDM	Not due to substance, medical cndt N M		PENNDM	
YDQL	142	YDDLDDM	Not due to substance, medical cndt D M		PENDDM	
YDQL	143	YDDLNY	Past year: nocturnal enuresis diagnosis		PENNY	
YDQL	144	YDDLNM	Past month: nocturnal enuresis diagnosis		PENNM	
YDQL	145	YDDL DY	Past year: diurnal enuresis diagnosis		PENDY	
YDQL	146	YDDLDM	Past month: diurnal enuresis diagnosis		PENDM	
YDQL	147	YDDLCA Y	Repeated passage of feces Y		PECAY	
YDQL	148	YDDLCA M	Repeated passage of feces M		PECAM	
YDQL	149	YDDLCA Y	One a month for 3 months Y		PECBY	
YDQL	150	YDDLCA M	One a month for 3 months M		PECBM	
YDQL	151	YDDLCCY	Age is at least 4 years Y		PECCY	
YDQL	152	YDDLCCM	Age is at least 4 years M		PECCM	
YDQL	153	YDDLCDY	Not due to substance, medical cndt Y		PECDY	
YDQL	154	YDDLCDM	Not due to substance, medical cndt M		PECDM	
YDQL	155	YDDL CY	Past year: diagnosis for encopresis		PECY	
YDQL	156	YDDL CM	Past month: diagnosis for encopresis		PECM	
YDQL	157	YDDLIA1	Intr rating -- caretakers annoyed Nct En		PELIMA1	
YDQL	158	YDDLIA2	Intr rating -- family Nct En		PELIMA2	
YDQL	159	YDDLIA3	Intr rating -- peers Nct En		PELIMA3	
YDQL	160	YDDLIA4	Intr rating -- schoolwork Nct En		PELIMA4	
YDQL	161	YDDLIA5	Intr rating -- teacher/boss Nct En		PELIMA5	
YDQL	162	YDDLIA6	Intr rating -- felt bad/upset Nct En		PELIMA6	
YDQL	163	YDDL NMA	Imp A -- at least 1 int. Nocturnal Enur		PELNIMA	
YDQL	164	YDDL NYIA	Imp A -- at least 1 int. Nocturnal Enr Y		PENNYIMA	
YDQL	165	YDDL NMIA	Imp A -- at least 1 int. Nocturnal Enr M		PENNMIMA	
YDQL	166	YDDL NMB	Imp B -- at least 2 int. Nocturnal Enur		PELNIMB	
YDQL	167	YDDL NYIB	Imp B -- at least 2 int. Nocturnal Enr Y		PENNYIMB	
YDQL	168	YDDL NMIB	Imp B -- at least 2 int. Nocturnal Enr M		PENNMIMB	
YDQL	169	YDDL LIC1	Severe rating - caretakrs annoyed Nct En		PELIMC1	
YDQL	170	YDDL LIC2	Severe rating -- family Nocturnal Enures		PELIMC2	
YDQL	171	YDDL LIC3	Severe rating -- peers Nocturnal Enures		PELIMC3	
YDQL	172	YDDL LIC4	Severe rating -- schoolwork Nocturnal En		PELIMC4	

YDQL	173	YDDLIC5	Severe rating -- teacher/boss Noctur En		PELIMC5	
YDQL	174	YDDLIC6	Severe rating -- felt bad/upset Noctr En		PELIMC6	
YDQL	175	YDDLNMC	Imp C -- 1 severe. Nocturnal Enuresis		PELNIMC	
YDQL	176	YDDLNYIC	Imp C -- 1 severe. Nocturnal Enuresis Y		PENNYIMC	
YDQL	177	YDDLNMIC	Imp C -- 1 severe. Nocturnal Enuresis M		PENNMIMC	
YDQL	178	YDDLNMRR	Alternative diagnosis monthly		PELNMR	
YDQL	179	YDDLNYRR	Alternative diagnosis yearly		PENNYR	
YDQL	180	YDDLIA1	Intr rating -- caretakers annoyed Diu En		PEDIMA1	
YDQL	181	YDDLIA2	Intr rating -- family Diurnal Enuresis		PEDIMA2	
YDQL	182	YDDLIA3	Intr rating -- peers Diurnal Enuresis		PEDIMA3	
YDQL	183	YDDLIA4	Intr rating -- schoolwork Diurnal Enures		PEDIMA4	
YDQL	184	YDDLIA5	Intr rating -- teacher/boss Diurnal Enur		PEDIMA5	
YDQL	185	YDDLIA6	Intr rating -- felt bad/upset Diur En		PEDIMA6	
YDQL	186	YDDLNMA	Imp A -- at least 1 int. Diurnal Enur		PEDNIMA	
YDQL	187	YDDLNYIA	Imp A -- at least 1 int. Diurnal Enur Y		PENDYIMA	
YDQL	188	YDDLDMIA	Imp A -- at least 1 int. Diurnal Enur M		PENDMIMA	
YDQL	189	YDDLIMB	Imp B -- at least 2 int. Diurnal Enur		PEDNIMB	
YDQL	190	YDDLNYIB	Imp B -- at least 2 int. Diurnal Enur Y		PENDYIMB	
YDQL	191	YDDLDMIB	Imp B -- at least 2 int. Diurnal Enur M		PENDMIMB	
YDQL	192	YDDLIC1	Severe rating - caretakrs annoyed Diu En		PEDIMC1	
YDQL	193	YDDLIC2	Severe rating -- family Diurnal Enuresis		PEDIMC2	
YDQL	194	YDDLIC3	Severe rating -- peers Diurnal Enuresis		PEDIMC3	
YDQL	195	YDDLIC4	Severe rating -- schoolwork Diurnal Enur		PEDIMC4	
YDQL	196	YDDLIC5	Severe rating -- teacher/boss Diurnal En		PEDIMC5	
YDQL	197	YDDLIC6	Severe rating -- felt bad/upset Diur Enu		PEDIMC6	
YDQL	198	YDDLNIC	Imp C -- 1 severe. Diurnal Enuresis		PEDNIMC	
YDQL	199	YDDLNYIC	Imp C -- 1 severe. Diurnal Enuresis Y		PENDYIMC	
YDQL	200	YDDLDMIC	Imp C -- 1 severe. Diurnal Enuresis M		PENDMIMC	
YDQL	201	YDDLICIA1	Intr rating -- caretakers annoyed Encopr		PECIMA1	
YDQL	202	YDDLICIA2	Intr rating -- family Encopresis		PECIMA2	
YDQL	203	YDDLICIA3	Intr rating -- peers Encopresis		PECIMA3	
YDQL	204	YDDLICIA4	Intr rating -- schoolwork Encopresis		PECIMA4	
YDQL	205	YDDLICIA5	Intr rating -- teacher/boss Encopresis		PECIMA5	
YDQL	206	YDDLICIA6	Intr rating -- felt bad/upset Encopres		PECIMA6	
YDQL	207	YDDLICNIA	Imp A -- at least 1 int. Encopresis		PECNIMA	
YDQL	208	YDDLNYIMA	Imp A -- at least 1 int. Encopresis Y		PECYIMA	
YDQL	209	YDDLIMIMA	Imp A -- at least 1 int. Encopresis M		PECMIMA	

YDQL	210	YDDL CNIB	Imp B -- at least 2 int. Encopresis		PECNIMB	
YDQL	211	YDDL YIMB	Imp B -- at least 2 int. Encopresis Y		PECYIMB	
YDQL	212	YDDL MIMB	Imp B -- at least 2 int. Encopresis M		PECMIMB	
YDQL	213	YDDL C1C1	Severe rating -- caretakers annoyed Enc		PECIMC1	
YDQL	214	YDDL C1C2	Severe rating -- family Encopresis		PECIMC2	
YDQL	215	YDDL C1C3	Severe rating -- peers Encopresis		PECIMC3	
YDQL	216	YDDL C1C4	Severe rating -- schoolwork Encopresis		PECIMC4	
YDQL	217	YDDL C1C5	Severe rating -- teacher/boss Encopresis		PECIMC5	
YDQL	218	YDDL C1C6	Severe rating -- felt bad/upset Encopres		PECIMC6	
YDQL	219	YDDL CNIC	Imp C -- 1 severe. Encopresis		PECNIMC	
YDQL	220	YDDL YIMC	Imp C -- 1 severe. Encopresis Y		PECYIMC	
YDQL	221	YDDL MIMC	Imp C -- 1 severe. Encopresis M		PECMIMC	
YDQL	222	YDDL YIMD	Impairment D -- last year -- B or C		PECYIMD	
YDQL	223	YDDL MIMD	Impairment D -- last month -- B or C		PECMIMD	
YDQL	224	YDDL NDW	Diurnal enuresis lifetime		PENDW	
YDQL	225	YDDL NNW	Nocturnal enuresis lifetime		PENNW	
YDQL	226	YDDL CW	Encopresis lifetime		PECW	
YDQP	1	YDQP01	Sudden fear	YPA001		
YDQP	2	YDQP01A	Sudden fear more than once	YPA001A		
YDQP	3	YDQP01B	Sudden fear caused by something scary	YPA001B		
YDQP	4	YDQP01C	Sudden fear not cause by something scary	YPA001C		
YDQP	5	YDQP01D	Sudden fear difficulty breathing	YPA001D		
YDQP	6	YDQP01E	Sudden fear dizziness	YPA001E		
YDQP	7	YDQP01F	Sudden fear heart pound	YPA001F		
YDQP	8	YDQP01G	Sudden fear tremble	YPA001G		
YDQP	9	YDQP01H	Sudden fear sweat	YPA001H		
YDQP	10	YDQP01I	Sudden fear choke	YPA001I		
YDQP	11	YDQP01J	Sudden fear mouth dry	YPA001J		
YDQP	12	YDQP01K	Sudden fear intestinal problem	YPA001K		
YDQP	13	YDQP01L	Sudden fear tingling, numbness	YPA001L		
YDQP	14	YDQP01M	Sudden fear temperature	YPA001M		
YDQP	15	YDQP01N	Sudden fear chest pain	YPA001N		
YDQP	16	YDQP01O	Sudden fear going crazy	YPA001O		
YDQP	17	YDQP01P	Sudden fear going to die	YPA001P		
YDQP	18	YDQP01Q	Sudden fear unreal	YPA001Q		
YDQP	19	YDQP01R	Sudden fear world unreal	YPA001R		

YDQP	20	YDQP01S	Sudden fear quick symptoms	YPA001S		
YDQP	21	YDQP01T	Sudden fear soft drink,coffee,medication	YPA001T		
YDQP	22	YDQP01U	Sudden fear no soft drink,coffee,meds	YPA001U		
YDQP	23	YDQP01V	Sudden fear alcohol, drugs	YPA001V		
YDQP	24	YDQP01W	Sudden fear no alcohol, drugs	YPA001W		
YDQP	25	YDQP01X	Sudden fear last 4 weeks	YPA001X		
YDQP	26	YDQP02	Breathing problems	YPA002		
YDQP	27	YDQP02A	Breathing problems more than once	YPA002A		
YDQP	28	YDQP02B	Breathing problems caused by something	YPA002B		
YDQP	29	YDQP02C	Breathe problem not caused by something	YPA002C		
YDQP	30	YDQP02D	Breathing problems difficulty breathing	YPA002D		
YDQP	31	YDQP02E	Breathing problems dizziness	YPA002E		
YDQP	32	YDQP02F	Breathing problems heart pound	YPA002F		
YDQP	33	YDQP02G	Breathing problems tremble	YPA002G		
YDQP	34	YDQP02H	Breathing problems sweat	YPA002H		
YDQP	35	YDQP02I	Breathing problems choke	YPA002I		
YDQP	36	YDQP02J	Breathing problems mouth dry	YPA002J		
YDQP	37	YDQP02K	Breathing problems intestinal problem	YPA002K		
YDQP	38	YDQP02L	Breathing problems tingling, numbness	YPA002L		
YDQP	39	YDQP02M	Breathing problems temperature	YPA002M		
YDQP	40	YDQP02N	Breathing problems chest pain	YPA002N		
YDQP	41	YDQP02O	Breathing problems going crazy	YPA002O		
YDQP	42	YDQP02P	Breathing problems going to die	YPA002P		
YDQP	43	YDQP02Q	Breathing problems unreal	YPA002Q		
YDQP	44	YDQP02R	Breathing problems world unreal	YPA002R		
YDQP	45	YDQP02S	Breathing problems quick symptoms	YPA002S		
YDQP	46	YDQP02T	Breathe problem soft drink,coffee,meds	YPA002T		
YDQP	47	YDQP02U	Breathe problem no soft drink,coffee,med	YPA002U		
YDQP	48	YDQP02V	Breathing problems alcohol, drugs	YPA002V		
YDQP	49	YDQP02W	Breathing problems no alcohol, drugs	YPA002W		
YDQP	50	YDQP02X	Breathing problems last 4 weeks	YPA002X		
YDQP	51	YDQP03	Heart sudden fast beat	YPA003		
YDQP	52	YDQP03A	Heart sudden fast beat with reason	YPA003A		
YDQP	53	YDQP03B	Heart sudden fast beat anger	YPA003B		
YDQP	54	YDQP03C	Heart sudden fast beat no reason	YPA003C		
YDQP	55	YDQP03D	Heart sudden fast beat more than once	YPA003D		

YDQP	56	YDQP03E	Heart sudden fast beat medical problem	YPA003E		
YDQP	57	YDQP03G	Heart sudden fast beat feel strange	YPA003G		
YDQP	58	YDQP03H	Heart fast, feel strange, breathe hard	YPA003H		
YDQP	59	YDQP03I	Heart fast, feel strange, dizzy	YPA003I		
YDQP	60	YDQP03J	Heart fast, feel strange, trembling	YPA003J		
YDQP	61	YDQP03K	Heart fast, feel strange, sweating	YPA003K		
YDQP	62	YDQP03L	Heart fast, feel strange, choking	YPA003L		
YDQP	63	YDQP03M	Heart fast, feel strange, mouth dry	YPA003M		
YDQP	64	YDQP03N	Heart fast, strange, intestinal problem	YPA003N		
YDQP	65	YDQP03O	Heart fast, strange, extremities tingle	YPA003O		
YDQP	66	YDQP03P	Heart fast, feel strange, hot or cold	YPA003P		
YDQP	67	YDQP03Q	Heart fast, feel strange, chest pain	YPA003Q		
YDQP	68	YDQP03R	Heart fast, feel strange, going crazy	YPA003R		
YDQP	69	YDQP03S	Heart fast, feel strange, fear of death	YPA003S		
YDQP	70	YDQP03T	Heart fast, feel strange, feel unreal	YPA003T		
YDQP	71	YDQP03U	Heart fast, feel strange, world unreal	YPA003U		
YDQP	72	YDQP03V	Heart fast, feel strange, quick onset	YPA003V		
YDQP	73	YDQP03W	Heart fast, strange, soda, coffee, meds	YPA003W		
YDQP	74	YDQP03X	Heart fast, strange, no soda, coffee, meds	YPA003X		
YDQP	75	YDQP03Y	Heart fast, strange, tobacco, alcohol, drugs	YPA003Y		
YDQP	76	YDQP03Z	Heart fast, strange, no tobac, alcohol, drug	YPA003Z		
YDQP	77	YDQP03AA	Heart fast, feel strange, last 4 weeks	YPA003AA		
YDQP	78	YDQP04	3 or more attacks of feeling strange	YPA004		
YDQP	79	YDQP04A	How many attacks of feeling strange	YPA004A		
YDQP	80	YDQP04B	4 or more attacks of feel strange month	YPA004B		
YDQP	81	YDQP04C	Number attacks feel strange past month	YPA004C		
YDQP	82	YDQP05	Fear of strangeness attack repetition	YPA005		
YDQP	83	YDQP05A	Fear strangeness attack repeat for month	YPA005A		
YDQP	84	YDQP05B	Fear strangeness attack repeat last mon	YPA005B		
YDQP	85	YDQP06	Attack thought cause by physical problem	YPA006		
YDQP	86	YDQP06A	Attack thought physical cause for month	YPA006A		
YDQP	87	YDQP06B	Attack thought physical cause last month	YPA006B		
YDQP	88	YDQP07	Thought going crazy because of attacks	YPA007		
YDQP	89	YDQP07A	Thought going crazy - attacks for month	YPA007A		
YDQP	90	YDQP07B	Thought going crazy - attacks last month	YPA007B		
YDQP	91	YDQP08	Stopped going places - attack fear	YPA008		

YDQP	92	YDQP08A	Stopped going places alone - attack fear	YPA008A		
YDQP	93	YDQP08B	Stop go places - attack fear last 4 week	YPA008B		
YDQP	94	YDQP08C	Stop go alone - attack fear last 4 weeks	YPA008C		
YDQP	95	YDQP09	Attacks, people watching	YPA009		
YDQP	96	YDQP09A	Attacks, people not watching	YPA009A		
YDQP	97	YDQP10	Attacks, sep from attachment figure	YPA010		
YDQP	98	YDQP10A	Attacks, no sep from attachment figure	YPA010A		
YDQP	99	YDQP12Y	Age of first attack	YPA012Y		
YDQP	100	YDQP12Z	Grade of first attack	YPA012Z		
YDQP	101	YDQP12A	Time of first attack more than year ago	YPA012A		
YDQP	102	YDQP12B	Any time without attacks	YPA012B		
YDQP	103	YDQP12C	Time without attacks greater than 2 mos	YPA012C		
YDQP	104	YDQP12DY	Age of current attacks	YPA012DY		
YDQP	105	YDQP12DZ	Grade of current attacks	YPA012DZ		
YDQP	106	YDQP12E	Attacks restarted more than year ago	YPA012E		
YDQP	107	YDQP13	Caretakers upset by attacks	YPA013		
YDQP	108	YDQP13A	Caretakers upset by attacks frequency	YPA013A		
YDQP	109	YDQP14	Attacks prevented family activities	YPA014		
YDQP	110	YDQP14A	Attack prevent family activity frequency	YPA014A		
YDQP	111	YDQP15	Attacks prevented peer activities	YPA015		
YDQP	112	YDQP15A	Attacks prevent peer activity frequency	YPA015A		
YDQP	113	YDQP16	Problem cause school/work difficulty	YPA016		
YDQP	114	YDQP16A	Problem cause school/work diffclt intnse	YPA016A		
YDQP	115	YDQP17	Difficulties caused superiors upset	YPA017		
YDQP	116	YDQP17A	Difficulty cause superior upset freqncy	YPA017A		
YDQP	117	YDQP18	Attacks caused emotional upset	YPA018		
YDQP	118	YDQP18A	Attacks caused emotional upset intensity	YPA018A		
YDQP	119	YDQP19	Last year seen professional for attacks	YPA019		
YDQP	120	YDQP19A	Appointment see professional for attack	YPA019A		
YDQP	121	YDQP21	Attacks worse than past year	YPA021		
YDQP	122	YDQP21AY	Attacks worse than past year age	YPA021AY		
YDQP	123	YDQP21AZ	Attacks worse than past year grade	YPA021AZ		
YDQP	124	YDDPA1	Panic attack	YPAA1		
YDQP	125	YDDP1A1	Panic attack type 1	YPA1A1		
YDQP	126	YDDP1AM	Panic attack type 1, last month	YPA1AM		
YDQP	127	YDDP1AY	Panic attack type 1, last year	YPA1AY		
YDQP	128	YDDP2A1	Panic attack type 2	YPA2A1		

YDQP	129	YDDP2AM	Panic attack type 2, last month	YPA2AM		
YDQP	130	YDDP2AY	Panic attack type 2, last year	YPA2AY		
YDQP	131	YDDP3A1	Panic attack type 3	YPA3A1		
YDQP	132	YDDP3AM	Panic attack type 3, last month	YPA3AM		
YDQP	133	YDDP3AY	Panic attack type 3, last year	YPA3AY		
YDQP	134	YDDPA2AM	Persistent concern added attack, month	YPAA2AM		
YDQP	135	YDDPA2AY	Persistent concern added attack, year	YPAA2AY		
YDQP	136	YDDPA2BM	Worry about attack implications, month	YPAA2BM		
YDQP	137	YDDPA2BY	Worry about attack implications, year	YPAA2BY		
YDQP	138	YDDPA2CM	Significant behavior change, month	YPAA2CM		
YDQP	139	YDDPA2CY	Significant behavior change, year	YPAA2CY		
YDQP	140	YDDPA2Y	Attack concern or behavior change, year	YPAA2Y		
YDQP	141	YDDPA2M	Attack concern or behavior change, month	YPAA2M		
YDQP	142	YDDP1C	Not due substance/medic condtn - type 1	YPA1C		
YDQP	143	YDDP2C	Not due substance/medic condtn - type 2	YPA2C		
YDQP	144	YDDP3C	Not due substance/medic condtn - type 3	YPA3C		
YDQP	145	YDDPY	Past year: panic disorder	YPAY		
YDQP	146	YDDPM	Past month: panic disorder	YPAM		
YDQP	147	YDDPIMA	Impairment A -- at least one intermed.	YPAIMA		
YDQP	148	YDDPIMA1	Intermediate rating -- caretakers	YPAIMA1		
YDQP	149	YDDPIMA2	Intermediate rating -- family	YPAIMA2		
YDQP	150	YDDPIMA3	Intermediate rating -- peers	YPAIMA3		
YDQP	151	YDDPIMA4	Intermediate rating -- schoolwork	YPAIMA4		
YDQP	152	YDDPIMA5	Impairment A -- teacher/boss	YPAIMA5		
YDQP	153	YDDPIMA6	Intermediate rating -- felt bad/upset	YPAIMA6		
YDQP	154	YDDPIMB	Impairment B -- at least two intermed.	YPAIMB		
YDQP	155	YDDPIMC	Impairment C -- at least one severe	YPAIMC		
YDQP	156	YDDPIMC1	Severe rating -- caretakers became annoy	YPAIMC1		
YDQP	157	YDDPIMC2	Severe rating -- family	YPAIMC2		
YDQP	158	YDDPIMC3	Severe rating -- peers	YPAIMC3		
YDQP	159	YDDPIMC4	Severe rating -- schoolwork	YPAIMC4		
YDQP	160	YDDPIMC5	Severe rating -- teacher/boss	YPAIMC5		
YDQP	161	YDDPIMC6	Severe rating -- felt bad/upset	YPAIMC6		
YDQP	162	YDDPYIMA	Impairment A -- last year -- 1 inter	YPAYIMA		
YDQP	163	YDDPYIMB	Impairment B -- last year -- 2 inter.	YPAYIMB		
YDQP	164	YDDPYIMC	Impairment C -- last year -- 1 severe	YPAYIMC		

YDQP	165	YDDPYIMD	Impairment D -- last year -- B or C	YPAYIMD		
YDQP	166	YDDPMIMA	Impairment A -- last month -- 1 inter.	YPAMIMA		
YDQP	167	YDDPMIMB	Impairment B -- last month -- 2 inter.	YPAMIMB		
YDQP	168	YDDPMIMC	Impairment C -- last month -- 1 severe	YPAMIMC		
YDQP	169	YDDPMIMD	Impairment D -- last month -- B or C	YPAMIMD		
YDQP	170	YDDPCRIV	Panic Criteria Count - Last Year	YPACRITY		
YDQP	171	YDDPCRIM	Panic Criteria Count - Last Month	YPACRITM		
YDQP	172	YDDPSYMP	Panic Symptom Count	YPASYMP		